

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions. A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	For Examiner's Use		
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
Total			

This document consists of 14 printed pages and 2 blank pages.



WANN, PapaCambridge.com A student investigates the current-voltage characteristic for a lamp. She builds the 1 shown in Fig. 1.1.





Fig. 1.1

- (a) Show where the voltmeter should be connected on Fig. 1.1
- (b) From her results the graph in Fig. 1.2 is plotted.



- Fig. 1.2
- (i) What is the current when there is a potential difference of 2.0 V across the bulb?

[1]

[2]

(ii)	3 Calculate the resistance of the lamp when the potential difference is 2.0 V. Show your working.	
	resistance = [3]	
(iii)	Use the graph to deduce what happens to the resistance of the lamp as the current is increased above 0.30 A.	
	Suggest a reason for the change.	
	[2]	

- 2 (a) Complete Table 2.1 by writing in the missing formulae and types of bonding.
  - Table 2.1

compound	formula	type of bonding
sodium chloride	NaC1	ionic
methane		
potassium bromide		

[4]

(b) Give the names and symbols of the ions present in sodium chloride.

ion 1	symbol	
ion 2	symbol	[4]

Fig. 3.1	4 shows a 0.20 kg mass hanging on a spring.	For iner's
(a) (i)	Calculate the weight of the mass. ( $g = 10 \text{ N/kg}$ ) Show your working.	
(ii)	weight = Write down the force acting on the mass due to the spring. force =	[3]
	e mass is pulled down a short distance and released. Draw an arrow on Fig. 3.1 and label it <i>F</i> , to show the direction of the resultant for on the mass immediately after it is released.	ce [1]
(ii)	State what would happen to the mass immediately after it is released.	[2]

		www.xt	rapapers.com
		5	
4		mine can be extracted from seawater. e sodium bromide in seawater is reacted with chlorine to displace the bromine.	For iner's
	(a)	What is the name given to all of the elements in Group 7 of the Periodic Table?	For iner's [1]
	(b)	How many electrons are in the outer shell of bromine?	
			[1]
	(c)	Write a balanced equation for the displacement reaction between sodium bromina NaBr, and chlorine, $Cl_2$ .	de,
			[2]
	(d)	Explain why iodine cannot be used to displace bromine from sodium bromide.	
			[2]
	(e)	Give the name, atomic number and relative atomic mass of another element in same period of the Periodic Table as chlorine.	the
		The Periodic Table is printed on page 16.	
		element	
		atomic number	
		relative atomic mass	[3]

		www.xtrap	apers.com
		6 A. Daba	
5	Fig. 5.1	shows a liquid-in-glass thermometer.	For iner's
		0 10 20 30 40 50 60 70 80 90 100 110 °C	For iner's
		Fig. 5.1	9177
	(a) (i)	Name a suitable liquid to use in the thermometer.	
		[1]	- ·
	(ii)	Explain what happens to the liquid when the thermometer is placed in a beaker of hot water.	
		[2]	
	(iii)	Name the main process by which energy is transferred from the hot water to the liquid in the thermometer.	
		[1]	
	<b>(b)</b> The	e thermometer is now placed in pure boiling water.	
	(i)	What temperature would the thermometer show? [1]	
	(ii)	Explain what is meant by the term <i>boiling</i> .	
		[2]	

**6** Table 6.1 gives the names and formulae of some organic compounds

name of compound	formula
methanol	CH₃OH
ethanol	C₂H₅OH
propanol	
butanol	C₄H₃OH
pentanol	C₅H <sub>11</sub> OH

(2)	<i>(</i> i)	Name the type o	f organic co	mnounde lieto	d in the table
(a)	(1)	Name the type o	i organic co	mpounus iiste	u in the table.

## (ii) What is the name given to a series of compounds like these? (b) Complete the table by writing in the formula for propanol.


(c) Draw the structure of ethanol.

[1]

For iner's

(d)	G	Sive <b>two</b> uses of ethanol.	
	(i)		
	(ii)		[2]

Table 6.1



- (i) On Fig 7.1, draw **four** more wavefronts to complete the diagram. [3]
- (ii) Name the process being demonstrated.
- (b) Fig. 7.2 shows a similar ripple tank, with waves approaching a barrier that reflects water waves.





Fig. 7.2

On Fig. 7.2, draw in four more wavefronts to complete the diagram.

[3]


[1]

					www.xt	rapapers
				9	N.D.	
8	Sm	all pi	eces of metallic gold can	be found in the gravel at the bottom of	streams.	Can
	Soc	dium	is obtained by the electro	plysis of one of its compounds.		7brid
	Iror	ı is e	xtracted by reduction of it	ts ore with carbon in a blast furnace.		Cambridg
	(a)	(i)	Put these three metals ir	n order of reactivity.		
			most reactive			
			least reactive			[2]
		(ii)	Suggest where you wou Explain your answer.	ld place carbon in this list?		
						[2]
	(b)	Nar	ne an ore of iron.			
						[1]
	(c)	Sta	nless steel is a mixture o	f iron and chromium		
	(0)	(i)		o mixtures of metals like stainless steel	2	
		(1)	What hame do we give t		1	[4]
						[1]
		(ii)	Give a use of stainless s	teel.		
						[1]



Www.papacambridge.com **10** Fig. 10.1 shows an experiment to measure the volume of oxygen in 100 cm<sup>3</sup> of air.

Oxygen reacts with iron to form a solid compound.





(a) What do we call reactions which involve the addition of oxygen? [1] ..... (b) What type of compound is formed when an element reacts with oxygen? [1] ..... (c) (i) What volume of gas remains in the tube when all the oxygen has reacted? [1] ..... ..... (ii) Name the main gas in the tube after the oxygen has reacted. [1] .....

		MELLIN WAX	rapapers.com
		12	
11	The iod	ne isotope, $\frac{131}{53}$ I, decays by emitting a $\beta$ -particle.	For iner's
	<b>(a)</b> Exp	lain what is meant by a $\beta$ -particle.	For iner's
			[2]
	(b) (i)	Complete the equation which describes the decay.	
		$^{131}_{53}I = \dots X + \dots \beta$	
	(ii)	Use the Periodic Table, on page 16, to identify the element X and comment or reactivity.	n its
			[4]

		wxtrapapers.com
	13	Pap
12	A sample of copper chloride is made by reacting excess copper carbonate with hydr acid.	For iner's
	(a) Balance the equation for this reaction.	Panacanners.com
	$\dots$ CuCO <sub>3</sub> + $\dots$ HCl $\rightarrow$ $\dots$ CuCl <sub>2</sub> + $\dots$ CO <sub>2</sub> + $\dots$ H <sub>2</sub> O	[1]
	(b) (i) Name the gas evolved.	
		[1]
	(ii) Describe a test for this gas.	
		[2]
	(c) How could you obtain pure copper chloride crystals from the resulting mixture ?	
		[2]



**BLANK PAGE** 



**BLANK PAGE** 

						Market and a constrained of the second secon
_				1	16	aba
		0	4 Helium	20 10 Neon 10 Afgon 18 Afgon	84 Kypton 36 Kypton 36 Xenon 54 Xenon 54 Radon 86	175 Lutetium 71 Lawrencium 103
		۸II		19 Fluorine 9 35.5 C C C	80 Bromine 35 Bromine 35 I 127 I 127 A statine 85 Astatine	To A Note item 102 and
	-	⋝		16 Sulphur 16 Sulphur 16	79 Setenium 34 Setenium 128 Telurium 52 Potonium 84	169 Thulium Mendeevium 101
	-	>		Nitrogen 7 Nitrogen 31 31 15	75 Arsenic 33 Arsenic 33 Arsenic 209 51 209 Bi Bismuth	167 168 E E E Lium 68 100 100 100 100 100 107 107 107
	-	2		6 Carbon 6 Carbon 28 28 28 28 14	73 Gemantum 32 50 Tin 50 207 82 Lead	_ Ε
	-	≡		11 5 Boron 27 13 A <b>1</b> 13	70 Galium 115 Indium 49 Indium 81 T 11 115 81 116 116 81 116 116 81 116 81 116 81 116 81 116 81 116 81 81 81 81 81 81 81 81 81 81 81 81 81	162 Dysprosium 98 Callornium 99 Pressure (
ıts	-				65 30 Zinc 112 112 Cdd Hg Hg B0 <sup>Mercury</sup>	est Translum Berkelum 97 turre and p
Elemer					64 Copper 29 Copper 47 Stiver 47 Copper 47 Copper 47 Copper 29 Copper 29 Copper 29 Copper 29 Copper 20 Cop	e cadolinium Gd Cm Cm Cm Cm Cm Cm Cm Cm Cm Cm
Periodic Table of the Elements	dn				59 106 195 195 195 195 195 195 195 195	<sup>152</sup> B <sup>6</sup> E <sup>uroplum</sup> <sup>95</sup> Americum <sup>95</sup> at room
odic Tab	Group				59 27 Cobat 103 103 46 192 192 192 192 17 110	<sup>150</sup> Samartum <sup>94</sup> <sup>94</sup> <sup>94</sup> <sup>94</sup>
The Peri		-	Hydrogen		56 Fe 101 101 101 101 101 100 Somum 76 Osmum	Promethum 61 Mp 93 Neptunium 93 Septunium 9 of any gas
					55 Manganesse 25 Anganesse 25 186 186 186 186 75 Rentum 75 Rentum	144 Neodymium 60 0238 92 Uranium 92 92 92 92 92 92 92 92 92 92 92 92 92
					S2 Critomium 24 Mo Mo Mo Mo Mo Mo Mo Mo Mo Mo S6 7 184 42 184 7 7 103 24 103 24 103 24 103 26 26 27 20 26 27 20 26 27 20 26 26 26 26 26 26 26 26 26 26 26 26 26	140141144Pm150152157157159162165CePrNdPmSmEuGdTbDyDyHoCeiningPraseodyniumNodyniumPranentiumSamatiumEuropiumGdTbDyHoCalumPraseodyniumNodyniumPranentiumSamatiumEuropiumGdTbDyHoCalumPaseodyniumNodyniumPranentiumPranentiumCaloniumBkCfBkHoCalumPaseodyniumOutNpPuAmCmBkCfEsThPase238NpPuAmCmBkCfEsEssentium232PaseodyniumOutDyPuAmCmBkCfEsThPaseDiDiPuPuAmCmBkCfEssentium233PaseodyniumDiDiPuPuAmCmBkCfEsThPaseodyniumDiDiPuPuAmCmBkCfEssention233PaseodyniumDiPuPuAmCmBkCfFsEssention233PaseodyniumDiPuPuPuAmCmBkCfFsThe volume of one mole of any gas is 24 dm3 at room temperature and pressure (rt.p.).
					51 51 23 93 93 93 93 93 93 13 181 181 181 7 181 7 3 181 7 3 1 3 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1	The vol
					48 1222 91 91 40 178 178 178 178 7 72 <sup>Hahum</sup> 22	number
					45 Scandum 2 21 89 89 89 30 <sup>Y</sup> trium 2 30 <sup>139</sup> 139 139 139 139 139 139 4 57 53 50 50 50 50 50 50 50 50 50 50 50 50 50	Addition 89 Addition 1 Series 1 S
	-	=		9 Beryllum 4 Beryllum 24 Mg Mg 12	40 40 20 Cabium 20 88 88 88 88 88 137 137 137 56 Bañum 38 88 38 38 38 38 38 38 38 38	_   0.70
	-	_		23 Lithium 3 Lithium 3 23 23 23 23 23 23 23 23 23 23 23 23 2	39 19 85 85 85 85 133 37 133 133 55 55 55 55 55	Francium 87 Francium 58-71 Lan 190-103 Ac

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of