

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid. DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.


Ø

You may lose marks if you do not show your working or if you do not use appropriate units. Take the weight of 1 kg to be 10 N (i.e. acceleration of free fall = 10 m/s^2).


At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 21 printed pages and 3 blank pages.







WWW. PapaCambridge.com 3 2 (a) Fig. 2.1 shows a space probe, far out into space, where there is no atmosphere moving at a constant speed in the direction shown by the arrow. rocket motors Fig. 2.1 Is a force necessary to keep the probe moving like this? Tick one box. yes no If your answer is "yes", draw an arrow on the diagram to show this force. [1] (b) Fig. 2.2 shows the space probe just after the rocket motors are fired. exhaust gases Fig. 2.2 State what effect this has on the space probe.



			www.xtrapa	ipers.com
			5	
3	(a)	Her	re is a list of some energy resources which might be used to generate electric	
		Put	t a tick in the box alongside any of these which relies on a fuel being consumed.	orido
			5 ere is a list of some energy resources which might be used to generate electric t a tick in the box alongside any of these which relies on a fuel being consumed.	Se.com
			hydroelectricity	
			nuclear fission	
			wind	
			waves [2]	
	(b)	Her	re is a list of devices which convert energy from one form to another.	
			battery, electric motor, gas lamp, gas fire, generator, loudspeaker, microphone	
		Wh	nich of these is designed to convert	
		(i)	chemical energy into light energy,	
		(ii)	electrical energy into mechanical energy,	
		(iii)		
			[3]	
			[Total: 5]	





5 Fig. 5.1 shows a device called a thermostat, which is being used to control the temp of the air in a room.





Fig. 5.1


X and Y are strips of two different metals, joined together along their length. Together they are called a bimetallic strip. X expands more than Y for the same temperature rise.

(a) The temperature rises and the bimetallic strip bends.

State

(i) which way the bimetallic strip bends, (ii) what happens to the contacts,[1] (iii) what happens to the current in the circuit, (iv) what adjustment could be made to this thermostat, in order to increase the temperature at which the thermostat operates.[1]







The thermostat controlling the temperature of the water switches off the heater current when the temperature rises above 50 °C.


(i) Use Fig. 5.2 to determine how long the water is heated before the thermostat operates.

time = minutes [1]


the thermost Calculate how much thermal energy is supplied to the water before the thermost switches off the heater.

energy = J [3]

[Total: 8]



Www.PapaCambridge.com (a) A ray of light passes through one surface of a glass prism at right angles to the 7 as shown in Fig. 7.1.





(i) State why the ray is not deviated as it passes through the surface into the glass at A.

- (ii) On Fig. 7.1, use a ruler to help you draw the rest of the path of the ray, until it has emerged again into the air. [3]
- (b) Fig. 7.2 shows a periscope that uses two plane mirrors.




Fig. 7.2

(i) On Fig. 7.2, clearly mark the angle of incidence *i* and the angle of reflection *r* at mirror A. [1]



(iii) In the space below, use a ruler to redraw the periscope, but using prisms like that in Fig. 7.1 instead of mirrors at A and B.


[2]

[Total: 8]

(ii) State the equation linking *i* and *r*.


Www.PapaCambridge.com (a) Fig. 8.1 shows a circuit containing a 6V lamp, two switches and a 6V motorcycle 8 The lamp has a resistance of 10Ω when it is glowing normally.

14





How can the lamp be made to light up at normal brightness? Tick the box alongside any action which will do this.



(b) Fig. 8.2 shows a similar circuit, but the switches are arranged in parallel.






Fig. 8.2


How can the lamp be made to light up at normal brightness? Tick the box alongside any action which will do this.




[2]



(ii) With this resistor and the lamp in series, calculate the current in the circuit.



[Total: 3]





-O ∼ O alternating current supply

Fig. 10.1

Some more wire is made into a flat coil and connected across a low voltage lamp. When the flat coil is held close to the end of the iron bar, the lamp glows.

Explain why this happens.






12 (a) Four students attempt to define the *half-life* of a sample of radioactive substance

Student A Half-life is half the time for the activity of the sample to decrease to zero

- Www.PapaCambridge.com Student B Half-life is half the time taken for the activity of the sample to decrease to half its original value.
- Student C Half-life is the time taken for the activity of the sample to decrease to half its original value.

(b) Fig. 12.1 shows two samples of the same radioactive substance. The substance emits β-particles.





Put a tick alongside any of the following quantities which is the same for both samples.

the half-life of the samples the mass of the samples the number of atoms decaying each second the number of β -particles emitted per second

[1]

(c) A quantity of radioactive material has to be taken from a nuclear reactor to a some distance away. Fig. 12.2 shows the decay curve for the quantity of radioa material.




Fig. 12.2

Just before it leaves the nuclear reactor, the count-rate from the material is 2000 counts/minute. When it arrives at the factory, the count-rate is 1000 counts/minute.

- How long did the journey take? (i) hours [1]
- How many half-lives elapsed during the journey? (ii)
- The material is only useful to the factory if the activity is at least 100 counts/minute. (iii) Use Fig. 12.2 to determine how many hours of useful life the factory has from the radioactive material.

useful life = hours [2]

[Total: 6]



BLANK PAGE



BLANK PAGE



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of

24

BLANK PAGE