## **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**International General Certificate of Secondary Education** 

## MARK SCHEME for the October/November 2012 series

## 0625 PHYSICS

0625/31

Paper 3 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

www.xtrapapers.con

Page 2	Mark Scheme	Syllabus	3	
	IGCSE – October/November 2012	0625	123	

## **NOTES ABOUT MARK SCHEME SYMBOLS & OTHER MATTERS**

M marks

are method marks upon which further marks depend. For an M mark to be scored point to which it refers **must** be seen in a candidate's answer. If a candidate fails score a particular M mark, then none of the dependent marks can be scored.

B marks

are independent marks, which do not depend on other marks. For a B mark to scored, the point to which it refers must be seen specifically in the candidate's answers.

A marks

In general A marks are awarded for final answers to numerical questions. If a final numerical answer, eligible for A marks, is correct, with the correct unit and an acceptable number of significant figures, all the marks for that question are normally awarded. It is very occasionally possible to arrive at a correct answer by an entirely wrong approach. In these rare circumstances, do not award the A marks, but award C marks on their merits. However, correct numerical answers with no working shown gain all the marks available.

C marks

are compensatory marks in general applicable to numerical questions. These can be scored even if the point to which they refer are not written down by the candidate, **provided subsequent working gives evidence that they must have known it.** For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct substitution or working which shows he knew the equation, then the C mark is scored. A C mark is not awarded if a candidate makes two points which contradict each other. Points which are wrong but irrelevant are ignored.

brackets ()

around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets.

e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

underlining

indicates that this must be seen in the answer offered, or something very similar.

OR / or

indicates alternative answers, any one of which is satisfactory for scoring the marks.

e.e.o.o.

means "each error or omission".

o.w.t.t.e.

means "or words to that effect".

c.a.o.

correct answer only

Spelling

Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit. However, beware of and do not allow ambiguities, accidental or deliberate: e.g. spelling which suggests confusion between reflection / refraction / diffraction / thermistor / transformer.

Not/NOT

Indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate i.e. right plus wrong penalty applies.

Ignore

Indicates that something which is not correct or irrelevant is to be disregarded and does not cause a right plus wrong penalty.

ecf

meaning "error carried forward" is mainly applicable to numerical questions, but may in particular circumstances be applied in non-numerical questions.

Page 3	Mark Scheme	Syllabus	3
	IGCSE – October/November 2012	0625	20

This indicates that if a candidate has made an earlier mistake and has incorrect value forward to subsequent stages of working, marks indicated by be awarded, provided the subsequent working is correct, bearing in mind the mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated ecf.

Sig. figs.

Answers are normally acceptable to any number of significant figures ≥ 2. Any exceptions to this general rule will be specified in the mark scheme. In general, accept numerical answers, which, if reduced to two significant figures, would be right.

Units

Deduct one mark for each incorrect or missing unit from an answer that would otherwise gain all the marks available for that answer: maximum 1 per question. No deduction is incurred if the unit is missing from the final answer but is shown correctly in the working.

Arithmetic errors

Deduct one mark if the **only** error in arriving at a final answer is clearly an arithmetic one.

errors

Transcription Deduct one mark if the only error in arriving at a final answer is because given or previously calculated data has clearly been misread but used correctly.

Fractions e.g.  $\frac{1}{2}$ ,  $\frac{1}{4}$ ,  $\frac{1}{10}$  etc are only acceptable where specified.

Crossed out work

Work which has been crossed out and not replaced but can easily be read, should be marked as if it had not been crossed out.

Use of NR

(# key on the keyboard) Use this if the answer space for a question is completely blank or contains no readable words, figures or symbols.

B1

				www.xtrapape	ers
	Pa	ge 4	Mark Scheme Sylla	bus	1
			IGCSE – October/November 2012 062	25	
1	(a)	= (½ = 90 = 24	area under graph, stated or clearly used $\frac{1}{2} \times 18 \times 10$ ) + (120 × 18) + ( $\frac{1}{2} \times 18 \times 20$ ) Award if at least one 00 + 2160 + 180 $\frac{1}{2} \times 18 \times 20$ ) Award if at least one 2430 m / 2.43 km at least 2 significant figures. *Unit penalty app 1 u + at in any form OR (a=) gradient OR 18/10 $\frac{1}{2} \times 10$ .8 m/s <sup>2</sup> *Unit penalty applies	C1	700
	(b)	(F=) ma = 1	a OR 1.1 × 10 <sup>5</sup> × 1.8 ecf from <b>(a)(ii)</b> .98 × 10 <sup>5</sup> N at least 2 significant figures. *Unit penalty applies	C1 A1	
	(c)	driving f	force = friction/air resistance/drag	B1 <b>[9</b> ]	]
		*Apply ι	unit penalty once only		
2	(a)	Size / m	nagnitude (NOT distance) <u>and</u> direction	B1	
	(b)	Comple Resulta Resulta Angle m	s towards East and North with arrows correct by eye ete triangle or rectangle for candidate's vectors ant with correct arrow ant 94 to 96 m/s by scale OR 95 m/s by calculation *Unit penalty neasured 13.5° – 15.5° OR 15° by calculation *Unit penalty appunit penalty once only		]
3	(a)	OR no r	ultant/net force OR no resultant force in any direction resultant force in any two perpendicular directions ultant/net moment/turning effect/couple/torque al) clockwise moment = (total) anticlockwise moment order	B1 B1	
	(b)	(i) F ×	120 / F × 0.12 20 × 500 OR 20 × 0.5	C1	

- = 20 × 500 OR 20 × 0.5 C1 F = 83.3 N at least 2 significant figures. Allow 83<sup>1</sup>/<sub>3</sub> \*Unit penalty applies Α1 (ii) F/A or in words OR 83.3/0.0036 ecf from (b)(i) =  $23100 \text{ Pa} / \text{N/m}^2 \text{ OR } 2.31 \text{ N/cm}^2 \text{ OR } 23.1 \text{ kPa *Unit penalty applies}$ C1 Α1 [7]
- (a) (The point in the body) where (all) the mass / weight / gravity acts / appears to act
  - (b) h is the height through which the centre of mass/rises OR centre of mass/rises (much) less than 2.0 m

\*Apply unit penalty once only

(owtte)

www.xtrapapers.con

В1

	Pa	ge 5	5	T					Ma	ark \$	Sch	eme						Sylla	bus	1	· A	1	
						I	GCS	E –	Oct	tobe	er/No	ove	mb	er 20	12			062			No.	3	
		OR	centi centi w ce	tre	of r	nas	s/gra	avit	y pas	sses	s un	der	bar	•	level							Cal	Morido
	(c)	Rui Pol Ris Fal	nding n-up: e ben e: pot l: kine mat:	ki nt: otei etic	neti has ntia c er	c er s str l en nerg	nergy ain / ergy y ga	/ ga ela gai ine	ained istic ined d	d ene		strai	in / (	elasti	c ene	ergy						B1 B1 B1 B1 B1	[8]
5	(a)	(i)	•						•					/ sur in co		/ solic	d (an	d reb	ounc	d)		B1	
		(ii)	Mole more (so)	re ( ) bi	(ofte igge	en) er fo	rce /	pu		s co	llide	• wit	th / p	push	agair	nst wa	alls					B1 B1 B1	
	(b)	8.0 V <sub>2</sub> =	/ <sub>1</sub> = P <sub>2</sub> × 10 <sup>5</sup> = 40 0 ume 6	) <sup>5</sup> ×	50 0 cr	00 : n³	= 1 ×	10	) <sup>5</sup> × \	<b>V</b> <sub>2</sub>	) = 3	35 0	)00 c	cm³								C1 C1 C1 A1	[8]

(a) Heat required to change state of / melt 1 kg / 1 g / unit mass of solid (with no change of temperature)

Allow specific example e.g. ice to water NOT liquid to gas

	Page 6		Mark Scheme	Syllabus	0			
			IGCSE – October/November 2012	0625	ODO.			
	(b) (		d = m/V in any form OR (m =) V × d OR (m =) 0.25 × 0.012 × 920 = 2.76 kg at least 2 significant figures. *Unit penalty a	pplies	OapaCan A1	bridge		
	(i	•	60% of 250 = 150 (W/m²) OR 250 × 0.25 = 62.5 (J) Heat absorbed in 1 s = 150 × 0.25 = 37.5 (J) OR 60 % of 62.5 = 37.5 J OR J/s OR W *Unit penalty	C1 A1				
	(ii		Q = mL OR m = Q/L OR m = $37.5 / 3.3 \times 10^5$ ecf from <b>(b)(ii)</b> m = $0.0001136$ (kg) (in 1 s) Time taken = $2.76/0.000114$ = $24300$ s at least 2 significant figures. *Unit penalty applies					
	F t		OR P = Q/t OR t = Q/P OR t = mL/P t = $2.76 \times 3.3 \times 10^5 / 37.5$ = 24300 s *Unit penalty applies					
			*Apply unit penalty once only					
7	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Mole owe DR Late	er / more energetic molecules escape / evaporate (fro ecules left (in liquid) have lower average speed / energer er ent) heat needed to evaporate / leave the surface es from remaining liquid	•	B1 B1 (B1) (B1)			
	(b) ( (i	i)	Dull surface is <u>better</u> radiator / radiates <u>faster</u> OR Shiny surface is <u>poorer</u> radiator / radiates <u>slower</u> C <u>hotter</u> (than A) OR A <u>cooler</u> (than C) (so evaporate Less liquid in D OR more liquid in A	s at a <u>faster</u> rate in C)	B1 B1 B1			
	(i) (iv	<b>v</b> )	E has <u>greater</u> (surface) area / more open to air / is <u>sh</u> <u>greater</u> rate of loss of heat by evaporation / convection conduction / radiation		B1 B1	[7]		
8	(a) (		Diagram to show – boundary, normal <u>and</u> ray bending Angle of incidence labelled i or 51° Angle of refraction labelled r or 29°	g towards normal	B1 B1 B1			
	(i	•	n = sin i / sin r OR n = sin 51 / sin 29 n = 1.603 at least 2 s.f. *Unit penalty applies		C1 A1			

www.xtrapapers.com

	Pa	ge 7	7 Mark Scheme Sy	rllabus	•
				0625	
	(b)	Ang OR Ray Ang	y travels along the boundary gle of incidence = critical angle (of the glass)	glass) (B1) (B1)	Morida
			tical angle calculated as 38.6° ecf from <b>(a)(ii)</b> gle of incidence greater than critical angle (of the glass)	(B1) (B1)	[7]
9	(a)	(i)	In the opposite direction OR downwards Faster / fast	B1 B1	
		(ii)	No voltage/current induced Currents/voltages (induced) in each half of XY are equal and in directions/oppose each other	B1 n opposite B1	
	(b)	(i)	Y-plates	B1	
		(ii)	Up and down (repeatedly) owtte	B1	
		(iii)	Off / zero	B1	[7]
10	(a)	(i)	current		
		(ii)	p.d. OR potential difference OR voltage	B1	
			Both required		
	(b)	I =	= R <sub>1</sub> + R <sub>2</sub> OR 1.2 + 3.6 OR 4.8 (k Ω) 9.0 / 4.8 = 1.875 (mA) OR 9.0/4800 = 1.875 × 10 <sup>-3</sup> (A) Itmeter reading = 6.75 V *Unit penalty applies	C1 C1 A1	
		Vol = [3	Itmeter reading = $[R_1 / (R_1 + R_2)] V$ 3.6 / (1.2 + 3.6)] × 9.0 5.75 V *Unit penalty applies	(C1) (C1) (A1)	
	(c)	Cur	fire) temperature of thermistor rises and its resistance falls rrent (through thermistor and relay coil) rises / flows voltage / p.d. across / of relay coil rises	B1 B1	
			gnetic field of relay closes switch (and bell rings)	B1	[7]
		*Ap	oply unit penalty once only		

www.xtrapapers.com

[6]

B2

	Page 8	3	Mark Scheme	Syllabus	ľ
			IGCSE – October/November 2012	0625	30
11	(a) (i)	alph	a or $\alpha$		28Cambride
	(ii)	beta	or $\beta$		To the
	(iii)	gam	ma or γ		B2
		3 co	ibols must be clear rrect B2 rrect B1		
	(b) (i)	-	ilsion article and (gold) nucleus / protons of (gold) nucleus	have positive charges	B1 B1
	(ii)	-	two of: leus is very small (compared to size of atom) OR Mo ce	ost of atom is empty	
			leus is positive / contains protons OR Nucleus has ( e atom	(all) the positive charge	

Nucleus is heavy OR Nucleus has most / all of the mass of the atom

Ignore neutrons