

MARK SCHEME for the October/November 2013 series

0625 PHYSICS

0625/31

Paper 3 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

		2.
Page 2	Mark Scheme	Syllabus Syllabus
	IGCSE – October/November 2013	0625

apapers.com

PA CAMBRIDGE

NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

- ambridge.com are method marks upon which further marks depend. For an M mark to be scored M marks point to which it refers must be seen in a candidate's answer. If a candidate fails score a particular M mark, then none of the dependent marks can be scored.
- B marks are independent marks, which do not depend on other marks. For a B mark to be scored, the point to which it refers must be seen specifically in the candidate's answer.
- A marks In general A marks are awarded for final answers to numerical questions. If a final numerical answer, eligible for A marks, is correct, with the correct unit and an acceptable number significant figures, the marks for that of all question are normally awarded. It is very occasionally possible to arrive at a correct answer by an entirely wrong approach. In these rare circumstances, do not award the A marks, but award C marks on their merits. However, correct numerical answers with no working shown gain all the marks available.
- C marks are compensatory marks in general applicable to numerical questions. These can be scored even if the point to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct substitution or working which shows he knew the equation, then the C mark is scored. A C mark is not awarded if a candidate makes two points which contradict each other. Points which are wrong but irrelevant are ignored.
- Brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets, e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.
- <u>Underlining</u> indicates that this <u>must</u> be seen in the answer offered, or something very similar.
- OR / or indicates alternative answers, any one of which is satisfactory for scoring the marks.
- means "each error or omission". e.e.o.o.
- means "or words to that effect". o.w.t.t.e.
- Spelling Be generous about spelling and use of English. However, do not allow ambiguities, e.g. spelling which suggests confusion between reflection/refraction/diffraction/thermistor/ transistor/transformer.
- Not/NOT indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate i.e. right plus wrong penalty applies.
- indicates that something which is not correct or irrelevant is to be disregarded and does Ignore not cause a right plus wrong penalty.
- means "error carried forward". This is mainly applicable to numerical questions, but may e.c.f. occasionally be applied in non-numerical questions if specified in the mark scheme. This indicates that if a candidate has made an earlier mistake and has carried an incorrect value forward to subsequent stages of working, marks indicated by e.c.f. may be awarded, provided the subsequent working is correct.

Page 3	Mark Scheme	Syllabus	· A
	IGCSE – October/November 2013	0625	No.

Significant Figures

Answers are normally acceptable to any number of significant figures ≥ exceptions to this general rule will be specified in the mark scheme.

Cambridge.com Units Deduct one mark for each incorrect or missing unit from an answer that would otherwise gain all the marks available for that answer: maximum 1 per question.

Arithmetic errors

Deduct one mark if the only error in arriving at a final answer is clearly an arithmetic one.

Transcription errors

Deduct one mark if the only error in arriving at a final answer is because given or previously calculated data has clearly been misread but used correctly.

Fractions Only accept these where specified in the mark scheme.

Pa	age 4	Mark Scheme Syllabus	N.
		IGCSE – October/November 2013 0625	Dan
(a)	OF OF OF	ension (of spring) proportional to load/force (applied) load/force (applied) proportional to extension force = constant × extension extension = constant × force F = kx in any form with symbols explained	Hacannun B1
(b)) (i)	graph is through the origin AND is a straight line/has a constant gradient	B1
	(ii)	<i>F</i> = <i>kx</i> in any form OR (<i>k</i> =) <i>F</i> / <i>x</i> use of a point anywhere on graph e.g. 50/20 2.5N/mm OR 2500N/m	C1 C1 A1
	(iii)	from 50mm extension, graph curves with no negative gradient	B1
	(iv)	straight line through origin with smaller gradient than graph shown finishing at more than 50 mm	B1
			[Total: 7
(a)	(i)	$v = u + at \text{ OR } (a =) (v - u)/t \text{ OR } 24 = a \times 60 \text{ OR } 24/60$ 0.4(0)m/s ²	C1 A1
	(ii)	(F =) ma OR 7.5 × 10 ⁵ × 0.40 300 000 N OR 300 kN	C1 A1
(b)) (i)	in words or symbols (<i>P</i> =) <i>W</i> / <i>t</i> OR F x d/t OR <i>Fv</i> OR 7.2 × 10^4 × 24 / 1 OR OR 7.2 × 10^4 × 24 1.7 × 10^6 W	C1 A1
	(ii)	gravitational/potential energy of train has to be increased OR force acts down the slope/backward force acts (on train)	B1
		(for the same distance moved) more work done has to be done OR energy has to be provided (by the engine) in the same time (so needs more power)	B1 B1
			[Total: 9
(a)	(i)	3 appropriate examples: e.g. spanner, scissors, tap etc. –1e.e.o.o.	B2
	(ii)	there is a resultant force OR more force down than up there is a resultant moment OR clockwise moment is not equal to	B1
		anticlockwise moment	B1
(b)) (i)	F × 0.5 = 12 × 0.3 7.2N	C1 A1
	(ii)	weight has no moment about centre of rod/has no perpendicular distance from centre of rod	
		OR weight acts at centre of rod/pivot/centre of mass	B1
			[Total: 7

Pa	ge 5	5 Mark Scheme Syllabus
		IGCSE – October/November 2013 0625
(a)	(i)	(gravitational) potential energy to kinetic energy
	(ii)	chemical energy to (gravitational) potential energy
		Mark Scheme Syllabus IGCSE – October/November 2013 0625 (gravitational) potential energy to kinetic energy 0625 chemical energy to (gravitational) potential energy reference in (i) or (ii) to heat/thermal/internal energy produced OR wor done against air resistance or friction
(b)	(i)	(K.E. =) $\frac{1}{2}mv^2$ OR 0.5 × 940 × 16 ² 1.2 × 10 ⁵ J
	(ii)	in words or symbols $Q = mc\theta$ OR $\theta = Q/mc$ 1.203 × 10 ⁵ = 4.5 × 520 × θ OR θ = 1.203 × 10 ⁵ / (4.5 × 520) 51 °C or K
(a)	(i)	heated air/warm air rises/moves up (not sideways)
	(ii)	air (between plate and hands) is a poor conductor/does not conduct
(b)	OR	hand/palm (facing matt black side gets hotter) hand facing matt black side (gets hotter) tt black side is a better emitter/radiator (of heat than shiny side)
(c)		nduction takes place oper a good conductor/conduction is rapid/heat flows to equalise temperatur
	spe mol (Su any	lecules OR atoms OR particles eed OR velocity OR kinetic energy lecules OR atoms OR particles urface) area y four correct gains 2 marks, two or three correct gains 1 mark (when cap is screwed on) at top of mountain:
-		pressure of air in bottle = the low pressure of the air outside OR is less than pressure at bottom of mountain OR is low
		(at bottom of mountain) bottle collapses because pressure outside (bottle) is greater than pressure inside
	(ii)	Boyle's law applies OR PV = constant OR $P_1V_1 = P_2V_2$ 9.2 × 10 ⁴ × V = 4.8 × 10 ⁴ × 250

	6	Mark Scheme Syllabus	0
		IGCSE – October/November 2013 0625	10g
(a) (i)) diffr	action	13
(ii)) wav	es travel slow(er)/water is shallow(er)	B1
(iii)		ular spread of wavefronts increases o.w.t.t.e. amplitude of waves is smaller	B1
b) (i	the	llation/up and down motion (of rope) is at right angles to the direct wave motion of rope/particles is at right angles to the direction of the wa	
(ii)) λ =	2.4/2 = 1.2 m	C1
	v = 2.71	$f\lambda$ in any form OR (f =) v/λ OR 3.2/1.2	C1 A1
	OR		
		2.4/3.2 2 × 3.2/2.4	(C1) (C1)
	2.71		(A1)
			[To
m	agnet plenoid	ith solenoid AND galvanometer or ammeter or voltmeter labelled OR poles shown, with any orientation, near solenoid OF ate action described e.g. move magnet/solenoid	B1 R inside B1 B1
(b) (i)		netic field (in core)	M1
	(ma	gnetic field is) alternating/changing/reversing	A1
) sam	ne frequency a.c. ticked	B1
(ii)		$V_{\rm P} = N_{\rm S}/N_{\rm P}$ in any form OR ($V_{\rm S}$ =) 12 × 200/50 OR 48 (V)	C1
•	•		~ 1
• •	V _S 1 (I _S =	$V_{\rm S} = V_{\rm P}I_{\rm P}$ in any form OR with numbers =) 12 × 0.50/48 = 0.12 A OR 0.13 A	C1 A1
•	V _S I (I _S = OR	$T_{\rm S}$ = $V_{\rm P}I_{\rm P}$ in any form OR with numbers =) 12 × 0.50/48 = 0.12 A OR 0.13 A	A1
• •	V _s I (I _s = OR I _s /I	$S_{\rm S} = V_{\rm P}I_{\rm P}$ in any form OR with numbers	
• •	V _s I (I _s = OR I _s /I	$T_{\rm S} = V_{\rm P}I_{\rm P}$ in any form OR with numbers =) 12 × 0.50/48 = 0.12 A OR 0.13 A $T_{\rm P} = N_{\rm P}/N_{\rm S}$ in any form	A1 (C2) (A1)
(111)	V _S I (I _S = OR I _S /I (I _S =	$T_{\rm S} = V_{\rm P}I_{\rm P}$ in any form OR with numbers =) 12 × 0.50/48 = 0.12 A OR 0.13 A $T_{\rm P} = N_{\rm P}/N_{\rm S}$ in any form	A1 (C2)
(iii) (i)(i	V _S I (I _S = OR I _S /I (I _S =	$T_{\rm S} = V_{\rm P}I_{\rm P}$ in any form OR with numbers =) 12 × 0.50/48 = 0.12 A OR 0.13 A $T_{\rm P} = N_{\rm P}/N_{\rm S}$ in any form =) 0.5 × 50/200 = 0.12 A OR 0.13 A	A1 (C2) (A1)

Page	7	Mark Scheme	Syllabus	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
		IGCSE – October/November 2013	0625	Day 1
cro (ov OF	ngth cha oss-sec verall) r R curre rrent in	nt by 3 7 Ω	Papacambrie C1 A1	
				[Total: 7]
(a) he	tween	plates path curves upwards continuously		B1
• •		ion in straight line in space beyond plates		B1
(b) (i)	in rar	nge 7.0 to 7.5V		B1
(ii)		of the number 4 (as a distance or a time)		C1
	f = 1/ 250 F	T OR $\frac{1}{4}$ OR $\frac{1}{0.004}$ but NOT if $f = \frac{v}{\lambda}$ used		C1 A1
				[Total: 6]
(a) (i)		high/on/1, output low/off/0		
		low/off/0, output high/on/1 reverses/inverts state of input OR output opposite t	o input	B1
(a) (ii)	resis	tance changes as temperature changes		B1
(i)	at lov	v temperature resistance of thermistor is high		
(-)		when temperature falls resistance of thermistor rises		B1
	p.d. a	across thermistor is high OR p.d. across R is low		B1
	•	age) input to gate is low		B1
	outpı	ut of gate is high (and warning light is on)		B1
(ii)	chan	ges the temperature/set value at which the lamp cor	nes on	B1
				[Total: 7]