CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the October/November 2014 series

0625 PHYSICS

0625/21

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0625	21
	NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MA	TTERS	
3 marks	B marks are independent marks, which do not depend on other marks. For a B mark to be scored, the point to which it refers must be seen specifically in the candidate's answer.		
M marks	M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers must be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.		
C marks	C marks are compensatory marks in general applicable to numeric can be scored even if the point to which they refer are not written or provided subsequent working gives evidence that they must l example, if an equation carries a C mark and the candidate does r actual equation but does correct substitution or working which sho equation, then the C mark is scored. A C mark is not awarded if a points which contradict each other. Points which are wrong but irre	down by the have known hot write dow ws he knew candidate m	candidate i it . For vn the the akes two
A marks	A marks are accuracy or answer marks which either depend on an one of the ways which allow a C mark to be scored. A marks are c final answers to numerical questions. If a final numerical answer, e correct, with the correct unit and an acceptable number of significa- marks for that question are normally awarded. It is very occasional a correct answer by an entirely wrong approach. In these rare circu award the A mark, but award C marks on their merits. An A mark for a dependent mark.	ommonly aw eligible for A ant figures, a lly possible t umstances, o	varded fo marks, is Il the o arrive a do not
Brackets()	Brackets around words or units in the mark scheme are intended t used to clarify the mark scheme, but the marks do not depend on s units in brackets, e.g. 10 (J) means that the mark is scored for 10, given.	seeing the w	ords or
<u>Underlining</u>	Underlining indicates that this must be seen in the answer offered similar.	, or somethii	ng very
DR / or	This indicates alternative answers, any one of which is satisfactory	for scoring	the mark
e.e.o.o.	This means "each error or omission".		
o.w.t.t.e.	This means "or words to that effect".		
gnore	This indicates that something which is not correct or irrelevant is to does not cause a right plus wrong penalty.	be disrega	ded and

- Be generous about spelling and use of English. If an answer can be understood to mean Spelling what we want, give credit. However, do not allow ambiguities, e.g. spelling which suggests confusion between reflection / refraction / diffraction or thermistor / transistor / transformer.
- Not / NOT This indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate, i.e. right plus wrong penalty applies.

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0625	21

- ecf meaning "error carried forward" is mainly applicable to numerical questions, but may in particular circumstances be applied in non-numerical questions. This indicates that if a candidate has made an earlier mistake and has carried an incorrect value forward to subsequent stages of working, marks indicated by ecf may be awarded, provided the subsequent working is correct, bearing in mind the earlier mistake. This prevents a candidate from being penalised more than once for a particular mistake, but **only** applies to marks annotated ecf.
- Sig. figs. Answers are normally acceptable to any number of significant figures \geq 2. Any exceptions to this general rule will be specified in the mark scheme.

Arithmetic errors

Deduct one mark if the **only** error in arriving at a final answer is clearly an arithmetic one. Regard a power-of-ten error as an arithmetic error.

Transcription errors

Deduct one mark if the only error in arriving at a final answer is because previously calculated data has clearly been misread but used correctly.

Fractions Allow fractions only where specified in the mark scheme.

21 B1 B1 B1 B1 B1 B1 B1
B1 B1 B1 B1
B1 B1 B1
B1 B1
B1
[Total: 6]
B1
C1 C1 A1
[Total: 4]
B1 + B1 B1
B1 B1
[Total: 5]

P	age :	5	Mark Scheme	Syllabus	Paper
	ige i		Cambridge IGCSE – October/November 2014	0625	21
4	(a)	(i)	temperature (of solid) rising OR (solid) expanding NOT any indication of melting/turning into liquid, accept particles gain k.e./vibrate more		B1
		(ii)	melting owtte		B1
		(iii)	temperature of liquid rising OR liquid expanding accept liquid particles gain k.e./move faster/more		B1
	(b)	ice	needs (thermal) energy/heat to melt/overcome intermolecular force	S	M1
		tak	es this energy from drink		B1
	(c)	(i)	(temperature) increases/gets hotter		M1
			steam transfers thermal energy/heat/supplies energy (to water), as steam loses (latent) heat (as it condenses)	ccept	A1
		(ii)	increases		M1
			steam condenses/turns into water OR gas molecules become liquic molecules	I	A1
					[Total: 9]
5	(a)	ech	o OR sound reflected (from rock face)		B1
	(b)	330	eed = distance/time in any form OR (distance =) speed \times time 0 \times 1.8 OR 330 \times 0.9 OR 594 7 (m) accept 2 or 3 sig. figs.		C1 C1 A1
	(c)	0.9	(s)		B1
	(d)	(so (so (so (so (so	v two from: und is) longitudinal/light is transverse und) travels more slowly/light travels faster und) has lower frequency/longer wavelength accept reverse for ligh und) cannot travel through a vacuum/light can travel in a vacuum und is a) mechanical/pressure wave OR is not electromagnetic/light ctromagnetic		B2 [Total: 7]

Ρ	age	6	Mark Scheme	Syllabus	Paper
			Cambridge IGCSE – October/November 2014	0625	21
6	(a)	(i)	rub rod with cloth		B1
		(ii)	any suitable test,		
			e.g. picks up/attracts paper, hair, stream of water etc. OR using ele OR attracts/repels an object known to be charged	ectroscope	B1
	(b)		v two from:		
			tion/rubbing (between clothing and seat) y becomes charged		
		dis	charged when touches handle, accept charge travels through/to/fror	n lady	50
		(fro	m/to handle)/charge is earthed		B2
					[Total: 4]
7	(a)	(i)	a line between F_2 or F_1 and C ± 3 mm		C1
	()	()	a line between F_2 or F_1 and C ± 1 mm		A1
		(ii)	refraction either at centre line OR at both surfaces,		B1
			parallel after lens OR reaches tip of image		B1
	(b)	bot	tom box ticked: at I		B1
	. ,				
	(c)	(i)	closer to $F_1/C/lens/F_2$ NOT closer to object		B1
		(ii)	smaller/reduced/diminished		B1
					[Total: 7]
8	(a)	(i)	variable resistor		B1
	. ,	(ii)	adjust/change/vary/control the current/voltage, ignore vary resistar		B1
		("')			Ы
	(b)	(i)	top box ticked: charge		B1
		(ii)	A or amp(s) or ampere(s), condone a, ignore I, NOT ammeter		B1
	(c)	•	=) $R_1 + R_2 \mathbf{OR} + 12$		C1
		20	(22)		A1
	(d)	(i)	R_1 and R_2 clearly shown in parallel (between X and Y)		M1
	()	(-)	rest of circuit including R1 and R2 correct		A1
			note: short circuit across resistors loses both marks		
		(ii)	parallel		B1
					[Total: 9]

e 7	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2014	0625	21
ı) () core		B1
(i) iron NOT steel, accept ferrite		B1
Ċ	orrect substitution		C1 C1 A1
;) ro	educed brightness/dimmer ewer (than 250) turns		M1 A1 A1
			B1
			[Total: 9]
ı) e	lectrons		B1
) g	lows or equivalent e.g. (spot of) light/fluorescence		B1
;) () H_1 and H_2 both, either order		B1
(i) A and C both, either order		B1
(ii) Y_1 and Y_2 both, either order		B1
			B1
	(ii) V 2) re fc lc) la a) e (i (ii (iii) (i	(i) core (ii) iron NOT steel, accept ferrite (ii) iron NOT steel, accept ferrite) $V_1/V_2 = N_1/N_2$ in any form correct substitution 250) reduced brightness/dimmer fewer (than 250) turns lower voltage, accept smaller/lower current) lamp would blow/burn out accept blow up/glow extremely) electrons) glows or equivalent e.g. (spot of) light/fluorescence) (i) H_1 and H_2 both, either order (ii) A and C both, either order (iii) Y_1 and Y_2 both, either order) (i) Y_2 OR top	(i) core (ii) iron NOT steel, accept ferrite (i) $V_1/V_2 = N_1/N_2$ in any form correct substitution 250) reduced brightness/dimmer fewer (than 250) turns lower voltage, accept smaller/lower current) lamp would blow/burn out accept blow up/glow extremely) electrons) glows or equivalent e.g. (spot of) light/fluorescence) (i) H ₁ and H ₂ both, either order (ii) A and C both, either order (iii) Y ₁ and Y ₂ both, either order (iii) Y ₂ OR top

[Total: 6]

Page 8	Mark Scheme	Syllabus	Paper	
	Cambridge IGCSE – October/November 2014	0625	21	
11 (a)	i) B i) A]		B1	
	both correct		B1	
(b) 🤇			B1	
(c)	(any attempt at a symbol)		B1	
	(any attempt at a symbol)		B1	
			[Total: 5]	
12 (a) a	Il 5 points plotted $\pm \frac{1}{2}$ small square -1 e.e.o.o.		B2	
	smooth best-fit single line curve through most of the points, not joining points dot to dot			
(b)	i) half/50%/0.5/1/2		B1	
(i) indication of correct use of graph		B1	
	idea of halving, e.g. 175 or mark at 175 on graph, NOT halving nur days, i.e. 7	mber of	C1	
	3.4 – 4.0, accept nearest integer from candidate's graph		A1	
(i	 i) 1. candidate's (ii) OR integer either side of candidate's (ii) 2. half-life not affected by sample size / starting point 		M1	
	accept idea that half-life does not change.		A1	
			[Total: 9]	