CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the May/June 2015 series

0625 PHYSICS

0625/21

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0625	21

NOTES ABOUT MARK SCHEME SYMBOLS & OTHER MATTERS

B marks are independent marks, which do not depend on any other marks. For a B mark to

be scored, the point to which it refers must actually be seen in the candidate's

answer.

M marks are method marks upon which accuracy marks (A marks) later depend. For an M

mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent

A marks can be scored.

C marks are compensatory method marks which can be scored even if the points to which

they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct working

which shows he knew the equation, then the C mark is scored.

A marks are accuracy or answer marks which either depend on an M mark, or which are one

of the ways which allow a C mark to be scored.

Brackets () around words or units in the mark scheme are intended to indicate wording used to

clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets, e.g. 10 (J) means that the mark is scored for 10, regardless of the unit

given.

c.a.o. means "correct answer only".

e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier

mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks

annotated "e.c.f."

e.e.o.o. means "each error or omission".

<u>Underlining</u> indicates that this <u>must</u> be seen in the answer offered, or something very similar.

OR / or indicates alternative answers, any one of which is satisfactory for scoring the mark.

AND indicates that both answers are required to score the mark.

Spelling Be generous with spelling and use of English. However, do not allow ambiguities

e.g. spelling which suggests confusion between reflection/refraction/diffraction or

thermistor/transistor/transformer.

Sig. figs. On this paper, answers are generally acceptable to any number of significant figures

≥2, except where the mark scheme specifies otherwise or gives an answer to only 1

significant figure.

Units On this paper, incorrect units are not penalised, except where specified. More

commonly, marks are awarded for specific units.

Fractions Fractions are only acceptable where specified.

www.xtrapapers.com

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0625	21

Extras If a candidate gives more answers than required, irrelevant extras are ignored; for extras which contradict an otherwise correct response, or are forbidden by the mark

scheme, use right plus wrong = 0.

Ignore indicates that something which is not correct is disregarded and does not cause a

right plus wrong penalty.

NOT indicates that an incorrect answer is not to be disregarded, but cancels another

otherwise correct alternative offered by the candidate i.e. right plus wrong penalty

applies.

Page 4		ı.			Paper	
			Cambridge IGCSE – May/June 2015	0625	21	
1	(a)	•	two from: gap between ruler and stack eye not perpendicular/ level with top of stack zero error of ruler		B2	
	(b)		÷20 85 (cm) OR 0.39 (cm)		C1 A1	
	(c)	0.0	12 (kg) c.a.o.		B1	
					[Total: 5]	
2	(a)	40 ((km)		B1	
	(b)	0.5	eed = distance ÷ time in any form ÷ 0.04 5 m/s		C1 C1 A1	
	(c)	(i)	distance travelled = area under slope OR 0.5×15×6 45 (m)		C1 A1	
		(ii)	(straight) line from 15 m/s to 0 in 2.0 seconds		A1	
					[Total: 7]	
3	(a)	(i)	any answer in range 40 to 100 kg OR equivalent in g		В1	
		(ii)	mass of chair is the same on the moon		B1	
	(b)	(i)	pressure greater in Fig. 3.2 OR reverse argument force/weight is the same smaller (contact/surface) <u>area</u>		B1 B1 B1	
		(ii)	vertical line through centre of mass drawn or explained centre of mass outside base area of chair/beyond back leg of chair	r	B1 B1	
					[Total: 7]	

[Total: 4]

В1

В1

В1

В1

chemical

kinetic

sound

thermal

Pa	ıge (5	Mark Scheme S	Syllabus	Paper
			Cambridge IGCSE – May/June 2015	0625	21
5	(a)	(i)	C in box		B1
		(ii)	A AND C in any order		B1
	(b)	any • • •	y 5 points in any order from: starting pistol fired stopwatch started on seeing smoke/signal stopwatch stopped on hearing bang time taken (between flash and bang) calculated/recorded distance measured OR at least 100 m apart, IGNORE distances less speed = distance ÷ time	than 100 n	B5
					[Total: 7]
6	(a)	(i)	380 (mm) AND 220 (mm)		B1
		(ii)	` '\',		C1
			760 + 160 OR ecf from (a)(i) ECF 920 (mmHg) OR ecf from (a)(i)		C1 A1
					Ai
	(b)	(i)	decreases		B1
		(ii)	molecules slow down OR (average) speed/movement decreases OR molecules have less (average kinetic) energy		B1
			molecules closer		B1
					[Total: 7]
7	(a)	(i)	<u>conduction</u>		B1
		(ii)	1. water expands when heated		B1
		(,	density (of warm water) decreases OR reverse argument		B1
			warm water rises		B1
			2. convection		B1
	(b)	(i)	reduce heat losses OR to act as insulation		B1
		(ii)	any two from:		B2
			 economic reason: lower costs OR cheaper OR more efficient environmental reason: less greenhouse gases OR maintain fuel reason to do with system: maintain temperature of water OR less needed to keep water hot OR water stays hotter for longer 		

[Total: 8]

P	age (6	Mark Scheme	Syllabus	Paper
			Cambridge IGCSE – May/June 2015	0625	21
8	(a)	(i)	angle of refraction correctly labelled		B1
		(ii)	normal		B1
	(b)	(i)	light ray shown undergoing TIR/turns through 90°		B1
		(ii)	total internal (reflection)		B1
		(iii)	angle of incidence = angle of reflection OR angle of incidence greateritical angle	ter than	B1
					[Total: 5]
9	(a)	alte	ernating voltage OR a.c. (supply)		B1
	(b)	mo	tor (accept fan) AND lamp		В1
	(c)	line	1 tick and then tick 2 cross/nothing and then tick 3 tick and then cross/nothing		В3
	(d)	V=	IR in any form		В1
	(e)	50 : 250			C1 A1
	(f)	•	two from: current too large fuse wire melts/"blows" breaks circuit prevents overheating/fires/damage to other components		B2
			,		[Total: 10]
					_
10	(a)		clearly indicated el clearly indicated		B1 B1
	(b)		t to see if there is repulsion/attraction ar indication that repulsion identifies the magnets		C1 A1
	(c)	ste	el		B1

Pa	age 7	7	Mark Scheme	Syllabus	Paper
			Cambridge IGCSE – May/June 2015	0625	21
	(d)	(i)	iron filings OR (plotting) compass		B1
		(ii)	at least two complete concentric circles around wire		B1
					[Total: 7]
11	(a)	tra	nsverse waves OR travel at same (high) speed OR travel across a va	acuum	B1
	(b)		ra-red next to visible crowaves next to radio waves		B1 B1
	(c)	ga	mma rays		B1
	(d)	(i)	medical imaging OR security scanning (at airports etc.) OR dentistr OR finding defects in welding	ry	B1
		(ii)	use of shielding OR monitor exposure		B1
					[Total: 6]
12	(a)		olots all correct od best-fit single line curve		B1 B1
	(b)	ро	int at 40 days indicated		C1
		77	5±75		A1
	(c)	at	tial count rate halved OR pair of count rates indicating halving least one corresponding time from graph days ± 2 days		C1 C1 A1
					[Total: 7]