



Cambridge IGCSE™

PHYSICS

0625/31

Paper 3 Theory (Core)

October/November 2022

MARK SCHEME

Maximum Mark: 80

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2022 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

This document consists of **13** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	<p><u>'List rule' guidance</u></p> <p>For questions that require <i>n</i> responses (e.g. State two reasons ...):</p> <ul style="list-style-type: none"> • The response should be read as continuous prose, even when numbered answer spaces are provided. • Any response marked <i>ignore</i> in the mark scheme should not count towards <i>n</i>. • Incorrect responses should not be awarded credit but will still count towards <i>n</i>. • Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should not be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response. • Non-contradictory responses after the first <i>n</i> responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Acronyms and shorthand in the mark scheme

acronym/shorthand	explanation
A marks	Final answer marks which are awarded for fully correct final answers.
C marks	Compensatory marks which may be scored to give partial credit when final answer (A) marks for a question have not been awarded.
B marks	Independent marks which do not depend on other marks.
M marks	Method marks which must be scored before any subsequent final answer (A) marks can be scored.
Brackets ()	Words not explicitly needed in an answer, however if a contradictory word/phrase/unit to that in the brackets is seen the mark is not awarded.
<u>Underlining</u>	The underlined word (or a synonym) must be present for the mark to be scored. If the word is a technical scientific term, the word must be there.
/ or OR	Alternative answers any one of which gains the credit for that mark.
owtte	Or words to that effect.
ignore	Identifies incorrect or irrelevant points which may be disregarded, i.e., <u>not</u> treated as contradictory. Ignore is also used to indicate an insufficient answer not worthy of credit <u>on its own</u> .
CON	An incorrect point which contradicts any correct point and means the mark cannot be scored.
ecf [question part]	Indicates that a candidate using an erroneous value from the stated question part must be given credit here if the erroneous value is used correctly here.
cao	correct answer only

Question	Answer	Marks
1(a)	21 (cm ³)	B1
1(b)	0.2(0) (cm ³)	A4
	(average volume of one drop) = $4(.0)/20$	C3
	(volume = $25 - 21 = 4(.0)$) (cm ³)	C1
	total volume = number of drops × (average) volume of one drop	C1
1(c)	any four from: <ul style="list-style-type: none"> • measure volume of water (in a measuring cylinder) • add metal to water in the measuring cylinder • so that metal is completely submerged • measure (new) volume of water in a measuring cylinder (with metal) • find the difference between the two volumes. 	B4

Question	Answer	Marks
2(a)	300 (N)	A2
	(resultant force =) force to right – force to left OR 1200 – 900	C1
	to the right OR in forward direction	B1
2(b)(i)	7.20 (s)	B1
2(b)(ii)	16 (m / s)	A3
	200 / 12.8	C2
	(average speed =) (total) distance / (total) time in any form	C1
2(c)	48 (m)	A3
	$\frac{1}{2} (6 + 18) \times 4.0$ OR $6 \times 4 + \frac{1}{2} \times 12 \times 4$	C2
	distance = area under graph OR area = $\frac{1}{2}$ (sum of parallel sides) \times base	C1

Question	Answer	Marks
3(a)	6000 (N cm)	A3
	(moment of force =) 200×30	C2
	(moment of force =) force \times (perpendicular) distance (of force from pivot)	C1
3(b)(i)	any two from: <ul style="list-style-type: none"> chemical energy to (gravitational) potential energy (of sail) chemical energy to kinetic energy kinetic energy (of winch) to kinetic energy (of rope / sail) kinetic energy (of rope / sail) to (gravitational) potential energy (of sail). 	B2
3(b)(ii)	chemical energy OR kinetic energy to thermal OR sound (energy)	B1

Question	Answer	Marks
4(a)	(weight =) 50 (N)	A2
	(weight =) mass \times g OR 5×10	C1
4(b)	75 (J)	B1
4(c)	3.9	A4
	$280 / 72$	C3
	($P =$) F / A OR (pressure =) force / area	C1
	(area = $4 \times 18 =$) 72 (cm ²)	C1
	N / cm ²	B1

Question	Answer	Marks
5(a)(i)	880 (mm Hg)	A3
	(180 – 60 =) 120 (mm Hg)	C2
	(left tube =) 60 (mm Hg) AND (right tube =) 180 (mm Hg) seen	C1
5(a)(ii)	(U-tube) manometer	B1
5(b)(i)	any two from: <ul style="list-style-type: none"> • molecules in air moving at high speed / kinetic energy • molecules collide with cylinder OR wall (of cylinder) OR piston • force of collisions (per unit area) cause pressure. 	B2
5(b)(ii)	smaller / lower pressure (on cylinder)	B1
	(because) reduced rate of collisions OR fewer collisions with cylinder OR wall (of cylinder) OR piston (per unit area)	B1

Question	Answer	Marks
6(a)(i)	refraction	B1
6(a)(ii)	wavelength	M1
	(of) waves (in shallow water) is shorter / smaller ORA	A1
	OR	
	speed	(M1)
	(of) waves / wavefronts (in shallow water) is slower ORA	(A1)
6(b)	2.5 (Hz)	A3
	25 / 10	C2
	(frequency =) number of (complete) waves sent out OR passing a point in one second / unit time OR 1 Hz is 1 wave in one second OR no. of waves ÷ time taken	C1
6(c)(i)	any electromagnetic wave OR an S-wave	B1
6(c)(ii)	(particle vibrations are) perpendicular / at right angles	B1
	to the direction of propagation / wave travel / energy transfer	B1

Question	Answer	Marks
7(a)	any two from: <ul style="list-style-type: none"> • (bar XY) is a (permanent) magnet • (because) end X is repelled (by magnet/S pole) • (so) end X is a S pole. 	B2
7(b)	(plotting) compass placed at one point on / near magnet	B1
	(repeatedly mark and) move compass in direction of arrow	B1
	start from different positions (to show pattern)	B1

Question	Answer	Marks
8(a)	5 correct symbols for 3 marks 3 or 4 correct symbols for 2 marks 1 or 2 correct symbols for 1 mark	B3
	any from: <ul style="list-style-type: none"> • correct symbol for battery • correct symbol for ammeter • correct symbol for lamp • correct symbol for fixed resistor • correct symbol for switch. 	
	all components drawn connected in a series circuit	B1
8(b)	electrons	B1
8(c)	6(.0) (V)	A3
	0.40×15	C2
	$(V \Rightarrow) I \times R$ OR $R = V/I$	C1

Question	Answer	Marks
9(a)(i)	protects (transformer / wiring) from fire / overheating	B1
9(a)(ii)	any two from: <ul style="list-style-type: none"> • large current (in fuse) • (causes) fuse to melt • (and so) prevents current in appliance OR breaks circuit OR isolates appliance from supply. 	B2
9(b)	110 (V)	A3
	$V_s / 230 = 150 / 314$ OR $V_s = (150 / 314) \times 230$ OR $V_s = 230 / 2.093$ OR $150 / 314 = ? / 230$	C2
	$V_s / V_p = N_s / N_p$	C1
9(c)(i)	(soft) iron	B1
9(c)(ii)	copper	B1
9(c)(iii)	fewer turns on output / secondary (than on input coil)	B1

Question	Answer	Marks																												
10(a)	<p>4 correct ticks for 3 marks 2 or 3 correct ticks for 2 marks 1 correct tick for 1 mark</p> <table border="1" data-bbox="338 352 1449 810"> <thead> <tr> <th data-bbox="338 352 656 416">characteristic</th> <th colspan="3" data-bbox="656 352 1449 416">type of radiation</th> </tr> <tr> <th data-bbox="338 416 656 485"></th> <th data-bbox="656 416 927 485">α (alpha)-particles</th> <th data-bbox="927 416 1193 485">β (beta)-particles</th> <th data-bbox="1193 416 1449 485">γ (gamma)-rays</th> </tr> </thead> <tbody> <tr> <td data-bbox="338 485 656 549">electromagnetic wave</td> <td data-bbox="656 485 927 549"></td> <td data-bbox="927 485 1193 549"></td> <td data-bbox="1193 485 1449 549">(✓)</td> </tr> <tr> <td data-bbox="338 549 656 612">least ionising</td> <td data-bbox="656 549 927 612"></td> <td data-bbox="927 549 1193 612"></td> <td data-bbox="1193 549 1449 612">✓</td> </tr> <tr> <td data-bbox="338 612 656 676">least penetrating</td> <td data-bbox="656 612 927 676">✓</td> <td data-bbox="927 612 1193 676"></td> <td data-bbox="1193 612 1449 676"></td> </tr> <tr> <td data-bbox="338 676 656 740">a helium nucleus</td> <td data-bbox="656 676 927 740">✓</td> <td data-bbox="927 676 1193 740"></td> <td data-bbox="1193 676 1449 740"></td> </tr> <tr> <td data-bbox="338 740 656 810">negatively charged</td> <td data-bbox="656 740 927 810"></td> <td data-bbox="927 740 1193 810">✓</td> <td data-bbox="1193 740 1449 810"></td> </tr> </tbody> </table>	characteristic	type of radiation				α (alpha)-particles	β (beta)-particles	γ (gamma)-rays	electromagnetic wave			(✓)	least ionising			✓	least penetrating	✓			a helium nucleus	✓			negatively charged		✓		B3
characteristic	type of radiation																													
	α (alpha)-particles	β (beta)-particles	γ (gamma)-rays																											
electromagnetic wave			(✓)																											
least ionising			✓																											
least penetrating	✓																													
a helium nucleus	✓																													
negatively charged		✓																												
10(b)	241	B1																												
	(Pu)																													
	94	B1																												
10(c)	$2(.0) \times 10^{12}$ (atoms)	A3																												
	$8(.0) (\times 10^{12}) / 4$ OR $8(.0) (\times 10^{12}) \times \frac{1}{2} \times \frac{1}{2}$	C2																												
	28 years = 2 half-lives OR 28 years / 14 = 2 (half-lives)	C1																												