Cambridge IGCSE[™]

PHYSICS 0625/23

Paper 2 Multiple Choice (Extended)

October/November 2022

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- Take the weight of 1.0 kg to be 10 N (acceleration of free fall = 10 m/s²).

INFORMATION


- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.

1 A wire is approximately 48 cm long and has an approximate diameter of 0.3 mm.

Which measuring instruments can be used to obtain more precise values of the dimensions of the wire?

	length of the wire	diameter of the wire
Α	30 cm ruler	micrometer
В	half-metre rule	30 cm rule
С	half-metre rule	micrometer
D	micrometer	half-metre rule

2 The velocity–time graph for a car is shown.




What is the distance travelled by the car in 35s?

- **A** 250 m
- **B** 350 m
- **C** 450 m
- **D** 700 m

3 Which property of a body results from the effect of a gravitational field on its mass?


- **A** the ability of the body to resist a change in motion
- **B** the density of the body
- **C** the volume of the body
- **D** the weight of the body

4 The diagram shows four pieces of laboratory apparatus.



Which pieces of apparatus are used to find the density of a liquid?

- A balance and stop-watch
- **B** balance and measuring cylinder
- C measuring cylinder and ruler
- **D** stop-watch and ruler
- **5** A metal rod of length 80 cm is pivoted at point O. Its centre of mass is at its mid-point. Four pulley wheels are indicated by the letter P.



The rod is in equilibrium, as shown.


What is the weight of the rod?

- A 0.20 N
- **B** 1.0 N
- **C** 2.0 N
- **D** 4.0 N

6 The diagram shows an object moving at a constant speed in a circular path in the direction shown.

A force acts on the object to keep it in the circular path.

In which labelled direction does this force act, when the object is in the position shown?



7 A force F acts on a body of mass m for a time t. During this time, the velocity of the body increases from u to v.

Which equation relates F, m, t, u and v?


- **A** Fm = t(v u)
- **B** Fm = t(v + u)
- **C** Ft = m(v u)
- **D** Ft = m(v + u)

8 An object falls towards the Earth's surface.

What happens to the gravitational potential energy and to the kinetic energy of the object?

	gravitational potential energy	kinetic energy
Α	decreases	decreases
В	decreases	increases
С	increases	decreases
D	increases	increases

9 A skier is pulled up a short straight slope at constant speed by a rope.



The tension in the rope is 100 N and there is a combined frictional and air resistance force of 20 N acting on the skier.

The slope is 10 m long and the skier rises 1.5 m vertically.

How much work is done by the rope pulling the skier up the slope?

A 120 J

B 150 J

C 1000 J

D 1200 J

10 In some situations, a force does work.

Which set of conditions increases the quantity of work done by the force?

	magnitude of force	distance moved by the force
Α	decreases	decreases
В	decreases	stays the same
С	increases	increases
D	stays the same	decreases

11 A measuring cylinder of cross-sectional area 4.0 cm² contains 224 cm³ of liquid.

The pressure of the liquid at the base of the measuring cylinder due to the liquid is 8800 Pa.

What is the density of the liquid?

 \mathbf{A} 224 kg/m³


B $385 \, \text{kg/m}^3$


C $1600 \, \text{kg/m}^3$


 $\textbf{D} \quad 2200\,\text{kg/m}^3$


12 The pressure of a fixed mass of gas in a cylinder is measured. The volume of the gas in the cylinder is slowly decreased. The temperature of the gas does not change.

Which graph shows how the pressure of the gas changes during this process?










- 13 Which statement about evaporation is correct?
 - **A** A body in contact with an evaporating liquid loses thermal energy.
 - **B** A decrease in the surface area of an evaporating liquid increases the rate of evaporation.
 - **C** A wind over a liquid decreases the rate of evaporation.
 - **D** It is necessary to provide an external source of thermal energy to a liquid for it to evaporate.
- 14 Which change in the design of a liquid-in-glass thermometer makes it more sensitive?
 - A a larger liquid reservoir
 - B a longer tube
 - C a smaller liquid reservoir
 - **D** a wider tube

15		ice cube of mas e specific latent h		•		0,	om th	ne surroundings at a rate of 3 J/s.
	Ηον	w long will it take	e for	the ice cube to ı	nelt′	?		
	A	82.5 s	В	1320s	С	3960s	D	11880s
16	Wh	ich piece of equ	ipme	ent is designed t	o pro	oduce a type of	elect	romagnetic wave?
	Α	electric fire						
	В	electric genera	tor					
	С	electric motor						
	D	electromagnet						
17	wa	passing boat can velength of the wat at is the velocity 32 cm/s	vave	created by the	boat		up D	and down 18 times in 12s. The
18	Wa	vefronts are inci	dent	on a boundary.				
	Wh	at is needed for	the	wave to refract a	at the	e boundary?		
	Α	a shiny surface	at tl	ne boundary				
	В	a small gap in t	the b	oundary				
	С	different mediu	ms e	either side of the	bou	ndary in which t	he fr	equency of the wave is different
	D	different mediu	ms e	either side of the	bou	ndary in which t	he s	peed of the wave is different

19 A person uses a magnifying glass to look at a stamp.


Which ray diagram shows a thin converging lens being used to do this?




20 The diagram shows an object in front of a plane mirror.

At which labelled position is the image of the object formed?

B C




21 The diagram shows the action of a thin converging lens on two rays of light. The rays are from the top of an object O. An inverted image I is formed.



Which name is given to the distance RS?

- A principal axis
- **B** principal focus
- C focal length
- **D** real length

22 The diagram shows the air molecules in part of a sound wave at a particular moment in time.




Which statement is **not** correct?

- **A** Earlier, there was compression at X.
- **B** Later, there will be a rarefaction at X.
- **C** This part of the wave is travelling horizontally across the page.
- **D** This part of the wave is travelling towards the top of the page.
- 23 The speed of light in a vacuum is $3.0 \times 10^8 \text{ m/s}$.

Which value is closest to the speed of light in air?

- **A** $3.0 \times 10^2 \text{ m/s}$
- **B** $3.0 \times 10^4 \, \text{m/s}$
- **C** $3.0 \times 10^6 \, \text{m/s}$
- **D** $3.0 \times 10^8 \,\text{m/s}$

24 A 100 m race is started by firing a gun. The gun makes a bang and a puff of smoke at the same time.



When does the finishing judge see the smoke and when does he hear the bang?

	sees the smoke	hears the bang
Α	almost immediately	almost immediately
В	almost immediately	after about 0.3 s
С	after about 0.3 s	almost immediately
D	after about 0.3 s	after about 0.3 s

- **25** A student is to demagnetise a bar magnet. She tries four different ways.
 - 1 hammering the magnet
 - 2 heating the magnet
 - 3 passing direct current through the magnet
 - 4 placing the magnet in water


Which methods will demagnetise the magnet?

A 1, 2 and 3 **B** 1 and 2 only **C** 1 and 4 **D**

2 and 3 only

26 A student is investigating a resistance wire.

She measures the current in a 50 cm length of resistance wire.



The student repeats the experiment using a 100 cm length of the same resistance wire.

What is the effect of this change on the current in the circuit and on the resistance of the wire?

	effect on current	effect on resistance
Α	decreases	decreases
В	decreases	increases
С	increases	decreases
D	increases	increases

27 A resistor is connected to a cell so that there is a current from the positive terminal of the cell to the negative terminal.

What causes the current in the resistor?


- A electrons moving from the negative terminal of the cell to the positive terminal
- **B** electrons moving from the positive terminal of the cell to the negative terminal
- **C** protons moving from the negative terminal of the cell to the positive terminal
- **D** protons moving from the positive terminal of the cell to the negative terminal
- **28** A plastic rod is rubbed with a dry woollen cloth. The rod becomes positively charged.

Which statement is correct?


- **A** Electrons move from the cloth to the rod.
- **B** Electrons move from the rod to the cloth.
- **C** Protons move from the cloth to the rod.
- **D** Protons move from the rod to the cloth.

- 29 Which combination of the current in a resistor and the time for which it is present results in a charge of 240 C passing through the resistor?
 - A a current of 2.0 A for 120 s
 - B a current of 4.0 A for 960 s
 - C a current of 6.0 A for 40 minutes
 - **D** a current of 8.0 A for 30 minutes
- **30** Each potential divider is placed in a circuit with a power supply.

Which potential divider makes the potential difference (p.d.) across component Y increase when the light intensity increases?




31 Two resistors, R_1 and R_2 , are connected in series in a circuit, as shown.



The current in the resistors is I_0 .


Another resistor, R_3 , is then connected in parallel with R_2 , as shown.



How do the currents I_1 and I_2 in the resistors R_1 and R_2 compare to current I_0 ?

	current in R ₁	current in R ₂
Α	$I_1 = I_0$	$I_2 < I_0$
В	$I_1 = I_0$	$I_2 = I_0$
С	$I_1 > I_0$	$I_2 = I_0$
D	$I_1 > I_0$	$I_2 < I_0$

32 The diagram shows a circuit containing a cell, a lamp and two ammeters.




The current reading on ammeter 2 is 0.20 A.

What is the name for this type of circuit and what is the reading on ammeter 1?

	type of circuit	reading on ammeter 1
Α	series	0.20 A
В	series	greater than 0.20 A
С	parallel	0.20 A
D	parallel	greater than 0.20 A

33 The diagram shows how logic gates can be used to monitor the temperature in a refrigerator.




The warning light will come on if the output at Z is 1.

The door R is open, the temperature sensor S is cold and the main system switch T is on.

What is the logic state at Y and what is the state of the warning light?


	logic state at Y	warning light
Α	0	off
В	0	on
С	1	off
D	1	on

34 Four small compasses are placed around a solenoid.



A current is now switched on in the solenoid.


Which diagram shows possible new directions of the compass needles?



- **35** Which metal is used for the core of a transformer?
 - A aluminium
 - **B** copper
 - C soft iron
 - **D** steel

36 The diagram shows a conducting metal rod PQ in the magnetic field between the N pole and the S pole. The rod is connected to a resistor in a circuit.

In which direction should rod PQ be moved to induce the current *I* in the direction of the arrow in the circuit?



37 A thin metal foil is placed in a vacuum. α -particles are fired at the foil and most go straight through. A very small proportion of the α -particles are deflected through large angles.


What does this provide evidence for?

- **A** α -particles are very small.
- **B** There are negative electrons in each atom.
- **C** There is a tiny nucleus in each atom.
- **D** There are neutrons in each atom.
- **38** The table compares α -radiation, β -radiation and γ -radiation.

Which row is correct?

	α-radiation	β-radiation	γ-radiation
Α	more ionising than β or γ	a proton	electromagnetic radiation
В	less ionising than β or γ	an electron	two protons and two neutrons
С	more ionising than β or γ	an electron	electromagnetic radiation
D	less ionising than β or γ	electromagnetic radiation	a proton

39 A high-voltage power supply is connected to a metal grid and a wire, as shown.



When the radioactive source is placed close to the grid, sparks are observed in the position indicated.

Which statement explains why the sparks are formed?

- **A** α -particles have a long range.
- **B** α -particles have no charge.
- ${\bf C}$ α -particles have no mass.
- **D** α -particles are strongly ionising.
- **40** A student investigates four different radioactive isotopes. The student places a detector near each radioactive material.

The background count rate is 36 counts per minute throughout the investigation.

The table shows the detector readings at the start and after 8 hours.

Which isotope has a half-life of 4 hours?

	count rate at the start counts per minute	count rate after 8 hours counts per minute
Α	150	36
В	212	53
С	260	92
D	356	80

19

BLANK PAGE

20

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.