

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.


Answer **all** questions. A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 20 printed pages.





- (b) During photosynthesis, glucose is produced in the leaves of a plant. Some of the glucose is changed to a different sugar and transported to the roots, where it is converted into starch and stored.
 - (i) The diagram represents a glucose molecule. Complete the diagram to show part of a starch molecule.



[1]

(ii) If the outer parts of a plant stem are damaged, this can prevent sugars being transported to the roots.

Explain why this happens, and why it can kill the plant.

[2]

Www.PapaCambridge.com (c) Fig. 1.1 shows one of the ways in which a plant called Bryophyllum reprodu grows new plantlets from its leaves.




Fig. 1.1

- (i) Name the type of reproduction that is taking place.
- (ii) Explain why reproducing in this way, rather than by producing seeds, might be an advantage to the plant.

.....[1]

..... [3]

(d) Describe one other function of plant leaves, apart from photosynthesis and reproduction.

..... [2]

alpha 4 2 (a) A student wrote down some properties of alpha, beta and gamma radiations. Draw a line from each property to the correct radiation. contains negatively charged particles alpha passes through several centimetres of lead has no mass beta is deflected towards a negatively charged plate is not affected by an electric field gamma is the most ionising in air [3] (b) Cobalt-60 is a radioactive isotope of cobalt. Explain what is meant by the word isotope. [2] (c) Gamma radiation can be used to sterilise surgical instruments. What property of gamma radiation makes it suitable for this purpose? [1] (d) A scientist investigated the activity of a radioactive isotope. She measured a count rate of 8000 per second. 20 minutes later the count rate was 2000 per second. (i) Calculate the half-life of the isotope. [1]

 5

 (ii) Predict how long after the start of the experiment the scientist could extremessure a count rate of 250 per second. Show your working.

 [2]

 (e) In an experiment, a radiation detector was set up and used to measure background radiation. The background radiation in the laboratory was found to be 40 counts per minute.

 (i) What is background radiation?

 [1]

 (ii) A radioactive source was placed near the detector and a reading of 1200 counts per minute was recorded. What was the count rate of the radioactive source?

counts per minute [1]

Www.Papacambridge.com 3 Kerosene is a mixture of hydrocarbons used as a fuel for aircraft and for light cooking. Kerosene is obtained from petroleum (crude oil) and is a liquid which boils in the range 150°C – 200°C. (a) (i) Name one other type of liquid fuel which is obtained from petroleum. [1] (ii) State the important difference between the various compounds in petroleum which enables them to be separated by fractional distillation. [1] (b) A typical molecule in kerosene has the formula $C_{13}H_{28}$.

Complete the balanced equation below for the complete combustion of $C_{13}H_{28}$.

 $C_{13}H_{28}$ + $\rightarrow 13CO_2 + 14H_2O_2$

[2]

(c) Fig. 3.1 shows a dot-and-cross diagram of a molecule of carbon dioxide.




Fig. 3.1


Describe in detail what is shown by the shaded area, A.

..... [2]

6

www.papacambridge.com 7 4 Fig. 4.1 shows the quantity of nitrogen oxides and sulphur dioxide that was emitted atmosphere by a large industrial company between 2001 and 2005. 700 600 nitrogen oxides sulphur dioxide 500 · 400 tonnes 300 200 100 0 2001 2002 2003 2004 2005 year Fig. 4.1 (a) Describe the change in emissions of nitrogen oxides between 2001 and 2005. [2] (b) Suggest two ways in which the changes in sulphur dioxide emissions may have been brought about. [2] (c) Explain why reducing the quantities of nitrogen oxides and sulphur dioxide that are emitted to the air would be beneficial to the environment. [3]

- 5 A man is playing golf.
 - (a) As the golfer moves around the course in a golf cart, his movement is measured. measurements are plotted on the graph in Fig. 5.1.





Describe what is happening between


A - B..... $\mathbf{B} - \mathbf{C}$ [2] (b) Calculate the total distance covered.

Show your working.

[3]


Fig. 6.1 shows apparatus which can be used to reduce copper oxide to copper. 6

Copper oxide is a black powder and during the reaction metallic copper forms inside the reaction tube.





(a) (i) Select from the list of substances below to complete the word equation for the reaction in Fig. 6.1.



9





Fig. 6.2

	www.xtrapa	pers.com
	11 Write the name of the salt dissolved in solution P in Fig. 6.2	
(i)	Write the name of the salt dissolved in solution P in Fig. 6.2.	For iner's
	[1]	300
(ii)	Explain why zinc is able to react with the salt in solution P .	OTH
		1
	[1]	
(iii)	Explain, in terms of the transfer of electrons, which substance is oxidised when zinc reacts in solution ${\bf P}$.	
	[2]	



Www.PapaCambridge.com (c) Oxygen is transported around the body in red blood cells. Fig. 7.2 is a diagra group of red blood cells.





Fig. 7.2


Choose three features of red blood cells and for each of them explain how this adapts them for their function.

..... [3]

(d) Explain why body cells need a constant supply of oxygen.

..... [2]








Fig. 8.1

.....

[3]

Each headlamp has a resistance of 4 ohms.

Calculate the combined resistance of the two headlamps.

State the formula that you use and show your working.

formula

working

on the Cannon For iner's (d) Fig. 8.2 shows a spring. The spring is 10 cm long. A 50 g mass is hung on the and the length of the spring increases to 13 cm.




Fig. 8.2

The 50 g mass is replaced by an object of unknown mass. The new length of the spring is 22 cm.


Calculate the value of the unknown mass.

Show your working.

[2]

9 The Periodic Table shows all of the chemical elements arranged into groups and per

ind period Fig. 9.1 shows part of the Periodic Table. The letters in this table are not the norm chemical symbols of the elements.





- (a) Complete the statements below using letters, chosen from A to H, which refer to elements in Fig. 9.1. Letters may be used once, more than once or not at all.
 - The three elements shown as letters _____, ____, and _____ •

have the same number of electrons in the outer shells of their atoms.

- The element shown as letter ______is a very reactive non-metal. [2] •
- (b) A student used the apparatus shown in Fig. 9.2 to investigate the decomposition of the compound hydrogen peroxide, H₂O₂.

The balanced equation for the decomposition of hydrogen peroxide is shown below.

 $2H_2O_2 \rightarrow 2H_2O + O_2$




Fig. 9.2

The student measured the decrease in mass of the conical flask and its contents occurred during the reaction.

Www.PapaCambridge.com Table 9.1 shows the measurements the student made in a series of trials using different masses of manganese dioxide.

The initial concentration and volume of the hydrogen peroxide solution in each trial were the same.

trial	mass of m dioxid	-	time for reaction to	decrease in mass
ulai	start	end	finish / seconds duri	during trial /g
1	0	0	too long to measure	0
2	0.5	0.5	540 1.6	
3	1.0	1.0	270	1.6
4	2.0	2.0	135	1.6

Table	9.1
-------	-----

(i) Explain why the mass of the flask and contents decreased in trials 2 to 4.

[1]

(ii) What effect does the mass of manganese dioxide have on the rate of decomposition of hydrogen peroxide?

..... [1]

(iii) Use the information in Table 9.1 to explain the role of manganese dioxide in this reaction.

..... [3]

S. For iner's 19 (iv) The rate of chemical reactions increases if the temperature increases. Explain in terms of collisions between particles why this happens. [2] (c) Calculate the relative molecular mass (M_r) of hydrogen peroxide. Show your working. [1]

.....

				20	www.xtrapapers
	0	4 Heium Heium	Argen	RA KKr 131 131 Kenon Kenon Radon	Manual Manu Manual Manual Manu
	٨I	N	19 9 Fluorine 35.5 35.5 17 Chlorine 13 13 13 13 13	86 54 36	Viterblum Nobellum 173 71 71 71 102 102 102 103
	N		16 8 ^{Oxygen} 9 32 32 32 16 ^{Sulphur} 17	79 28 ^{4enturm} 34 128 128 128 128 128 5 2 84 84 84 84 84 84 84 84 84 84 84 84 84	169 Thailum Mendelevium 101
	>		Nitrogen 7 Nitrogen 31 15 15	75 Arsenic 33 Arsenic 5 Antimony 51 209 83 Bismuth	167 EFtium 100 100 100
	≥		6 Carbon 6 Carbon 6 Silicon 14 Silicon	73 Germanium 32 80 710 50 710 50 82 Lead	165 Holmium 67 Eristianum 99 (r.t.p.),
	≡		11 B Baron 5 27 27 Attimitum 13	70 Gaalium 31 115 115 49 Indium 49 204 204 81 T1	d pressure
				65 2n 2n 2n 2n 20 48 Mercury 80	est Tatuum Backeluum 97 ekkeluum
				Cupper Copper 108 47 197 197 79 Codd	om tempe
Group				Nickell 28	dm ³ at roo
Group		5]	59 50 50 50 50 50 50 50 50 50 50	r gas is 24 c
	-	- T Hydrogen		56 56 Rese 26 fron Answer 701 101 Ruthentium Ruthentium 200 B 190 5 190 B Osmium 76 00 00	um Pometrium New Pometrium Neptunium Neptunium Neptunium
				S2 55 Cr Mn Chromum Manganese 24 Manganese 28 Manganese 96 TC Mo TC Mo 184 184 186 184 Re 184 Re 74 75	Praseodymium Neodymium 59 00 00 00 00 00 00 00 00 00 00 00 00 00
				51 51 51 C C C C C C C C C C C C C	140141144144To150152157159162162Celum Celum 30Praseodymium 50Nedymium 61Pranetitium 52Samatium 63Euclopium 63152157159162162165Th Celum 30Nedymium 50Nedymium 61Pranetitium 63Samatium 63Euclopium 63152157159162162165Th 10Praseodymium 50Nedymium 61Pranetitium 83Table 63Mod 64Mod 64Mod 66Mod 67162162162163222Paa 91223238 93Np 94Puu 94Am 66CmBk 86CfEssentium 67166110Pratectinium 91Pratectinium 92Np 93Puu 94Am 66CmBk 86CfEssentium 67166The volume of one mole of any gas is 24 dm3 at room temperature and pressure (r.t.p.).
				tanium tanium to contum tanium tanium	8 6
				45 Seandium 22 21 89 89 89 89 139 139 139 139 139 139 227 87 227 87 22	Actinium 8. Actinium 9. Actinium 1. Serries 1. Serries 1. Serries 1. Serries 2. Serries 2. Serries 3. Serries 3. Serries 4. Serries 5. Ser
	=		9 Berylium 4 Berylium 24 Magnesium	40 40 20 Calcium 2 20 Calcium 2 20 2 20 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Franctum Radum Actinition 87 Radum 88 *58-71 Lanthanoid series *500-103 Actinoid series 190-103 Actinoid series Key a = relative a Key b = proton (a
	_		7 Lithium 3 Lithium 23 23 23 23 11 Sodium	39 Potassium 19 85 85 85 133 7 133 7 55 Caesium	Francium 87 *58-71 La Key Key b

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of