

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Stage Com

+	
л	
`	
_	
۷	
v	
^	
Ø	
N	
۷	
v	

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

**COMBINED SCIENCE** 

0653/02

Paper 2 (Core)

May/June 2009

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 21 printed pages and 3 blank pages.



1 Fig. 1.1 shows a section through a tooth.




Fig. 1.1

(a)	Name parts	s A, B and C.	
	Α		
	В		
	С		[3]
(b)	Explain hov	v teeth help with digestion.	
			[2]
(c)	Name one and bones.	mineral and one vitamin that are essential for the growth of strong tea	eth
	mineral	***************************************	
	vitamin		[2]

[3]

2 (a) A student investigated how a change in potential difference across a lamp affect current flowing through it.

She used wires to connect the components shown in Fig. 2.1 to make a circuit.




Fig. 2.1

(i) Using the correct symbols from Fig. 2.1, draw a diagram to show the circuit she used.

(ii)	Explain why the variable resistor is included in the circuit.	
		 [1]

(iii) Her results are shown in Table 2.1.

Table 2.1

Her results are shown in Ta	<b>4</b> ble 2.1.	resistance of lamp filament/Ω	Por iner's
	Table 2.1	10	Tide
potential difference across lamp/V	current through lamp/A	resistance of lamp filament/ $\Omega$	S.COM
4	1.2	3.3	
8	1.5		
12	1.7	7.1	

Complete the table by calculating the missing resistance and writing your answer in the empty box.

State the formula that you use and show your working.

formula

working

(b) Electricity can kill.

Identify and explain the electrical hazard shown in Fig. 2.2.




Fig. 2.2

[2]

3 (a) The names of six elements are shown below.

	6		WWW.Xti	rapar	oers.com
The names of six elements are shown be	elow.		18	Can	For iner's
carbon chlorine cobalt	neon	silicon	sodium	10	Tidge
Choose the element from the list				ľ	COM
which is the least reactive,					
which is used to sterilise drinking water,					L
which is a metal that forms coloured cor	npounds.			[3]	

**(b)** Fig. 3.1 shows a diagram of an atom.




Fig. 3.1

(i)	State the nucleon number (mass number) of the atom shown in Fig. 3.1.	
		[1]
(ii)	State the name of the element made of atoms like the one in Fig. 3.1.	
	Explain your answer briefly.	
	explanation	

(c) Fig. 3.2 shows a test for a gas which is produced when a solid element **A** reaction **B**.




Fig. 3.2

Name the gas produced in this reaction, and suggest the names of element  ${\bf A}$  and solution  ${\bf B}$ .

gas	
element A	
solution <b>B</b>	 [3]

**4** Fig. 4.1 shows an arum lily.

Arum lilies have flowers that are pollinated by insects.

There are many tiny flowers on a stalk, inside a large white structure called a spathe.




Fig. 4.1

(a) (i)	Name the part of the flower in which pollen is made.	
		[1]
(ii)	What does a pollen grain contain?	
		[1]
(iii)	Explain the meaning of the term <i>pollination</i> .	

(b) Arum lilies produce heat energy to raise the temperature of the flowers. This I attract insects to the flowers. They use respiration to do this.

A researcher investigated whether there was a relationship between the temperature of the flowers inside an arum lily spathe and the rate of oxygen use.

He took 15 arum lilies, and measured the temperature and rate of oxygen use for each one.

Fig. 4.2 shows his results.




Fig. 4.2

(i)	Describe the relationship between the temperature inside the spathe and the rate of oxygen use by the arum lily.
	[1]
(ii)	Explain the reasons for the relationship you have described.
	[2]

/ww	xtra	pap	ers.	.con
12				

(c)	The fuel that the arum lilies use	e to produce the he	eat energy is glucose.	1
	Describe how the lilies obtain a	a supply of glucose		1
				,
			[2]	
(d)	The leaves of arum lilies contachloroplasts.	ain palisade cells, v	which are typical plant cells containing	
	Complete the diagram of a pali	sade cell. Include	these structures in your labels.	
	cell membrane	cell wall	chloroplast	
	cytoplasm	nucleus	vacuole	
			[4]	

11

**BLANK PAGE** 

Please turn over for Question 5.

5	The	Vikings,	who	lived	in	Scandinavia	about	1200	years	ago,	sailed	in	boats
	longs	hips acro	oss th	e sea	to I	Britain.							

	FOI
	iner's
	1010
г.	

(a) (i) They travelled 900 km in 150 hours.

Calculate their average speed for this journey.

State the formula that you use and show your working.

formula

working

km/h	[2]
 131117 11	[—]


(ii) At one stage on their journey they were travelling at 7.2 km/h.

Calculate their speed in m/s.

Show your working.

[1]

(b) A longship was moving at constant speed. The diagram shows four forces acting on it.



Name two forces which must be equal in size.

T 4	٦
11	ı
г.	J

(c)	The Vikings used animal furs to make clothes to keep them warm.  Explain in terms of conduction and convection how fur clothes would have kent the
	Explain in terms of conduction and convection how fur clothes would have kept the Vikings warm.
	[3]
(d)	The volume of the wood used to construct the longship was 9 m <sup>3</sup> .
	If the density of the wood was 800 kg/m³, calculate the mass of the wood used.
	State the formula that you use and show your working.
	formula
	working
	kg [2]
(e)	The major energy source used to propel the longship was the wind. Wind is a renewable energy source.
	(i) Name one other renewable energy source.
	[1]
	(ii) Name one non-renewable energy source.
	[1]

**6 (a)** Fig. 6.1 shows industrial apparatus used for the fractional distillation of per (crude oil).




Fig. 6.1

Draw lines on Fig. 6.1 connecting the fractions, **P**, **Q**, **R** and **S** to the correct boiling point range. The line for fraction **Q** has been drawn for you. [2]

(b) Plastics and steel are both used to make buckets.




Fig. 6.2

(i)	Suggest buckets.	one	reason	why	plastics	are	suitable	materials	from	which	to	make
												[1]

(ii)	Buckets made from steel must be protected from rusting.	Can
	Name the element and the compound which react with mild steel to form rust.	1
	element	`
	compound	[2]
(iii)	Describe briefly <b>one</b> suitable method of protecting a steel bucket from rusting.	
		[1]
(iv)	Name the element which is oxidised when rust forms.	
		[1]
(v)	Name the alloy from which cutlery is made.	
	cutlery	
	Fig. 6.3	
		[1]

- 7 Read the following description of a food web.
  - Ants collect leaves from trees and take them into their nests.
  - A fungus grows on the leaves and breaks them down.
  - The ants eat the leaves, and also the fungus.
  - Small birds eat the ants, and hawks eat the small birds.
  - Pangolins eat only ants.





Fig. 7.1

(a) In the space below, complete a food web that includes all of the organisms described in Fig. 7.1.



(b)	(i)	Name the producer in this food web.
	(ii)	Name a decomposer in this food web.
		[1]
(c)	Par	ngolins are becoming rare in some parts of the world.
		e the information in Fig. 7.1, and your own knowledge, to explain why it is important prevent deforestation if we want to conserve pangolins.
		[2]

8 (a) A hotel has a lift (elevator). It moves through a vertical height of 3 m between floor.




Fig. 8.1

(i) A passenger travels in the lift. The passenger has a mass of 80 kg and weighs  $800\,N$ . The mass of the empty lift is  $1200\,kg$ .

Calculate the total weight of the passenger and lift.

Show your working.

Ν	2	41
	-	-

(ii) Calculate the work done when the lift and passenger move up three floors, from Floor 1 to Floor 4.

State the formula that you use and show your working.

formula


working

J	[2]
---	-----

(b)	(i)	In the restaurant, music is being played through loudspeakers.	Cal
		Explain how the sound coming from the loudspeakers reaches the people in restaurant.	ti
			[2]
	(ii)	The amplitude of the sound waves is increased.	
		What effect will this have on the sounds heard by the people in the restaurant?	
			[1]

Fig. 9.1 shows the main steps in a method used by a student to make salts. 9

In separate experiments the student reacted the carbonate of a metal and the oxide of metal with dilute sulfuric acid.






Fig. 9.1

(a) Name processes A and B shown in Fig. 9.1.

process A	
process <b>B</b>	[2]

Suggest and explain why the student used <b>powdered</b> solids in the reactions with dilutesulfuric acid.	reactions with dilute		
	••		

	21
(c) (i) 1	21  Name the salt which is produced when zinc oxide reacts with dilute sulfuric a
(ii) (	Complete the word equation for the reaction of copper carbonate with sulfuric acid.
copper carbonate	+ sulfuric acid + +
	[2]
	The salt calcium chloride is made when calcium oxide reacts with hydrochloric acid. The symbolic equation for this reaction is shown below.
	CaO + HC $l \rightarrow$ CaC $l_2$ + H $_2$ O
E	Explain whether or not this equation is balanced.
,•	
,•	
	[2]
	A student reacted calcium oxide with hydrochloric acid using the apparatus shown in Fig. 9.2.
	thermometer
	calcium oxide hydrochloric acid
	Fig. 9.2
٦	The student noticed that the temperature of the mixture increased.
E	Explain this observation.

22

**BLANK PAGE** 

Www.xtrapapers.com

## **BLANK PAGE**

Www.xtrapapers.com

The Periodic Table of the Elements DATA SHEET

									1	<b>WWW</b>	xtrapapers.com
					2	4					Data
	0	Heium 2	20 <b>Ne</b> Neon 10	40 <b>Ar</b> Argon	84 <b>K</b> rypton 36	131 <b>Xe</b> Xe Xenon Xenon Xenon	Radon 86		175 <b>Lu</b> Lutetium 71	Lr Lawrencium 103	Astrapapers.com
	<b>=</b>		19 Fluorine	35.5 <b>C1</b> Chlorine	80 <b>Br</b> Bromine 35	127 <b>I</b> lodine	At Astatine 85		173 <b>Yb</b> Ytterbium 70	Nobelium 102	The COM
	>		16 Oxygen 8	32 <b>S</b> Sulfur	Se Selenium 34	128 <b>Te</b> Tellurium 52	<b>Po</b> Polonium 84		169 <b>Tm</b> Thulium	Md Mendelevium 101	
	>		14 <b>N</b> itrogen 7	31 <b>P</b> Phosphorus 15	75 <b>AS</b> Arsenic 33	Sb Antimony 51	209 <b>Bi</b> Bismuth 83		167 <b>Er</b> Erbium 68	Fermium 100	
	2		12 <b>C</b> Carbon 6	28 <b>Si</b> Silicon	73 <b>Ge</b> Germanium	3n Sn Tin	207 <b>Pb</b> Lead		165 <b>Ho</b> Holmium 67	Essteinium 99	(r.t.p.).
	≡		11 Boron 5	27 <b>A1</b> Aluminium 13	70 <b>Ga</b> Gallium 31	115 <b>In</b> Indium 49	204 <b>T 1</b> Thallium		162 <b>Dy</b> Dysprosium 66	<b>Cf</b> Californium 98	The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).
					65 <b>Zn</b> Zinc 30	Cadmium 48	201 <b>Hg</b> Mercury 80		159 <b>Tb</b> Terbium 65	<b>BK</b> Berkelium 97	ature and
					64 Copper 29	108 <b>Ag</b> Silver 47	197 <b>Au</b> Gold		157 <b>Gd</b> Gadolinium 64	Cm Curium	n tempera
Group					59 <b>X</b> Nickel 28	106 <b>Pd</b> Palladium 46	195 <b>Pt</b> Platinum 78		152 <b>Eu</b> Europium 63	Am Americium 95	ກ³ at roor
Gre					59 <b>Co</b> Cobalt	103 <b>Rh</b> Rhodium 45	192 <b>Ir</b> Indium		150 Sm Samarium 62	<b>Pu</b> Plutonium 94	us is 24 dr
		1 Hydrogen			56 Fe Iron	101 <b>Ru</b> Ruthenium 44	190 <b>Os</b> Osmium 76		Pm Promethium 61	Np Neptunium 93	of any ga
					Manganese	Tc Technetium 43	186 <b>Re</b> Rhenium 75		Neodymium 60	238 <b>U</b> Uranium 92	one mole
					Chromium	96 <b>Mo</b> Molybdenum 42	184 <b>W</b> Tungsten 74		141 <b>Pr</b> Praseodymium 59	<b>Pa</b> Protactinium 91	olume of
					51 Vanadium 23	Nobium 41	181 <b>Ta</b> Tantalum		140 <b>Ce</b> Cerium	232 <b>Th</b> Thorium	The v
					48 <b>T</b> Itanium 22	91 <b>Zr</b> Zirconium 40	178 <b>#f</b> Hafnium 72		1	nic mass Ibol nic) number	
		ř			Scandium 21	89 <b>≺</b> Yttrium 39	139 <b>La</b> Lanthanum 57 *	227 <b>AC</b> Actinium 89	Series	a = relative atomic mass  X = atomic symbol b = proton (atomic) number	
	=		9 <b>Be</b> Beryllium	24 Mg Magnesium	40 <b>Ca</b> Calcium 20	Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium	*58-71 Lanthanoid series	" × " □	
	-		7 <b>Li</b> Lithium	23 <b>Na</b> Sodium	39 <b>K</b> Potassium 19	Rb Rubidium	133 Cs Caesium 55	<b>Fr</b> Francium 87	*58-71 L; 190-103 ,	Key	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.