

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

VS VS CONTINUE CONTIN

_	CEN NUM
	COI
	Pap

CANDIDATE NAME

NTRE **MBER**

CANDIDATE NUMBER

0653/03

MBINED SCIENCE

per 3 (Extended)

October/November 2009 1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use		
1		
2		
3		
4		
5		
6		
7		
8		
9		
Total		

This document consists of 20 printed pages.



noveme For iner's Fig. 1.1 shows a transverse section of part of a leaf. The arrows show water moveme 1




Fig. 1.1

On Fig. 1.1, label a palisade cell, using a label line.	J
Explain why palisade cells need a good supply of water.	
	••
[2	2]
Name the type of cell that transports water from the roots to a leaf.	
[1	1]
Name the process by which water moves from one plant cell to another, as i moves across the leaf.	it
[1	1]

(c)	The	loss of water vapour from the leaf to the air is called transpiration. Describe and explain how temperature affects the rate of transpiration.
	(i)	Describe and explain how temperature affects the rate of transpiration.
		[3]
	(ii)	Explain why temperature also affects the rate at which water is transported up to the leaves from the roots.
		[2]

[2]

2 Radiation can be used to monitor the thickness of paper in a paper mill.

Fig. 2.1 shows a radiation detector connected to a control unit. This sends messages machines that adjust the gap between the rollers.




Fig. 2.1

(a) The following sentences describe what happens if the paper sheet produced is too thin.

The sentences are in the wrong order.

- **A** The gap between the rollers is increased.
- **B** The paper sheet is now rolled a little thicker.
- **C** A signal goes from the detector to the control unit.
- **D** The paper sheet absorbs less beta radiation so more reaches the detector.

Arrange the sentences in the correct order.



(b) Explain why an alpha radiation source **cannot** be used to monitor the thickness of the paper sheet.

[1]

c) Table 2.1 shows the half-life	5 and type of radiation given o	out by four different radio	'S.C
isotopes. radioactive isotope	Table 2.1 half-life/days	radiation given out	e c
bismuth-210	5.0	beta	
polonium-210	138.0	alpha and gamma	
radon-222	3.8	alpha	
iodine-131	8.0	beta and gamma	

(i)	A sample of each isotope has the same count rate today. Which sample will have the highest count rate one month from today?	ıave
	Explain your answer.	
		•••••
		[2]
(ii)	Which isotopes in the table give out radiation that is the most ionising?	
	Explain your answer.	
		[2]

3 (a) Erupting volcanoes release a plume into the air, containing many gases.





Table 3.1 shows some of the gases released by three volcanoes A, B and C.

Table 3.1

	% of each gas in the plume		
gas in plume	volcano A	volcano B	volcano C
H ₂ O	37.1	77.2	97.1
CO ₂	48.9	11.3	1.44
SO ₂	11.8	8.34	0.50
H ₂	0.49	1.39	0.70
CO	1.51	0.44	0.01

(i)	Explain why hydrogen is an element and the other gases are compounds.
	[2]
(ii)	The plume from volcano A could be much more damaging to plant life than the plumes from the other volcanoes.
	Use the information in Table 3.1 to explain why.
	[2]



[2]

(ii) Use information in the Periodic Table on page 20 to calculate the relative molecular mass of sulfur dioxide.

Show your working.

[1
 •

(c) The air also contains noble gases, such as argon, which are very unreactive.

Draw a diagram of an argon atom showing how all of the electrons are arranged.


The en	zyme amylase is present in saliva. It helps to digest starch in the mouth.
(a) (i)	Name the substance that is produced when amylase digests starch.
	[1]
(ii)	State one part of the alimentary canal, other than the mouth, where amylase digests starch.
	[1]
` A i	ere is a rare allele of the gene that is responsible for the production of amylase. Derson with only one copy of this allele still produces amylase. However, a person in two copies of the allele does not produce amylase.
(i)	State how this information shows that this allele is recessive.
	[1]
(ii)	Explain why a person with two copies of this allele would not be able to obtain energy from any starch in their diet.
(ii)	Explain why a person with two copies of this allele would not be able to obtain
(ii)	Explain why a person with two copies of this allele would not be able to obtain energy from any starch in their diet.
(ii)	Explain why a person with two copies of this allele would not be able to obtain energy from any starch in their diet.

(iii) Complete the genetic diagram to show how two people who both produce an can have a child who does not produce amylase.

Use the symbol **A** for the dominant allele and **a** for the recessive allele.

phenotypes of parents	produces amylase	produces amylase
genotypes of parents	Aa	
gametes	and	and
	gametes fr	om one parent
gametes from		
other parent		

5 A student uses dilute hydrochloric acid to test four pieces of rock, **W**, **X**, **Y** and **Z**. She allows some of the acid to fall onto the samples and observes what happens.



The appearance of the rock samples before hydrochloric acid was added is shown in Table 5.1.

Table 5.1

rock	appearance
w	light grey
х	white
Y	green
Z	dark grey

(a)	(i)	Describe what the student will observe if the rock she is testing with acid contains a carbonate.
		[1]
	(ii)	Suggest and explain which of the rock samples, \mathbf{W} , \mathbf{X} , \mathbf{Y} or \mathbf{Z} , contains a compound of a transition metal.
		[1]

WWW. Papa Cambridge.com (b) Copper metal can be extracted from copper carbonate in two stages, as she Fig. 5.2. stage 2 stage 1 mixture of black copper copper copper carbonate oxide solid Q and metal copper oxide Fig. 5.2 (i) The reaction in stage 1 occurs when copper carbonate is heated strongly. Suggest the word equation for the reaction. (ii) Solid Q is a non-metallic element. Suggest the identity of this element. (iii) Using your answer to (ii) complete and balance the symbolic equation for the reaction in stage 2. CuO [2] (iv) The compound copper oxide contains copper ions. State whether copper ions must gain or lose electrons in order to be converted into copper atoms. Explain your answer.

(c) Copper metal can also be made from copper oxide by a different method.

Fig. 5.3 shows some of the reactants and products involved.




Fig. 5.3

(i)	Suggest the name of substance A .	[1]
(ii)	Suggest the name of metal B .	[1]
(iii)	Name the type of chemical change which occurs in process 2.	
(:. a)	Evalois why consort is formed in present 2	[1]
(IV)	Explain why copper is formed in process 2.	
		[1]

6 A motorcyclist begins a journey on his motorcycle. The motorcycle starts from restops at a road junction after 80 seconds. The motorcycle then moves off again completes the journey.

(a) Fig 6.1 shows the motion of the motorcycle.




Fig. 6.1

(i)	From the start of the journey, how long did it take the motorcyclist to reach a spe of 10 m/s?	ed
		[1]
(ii)	For how long was the motorcyclist travelling at a steady speed of 20 m/s?	
		[1]
(iii)	During which two parts of the journey was the motorcyclist slowing down?	
	from to	
	and fromto	[1]
(iv)	Use Fig. 6.1 to show how far the motorcyclist travelled between 0 seconds and seconds.	80
	Show your working.	

[2]

(b)	Describe the motion of the moving motorcycle if the total frictional force it experies the same as the force produced by the engine.
	Explain your answer.
	[2]
(c)	Explain in terms of centre of mass why a stationary motorcycle is very unstable.
	[3]

3. 6.2.

(d) The motorcycle has two lamps connected in a parallel circuit shown in Fig. 6.2.




Fig. 6.2

One lamp when lit has a resistance of 1 Ω . The other lamp when lit has a resistance of 2 Ω .

Calculate the combined resistance of the two lamps.

State the formula that you use and show your working.


formula

working

[3]

In some countries in south-east Asia, large areas of tropical rainforest have been co 7 to clear the land. The land has then been planted with oil-palm trees.





(a)	Exp	plain how cutting down tropical rainforest may affect each of the following.	
	(i)	soil erosion	
			[2]
	(ii)	species diversity	

[1]

(b)	Rats can become serious pests	s in oil-palm	plantations.	The rats	damage	the
	obtained from the oil-palms.					

	www.xtrapa
	17 A.
	ts can become serious pests in oil-palm plantations. The rats damage the tained from the oil-palms. The rats can be controlled by putting down poison for them to eat. Suggest two disadvantages, other than the cost of the poison, of this method of
(i)	The rats can be controlled by putting down poison for them to eat.
	Suggest two disadvantages, other than the cost of the poison, of this method of control.
	1
	2
	[2]
(ii)	An alternative method of controlling the rats is to encourage owls to nest in the oil-palms by providing them with nest boxes. Owls are predators of rats.
	Suggest one disadvantage of this method of control.

8 (a) Fig. 8.1 shows an aluminium saucepan on a cooker. Vegetables are being cooker boiling water in the pan.




Fig. 8.1

State how the energy passes from the hot cooker through the base of the saucepan in to the water inside.

[1]

(b) Fig. 8.2 shows a block of aluminium which has a mass of 540 g.




Fig. 8.2

Calculate the density of the block.

Show your working.

(c)	Describe how you would find the volume of an irregularly shaped object succerrot. You may draw a diagram if it helps your answer.
	[2]
	y(ethene) is a compound used in making plastics. Poly(ethene) is a polymer made from monomer, ethene (C_2H_4).
(a)	Describe how ethene molecules react to form poly(ethene). In your answer include a diagram showing the displayed (graphical) formulae of two ethene molecules and how these are changed during the reaction.
	[3]
(b)	Describe and explain what is observed when gaseous ethene is bubbled through a solution of bromine.
	[2]

The Periodic Table of the Elements DATA SHEET

										WWW	Axtrapapers.com
					2	0		1			Data
	0	4 He Helium	20 Ne Neon	40 Ar Argon	84 Kr ypton 36	131 Xe Xenon 54	Rn Radon 86		175 Lu Lutetium	Lr Lawrencium 103	Carrier
	\		19 T Fluorine	35.5 C1 Chlorine	80 Br Bromine	127 I lodine	At Astatine 85		Yb Ytterbium 70	Nobelium 102	Astrapapers.com
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		16 O Oxygen 8	32 S Sulfur	79 Selenium 34	128 Te Tellurium 52	Po Polonium 84		169 Tm Thulium	Md Mendelevium 101	13
			14 Nitrogen 7	31 Phosphorus	75 AS Arsenic	122 Sb Antimony 51	209 Bi Bismuth		167 Er Erbium 68	Fm Fermium]
		≥		12 C Carbon 6	28 Si Silicon	73 Ge Germanium 32	Sn Tin 50	207 Pb Lead		_	(r.t.p.).
Group	≡		11 Boron 5	27 A1 Auminium 13	70 Ga Gallium	115 In Indium 49	204 T 1 Thallium		162 Dy Dysprosium 66	Cf Californium 98	The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).
		·			65 Zn Zinc 30	112 Cd Cadmium 48	201 Hg Mercury 80		159 Tb Terbium	Bk Berkelium 97	iture and
					64 Copper	108 Ag Silver 47	197 Au Gold		157 Gd Gadolinium 64	Cm Curium	r tempera
					59 Nickel	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am Americium 95	n³ at roon
					59 Co Cobalt 27	103 Rh Rhodium 45	192 I r Iridium		Sm Samarium 62	Pu Plutonium 94	is is 24 dr
		1 H Hydrogen			56 Fe Iron	101 Ru Ruthenium 44	190 Os Osmium 76		Pm Promethium 61	Neptunium	of any ga
					Mn Manganese 25	Tc Technetium 43	186 Re Rhenium 75		Neodymium 60	238 U Uranium 92	one mole
					52 Cr Chromium 24	96 Mo Molybdenum 42	184 W M Tungsten 74		141 Pr Praseodymium 59	Pa Protactinium 91	olume of c
					51 Vanadium 23	93 Nb Niobium 41	181 Ta Tantalum		140 Ce Cerium	232 Tho Thorium	The ×
					48 T tranium 22	91 Zr Zirconium 40	178 Hf Hafnium 72			nic mass bol nic) number	
					45 Sc Scandium 21	89 × Yttrium 39	139 Lanthanum s57 *	227 Ac Actinium 89	series eries	 a = relative atomic mass X = atomic symbol b = proton (atomic) number 	
	=		9 Be Beryllium	24 Mg Magnesium	40 Ca Calcium	Strontium	137 Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series	« × □	
	_		7 Li Lithium	23 Na Sodium	39 K Potassium 19	Rb Rubidium 37	133 Cs Caesium 55	Francium 87	*58-71 L ₂	Key	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.