

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

State Com

=	ı	
	ı	
	i	
	•	
	•	

CANDIDATE NAME								
CENTRE NUMBER					CANDIDA ^T NUMBER	ΓE		

COMBINED SCIENCE

0653/32

Paper 3 (Extended)

May/June 2011

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

This document consists of 23 printed pages and 1 blank page.



1 Guanacos are relatives of camels and live in the Andes mountains in South America feed on grasses and other plants. They are killed and eaten by pumas.






Fig. 1.1

- (a) Give the correct ecological term for each of the following.
 - (i) all the guanacos that live in a particular area

		[1]
(ii)	all the species of animals and plants that live in a particular area	[1]
(iii)	an organism, such as a guanaco or a puma, that feeds on other organisms	[1]

[2]

(b)		anacos can live at very high altitudes, above 4000 metres. The atmosphere se than at sea level, and it can become very cold.
	(i)	The blood of a guanaco contains four times as many red blood cells per cm³ as the blood of a human. This helps the guanaco to survive in its environment.
		Suggest an explanation for this.
		[0]
		[2]
	(ii)	Explain how the hair of a guanaco can help it to survive in its environment.
		[2]
(c)		anacos are an endangered species. Their numbers have fallen because of damage neir natural habitat, caused by humans.
	(i)	Suggest two types of human activity that may damage the natural habitat of guanacos.
		1
		2 [2]
	(ii)	Several countries in South America have conservation programmes to try to increase the numbers of guanacos.
		Suggest why it is important to conserve guanacos.

[1]

WWW. Papa Cambridge.com (a) A man has dropped a torch (flashlight) down a drain. The torch has disappean 2 the horizontal part of the drain as shown in Fig. 2.1. drain torch Fig. 2.1 The torch is still switched on but the man cannot see it. The man lowers a mirror down the drain in order to find his torch. (i) On Fig. 2.1 draw a mirror at the correct place and angle so that the man can see light from the torch. Use this symbol for the mirror. [1] (ii) On Fig. 2.1 draw a ray of light from the torch to the man. [1] (b) The diagrams below show the symbols for three parts of the electrical circuit in the torch. (i) On the line below each diagram state the name of the part.

in the to

5

(ii) Draw a circuit diagram to show how these three parts are connected in the to

[1]

(c) Fig. 2.2 shows a torch standing on a table. M shows the position of the centre of mass of the torch.




Fig. 2.2

Explain why the torch is more stable if it stands on end A rather than on end B. You may use diagrams to help your answer.

- 3 Lithium and its compounds have many important uses.
 - (a) Fig. 3.1 shows how pieces of lithium metal are stored.




Fig. 3.1

State and explain why it is necessary to store lithium in this way.	
	[2

- **(b)** The production of lithium metal involves three main stages.
 - 1 Lithium compounds found in the Earth's crust are first converted into lithium carbonate, Li₂CO₃.
 - 2 Lithium carbonate is then converted into lithium chloride, LiCl.
 - 3 Lithium chloride and potassium chloride are melted together and the molten mixture is electrolysed.

Fig. 3.2 shows the apparatus and materials which could be used to produce a **neutral** solution of lithium chloride from lithium carbonate and dilute hydrochloric acid.




Fig. 3.2

	(i)	Describe how this apparatus should be used to produce a neutral solulithium chloride.
		[3]
	(ii)	Suggest the word equation for the reaction between lithium carbonate and dilute hydrochloric acid.
		[1]
(c)		3.3 shows a simplified diagram of the electrolysis of a molten electrolyte containing um chloride.
	(i)	molten electrolyte containing lithium chloride Fig. 3.3 Explain why the process of electrolysis would not work if the electrolyte was allowed to solidify.
		[2]

[1]

(ii)	Describe how the electron configuration of each lithium ion changes when it at the cathode.
	You may draw a diagram to help you answer this question.

Fig. 4.1 shows a smoke detector that uses the isotope americium-241, which emits radiation.




Fig. 4.1

Smoke particles stop radiation from reaching the air particles. This causes the current to stop flowing, causing the alarm to sound.

(a)	Explain why beta or gamma radiation sources would not be suitable for this smok detector.	е
		2

(b) Fig. 4.2 is a graph to show how the number of americium-241 atoms inside a decreases over time.




Fig. 4.2


(i) Calculate the half-life of the americium-241. Show your working.


number of americium-241

atoms

		[2]
(ii)	The battery inside the smoke detector has to be replaced each year.	
	Explain why the americium-241 source will never have to be replaced.	
		[1]

5 Fig. 5.1 shows crude oil and natural gas trapped in underground rocks. The diagram drawn to scale.





layers of underground rocks

Fig. 5.1

(a) Wood obtained from trees and compounds obtained from crude oil and natural gas can be used as fuels.

State **two** reasons why crude oil and natural gas are examples of *fossil fuels* but wood is not.

1	
2	
	[2]

(b) Hexane, C₆H₁₄, is a hydrocarbon which is found in gasoline (car fuel).

Show that the relative formula mass of hexane is 86.

(c) Fig. 5.2 shows the balanced equation for the complete combustion of methan. reactants and products are shown using displayed (graphical) chemical formulae.

Fig. 5.2

During the reaction, chemical bonds are both broken and formed.

- (i) On the equation in Fig. 5.2 draw a cross (X) on **one** of the **single** covalent bonds which is broken. [1]
- (ii) When bonds are broken, energy is absorbed. When bonds are formed, energy is released to the surroundings.

Explain, in terms of the breaking and formation of chemical bonds, why some chemical reactions are exothermic.

(d) In a car engine, the combustion of hydrocarbons produces a mixture of waste (exgases which are released into the atmosphere.



Table 5.1 shows information about some of the gases in a car's exhaust.

Table 5.1

substance in exhaust gases	% by volume
nitrogen	67
carbon dioxide	12
water vapour	11
carbon monoxide	0.2

(i)	Explain why the mixture of exhaust gases contains carbon monoxide.	
		[1]
(ii)	Suggest why the exhaust gas mixture contains a significant amount of nitrogen.	
		[2]

d tissue

- 6 The human body contains organs made up of many different types of cells and tissue
 - (a) Write each of these structures in the correct column in the table.

eye	heart	sperm	stomach
cell	tiss	ue	organ

14

[2]

(b)	The internal environment of the human body is kept at a constant temperature of about 37 °C.
	Explain why cells work best at this temperature.

(c) Bone tissue is made up of cells surrounded by the mineral calcium phosphate.

A study was carried out in Brazil into the mineral content of the leg bones of scho children between the ages of 10 and 19 years. The mineral content was measured as the mass of mineral per cm³ of bone. Some of the results are shown in Fig. 6.1.




Fig. 6.1

(1)	years.
	[2]
(ii)	Use the information in Fig. 6.1 to explain why a teenager should have a diet containing plenty of dairy products such as milk and cheese.
	[2]
(iii)	Bone also contains a protein called collagen. Vitamin C is required to make collagen.
	Name one food that contains large amounts of vitamin C.
	[1]

7 A man wearing a parachute jumps from an aeroplane.

There is an upward force and a downward force acting on the man as he begins to the before using his parachute.

The man then opens his parachute.

(a)	(i)	Name the for	rce which	remains	the	same v	when	his	parachute	opens.
-----	-----	--------------	-----------	---------	-----	--------	------	-----	-----------	--------

[1]	1
 יו.	J

(ii)	Explain in terms parachute opens.	of forces wh	y the man's	speed of fall	decreases when	the

(b) Fig. 7.1 shows the speed-time graph of his fall.




Fig. 7.1

(i) Mark on the graph with the letter **Z** the point at which the parachute opened. [1]


(ii) Mark on the graph with the letter S a point where the man is travelling at constant speed. [1]

		17					and I	
(iii)	Use Fig. 7.1 to calculate the 80 seconds.	distance	travelled	by the	man	between	SCAMO!	For viner's
	Show your working.							age.co
								13

www.xtrapapers.com

[2]

8 A student investigated the reactivity of four metals, calcium, copper, magnesium unknown metal **A**, by comparing the rate at which these metals reacted in water.






Fig. 8.1

(a)	(i)	State and explain one variable which the student must keep the same if her assessment of the relative reactivity of the four metals is to be reliable.
		variable
		explanation
		[3]
	(ii)	The student found that the pH of the mixture produced when calcium reacted was 12.
		State the name or formula of the ion whose concentration has increased and which is responsible for the change in pH.
		Explain your answer briefly.
		ion
		explanation
		[2]

(iii)	The student	then	carried	out	a second	experiment	to	compare	the	react
	unknown me	tal A	with that	of c	opper.					


For iner's

For her experiment she used a piece of metal **A** and a solution of the salt, copper nitrate, contained in a beaker.

Outline how the student could use these macopper, is the more reactive.	terials to find out which metal, A or
	[2

(b) If a lighted wooden splint is held in the mouth of the test-tube in which calcium is reacting with water, the hydrogen given off burns with a small explosive pop.

The explosive pop is caused by the rapid oxidation of hydrogen gas, H₂.



Suggest the balanced symbolic equation for the oxidation of hydrogen.

|--|

ww	xtra	pap	ers.	con
1				

			www.x	trapapers.con					
		20	2.0						
(a)	Name the part of a flower that	at carries out each of the fol	lowing functions.	For singr's					
(a) Name the part of a flower that carries out each of the following functions. (i) attracts insects to the flower (ii) makes pollen [1]									
	(ii) makes pollen			[1] Se.Com					
,	iny makes policii								
	Complete the table to descri and wind-pollinated flowers.	be the differences between	the stigmas of insect-pollin	ated					
	feature	insect-pollinated flower	wind pollinated flower	7					
	shape of stigma	insect-polimated nower	wind-pollinated flower	_					
	position of stigma			-					
	position of digital								
				[2]					
	The cells in the petals o photosynthesise.	f most flowers do not co	ontain chlorophyll and ca	nnot					
(i) Describe how the cells in flowers obtain sugars and other nutrients.									
				[2]					
((ii) Suggest one reason wh	y the cells in flowers need s	ugars.						
				[1]					

le of the For iner's

10 (a) Fig. 10.1 shows a room heated by a convector heater, placed in the middle of the




Fig. 10.1

(i)	On Fig. 10.1	draw the	convection	currents	of	air	produced	by	the	heater.	Use
	arrows to show	w their dire	ection.								[1]

II)	State which labelled part of the room will be the	
	coldest,	
	hottest.	
	Explain your answers.	
		[3]




Fig. 10.2

Explain how the structure of the wall in Fig. 10.2 reduces heat loss.	
	[3]

BLANK PAGE

Www.xtrapapers.com

The Periodic Table of the Elements DATA SHEET

									1	WWW.	xtrapapers.com
					2	4					Para
	0	4 Heium	20 Neon Neon	40 Ar Argon	84 Kr Krypton 36	131 Xe Xenon 54	Radon 86		Lutetium 771	Lr Lawrencium 103	AdhaCambhidge.com
	II/		19 Fluorine	35.5 C1 Chlorine	80 Br Bromine 35	127 I lodine	At Astatine 85		173 Yb Ytterbium 70	Nobelium 102	Se Con
	IA		16 Oxygen 8	32 S Sultur 16	79 Se Selenium 34	128 Te Tellurium 52	Po Polonium 84		169 Tm Thulium	Md Mendelevium 101	
	^		14 N itrogen 7	31 Phosphorus	75 AS Arsenic 33	122 Sb Antimony 51	209 Bi Bismuth 83		167 Er Erbium 68	Fm Fermium 100	
	>		12 Carbon	28 Si Silicon	73 Ge Germanium 32	Sn Tin 50	207 Pb Lead		165 Ho Holmium 67	ES Einsteinium 99	(rt.p.).
	≡		11 Boron 5	27 A1 Auminium 13	70 Ga Gallium 31	115 In Indium 49	204 T 1 Thallium		162 Dy Dysprosium 66	Cf Californium 98	pressure
		·			65 Zn Zinc 30	Cd Cadmium 48	201 Hg Mercury 80		159 Tb Terbium 65	BK Berkelium 97	tture and
					64 Cu Copper	108 Ag Silver 47	197 Au Gold		157 Gd Gadolinium 64	Curium 96	r tempera
dno					S9 Nickel	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am Americium 95	n³ at roon
Group					59 Coo Cobalt	103 Rh Rhodium 45	192 I r Iridium		Samarium 62	Pu Plutonium	s is 24 dn
		1 Hydrogen			56 Fe Iron 26	101 Ru Ruthenium 44	190 Os Osmium 76		Pm Promethium 61	Neptunium	The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).
					55 Mn Manganese 25	Tc Technetium 43	186 Re Rhenium 75		144 Na Neodymium 60	238 U Uranium 92	one mole
					52 Cr Chromium 24	96 Mo Molybdenum 42	184 W Tungsten 74		Pr Praseodymium 59	Pa Protactinium 91	olume of c
					51 V Vanadium 23	93 Nb Niobium 41	181 Ta Tarralum 73		140 Ce Cerium	232 Th Thorium	The
					48 Ti Titanium 22	91 Zr Zirconium 40	178 # Hafnium			nic mass bol nic) number	
					45 Sc Scandium 21	89 × Y Yttrium 39	139 La Lanthanum s	227 Ac Actinium †	series eries	a = relative atomic mass X = atomic symbol b = proton (atomic) number	
	=		9 Be Beryllium	24 Mg Magnesium	40 Ca Calcium	Strontium	137 Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series	a × a □	
	_		7 Li Lithium	23 Na Sodium	39 K Potassium 19	85 Rb Rubidium 37	133 Cs Caesium 55	Francium 87	*58-71 L ₂	Key	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.