www.xtrapapers.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2012 question paper for the guidance of teachers

0653 COMBINED SCIENCE

0653/52

Paper 5 (Practical Test), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

D 0				0 11 1	1
-	Page 2		Mark Scheme: Teachers' version IGCSE – May/June 2012	Syllabus 0653	de la
1	tuk	(a) tube A – no change; tube B – time given in any format; (not greater than 600 seconds) times given in seconds;			O ADAC AMBride
	` '	•	ds neutralise the alkali/fatty acids react with sodium ced to less than 8/solution becomes acidic;		[2]
	en	zymes	pase gave no result ; s denature when heated ; everse argument for both marks)		[2]
		lging ggesti	the end point/lack of repeats/measuring er on ;	rrors/any other va	ilid [1]
	(e) tube C: purple/lilac; tube C: protein present; (do not award this mark if the colour in tube C is incorrect)				[2] [Total: 10]
2	(a) (i)		es of piece of pipe, M , in grams to <u>1 decimal po</u> ervisor;	int and within 20%	of [1]
	(ii)	all 3	values of <i>I</i> , d _e and d _i AND d _e greater than d _i AND	in cm ;	[1]
	(iii)	corr	ect substitution ;		
	()		ect calculation to 2 or more significant figures;		[2]
	(iv)	corr	ect calculation to 2 or more significant figures;		[1]
	(v)	corr	ect calculation to 2 or more significant figures;		[1]
	(b) (i)		me of water and metal weight ;		[1]
	(ii)		me of water and metal weight and pipe ; must be greater than volume in (b) (i))		[1]
	(iii)	volu	me of the piece of pipe ;		[1]
	(iv)	dens	sity within 0.5 of answer in (a)(v);		

[Total: 10]

[1]

www.xtrapapers.com

Page 3	Mark Scheme: Teachers' version	Syllabus	· 6
	IGCSE – May/June 2012	0653	93

- **3** (a) (i) time 0 = start temperature recorded to nearest half a degree;
 - (ii) all readings entered to nearest half a degree; maximum temperature achieved no more than 1 minute beyond supervisor's time;
 - (iii) solid A darker grey/black/brown/pink/red;solution B paler blue/grey/colourless;[2]
 - (b) (i) points: at least 5 correctly plotted to within ½ square within the first 3 minutes; line: smooth curve will include one maximum; [2]
 - (ii) maximum temp rise from graph, $\Delta T = max start$ in °C; [1]
 - (iii) 25 × 4.2 × ans (b)(ii); correctly worked out to 2 or more significant figures; [2]

[Total: 10]