

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units. A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 26 printed pages and 2 blank pages.



atoms, A Combined Book Com (a) Table 1.1 shows the numbers of protons, neutrons and electrons in four atoms, 1 and D.


| | Та | ble | 1. | 1 |
|--|----|-----|----|---|
|--|----|-----|----|---|

| atom | protons | neutrons | electrons |
|------|---------|----------|-----------|
| Α | 2 | 2 | 2 |
| В | 3 | 4 | 3 |
| С | 1 | 0 | 1 |
| D | 4 | 5 | 4 |

(i) Explain which one of the atoms, A, B, C or D, has a nucleon number (mass number) of four.

| | atom |
|------|--|
| | explanation |
| | [1] |
| (ii) | Explain why all atoms do not have an overall electrical charge. |
| | |
| | |
| | [2] |

(b) Fig. 1.1 shows containers of hydrogen and helium.



3

Fig. 1.1


(i) Describe, in terms of electrons, how a chemical bond forms between two hydrogen atoms.

You may draw a diagram of a hydrogen molecule if it helps you to answer this question.

..... [2]

(ii) Explain why helium exists as single atoms and **not** as molecules.

......[1]



2 (a) A fishing boat uses echo sounding to detect a shoal of fish.

This is shown in Fig. 2.1.




Fig. 2.1

Short pulses of sound are sent out from the boat. The echo from the shoal of fish is detected by a receiver on the boat 0.2 seconds later.

Sound waves travel through water at a speed of 1600 m/s.

(i) Calculate the distance of the shoal of fish below the boat.

State the formula that you use and show your working.

formula

working

(ii) The sound waves have a wavelength of 0.25 m.

Calculate the frequency of the waves.

State the formula that you use and show your working.


formula


working

[2]

[2]

Www.papacambridge.com







(i) Which material named on Fig. 2.3 best fits the statement below?

"The particles are able to move, are randomly arranged and are closely packed."

......[1]

(ii) Name the process by which water molecules in the sea become water molecules in the air.

......[1]

| | | WE WWW Kt | For iner's |
|---|-----|---|---------------|
| | | 8 | |
| 3 | | e addition of a harmful substance to the environment is called pollution. Three exollution caused by human activities are | For iner's |
| | | • acid rain, | Tig |
| | | fertilisers entering rivers and lakes, | Se.C. |
| | | the release of too much carbon dioxide into the atmosphere. | OT |
| | (a) | Describe how acid rain is caused. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | [2] |
| | | | |
| | (b) | Explain what happens in a lake after large quantities of fertilisers are washed into it. | |
| | (6) | Explain what happens in a lake alter large quantities of leftilisers are washed into it. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | [3] |
| | (c) | Explain how cutting down forests can result in an increase in the carbon diox concentration in the atmosphere. | ide |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | [2] |
| | | | |



Please turn over for Question 4.


- Petroleum (crude oil) and rock salt occur naturally in the Earth's crust. 4
- Www.PapaCambridge.com (a) Petroleum is a mixture that contains thousands of different compounds. Many of the compounds are alkanes.

Draw the structure of the alkane molecule that contains eight hydrogen atoms. Use short lines to represent covalent bonds.

[2]

(b) When petroleum is refined, it is separated into simpler mixtures.

Fig. 4.1 shows a simplified diagram of apparatus that is used to refine petroleum.





Explain, in terms of intermolecular forces and the size of molecules, why the average boiling point of the fraction at **B** differs from the average boiling point of the fraction at **C**.

[3]

 11

 (c) Rock salt contains mainly sodium chloride which is a compound of the alkal sodium, and the halogen, chlorine.

 (i) Explain why the uncombined elements sodium and chlorine are not found in the Earth's crust.

 [1]

 (ii) Describe the changes in electron configuration when sodium atoms (2,8,1) react with chlorine atoms (2,8,7) to form sodium chloride.

 [2]

- Milk is a liquid produced by cows, goats and other mammals, on which they fee 5 young.
- Www.PapaCambridge.com (a) Table 5.1 shows the mass of some of the substances in 100g samples of milk from three mammals.

| substance | cow's milk | goat's milk | water-buffalo's milk |
|----------------|------------|-------------|----------------------|
| protein/g | 3.2 | 3.1 | 4.5 |
| fat/g | 3.9 | 3.5 | 8.0 |
| carbohydrate/g | 4.8 | 4.4 | 4.9 |
| calcium/mg | 120 | 100 | 195 |

Table 5.1

(i) Which substance shown in Table 5.1 is present in the samples of milk in the smallest quantity?

......[1]

(ii) Suggest which substance, not shown in Table 5.1, is present in the samples of milk in the largest quantity.

.....[1]

(iii) Explain one way in which drinking water-buffalo's milk might be better for a person's health than drinking goat's milk.

.....

- [2]
- (iv) State and explain which substance in Table 5.1 does not need to be digested in the human alimentary canal.

..... [2]

www.papaCambridge.com 13 (b) Milk can be used for making yoghurt. Bacteria are added to the milk. The milk is kept at a temperature of 40 °C. The bacteria convert lactose in the milk to lactic acid. When the pH has reached about 4.5, the yoghurt is moved to a refrigerator at a temperature of 3°C. (i) Explain why the milk is kept at a temperature of 40 °C after the bacteria have been added to it. [2] (ii) Suggest why the yoghurt is kept in a refrigerator at a temperature of 3 °C. [1] (iii) Milk has a pH of about 6.5. Explain why the pH of milk changes during the manufacture of yoghurt. [1]

www.papacambridge.com (a) In a store, two workers are lifting 5 kg bags of flour onto the shelves. There a 6 shelves, 0.4 m apart. The lowest shelf is 0.4 m from the floor.

Fig. 6.1 shows the two workers.




Fig. 6.1

(i) Worker X lifts three bags from the floor to shelf 2. Worker Y lifts one bag from the floor to shelf 5.

Worker X says that he has done more work than worker Y.

Use calculations of the work done to explain whether or not he is correct.

State the formula that you use.

formula

.....


[2]

(ii) Each worker lifts one bag from the floor to shelf 2. Worker X does this more quickly than worker Y.

Which worker exerted the higher power during their lift?

Explain your answer.

.....[1]




Www.PapaCambridge.com (b) Three boys, A, B and C, walk together from their school to a store. They stay store for a few minutes and then return to school.

When they leave the store,

- one boy walks back to school at a steady pace,
- one boy walks back to school at a slower steady pace,
- one boy slows down gradually as he walks back to school.

The graph in Fig. 6.2 shows how their speeds vary with time during the whole journey to the store and back again.






(i) Calculate the distance of the store from the school.

Show your working.

[2] (ii) For how many seconds do the boys stay in the store? [1] s (iii) Which boy slowed down on his way back to school? State a reason for your answer. boy because [1]

7 (a) Fig. 7.1 shows apparatus a student used to investigate the reaction between powder and dilute hydrochloric acid.

www.papaCambridge.com The student predicted that a gas would be given off in her experiment and chose to test the gas using limewater.






State the gas that the student predicted would be given off.

Explain your answer.

| name of gas | | |
|-------------|---|----|
| explanation | | |
| | | |
| | [| 2] |

- (b) The student investigated the temperature change when sodium hydrogencal was added to excess dilute hydrochloric acid.
 - Fig. 7.2 shows the apparatus she used.





Temperature measurements were displayed on the computer screen as a graph of temperature against time.

This graph is shown in Fig. 7.3.





Fig. 7.3

(i) On the graph, mark with an X the point where sodium hydrogencarbonate was added to the dilute hydrochloric acid. [1]


| | | | papers.cor |
|---|-------|---|---------------|
| | | 19 ¹⁴ . D | |
| | (ii) | 19 Calculate the temperature change shown in Fig. 7.3 that occurred durn reaction. | For iner's |
| (| iii) | [2] Use the results shown in Fig. 7.3 to explain, in terms of chemical energy and hea energy, the energy transformation that occurred during the reaction. | e.c. |
| | | | · ` |
| | | [2 | |
| | | dium hydrogencarbonate, NaHCO ₃ , is a solid compound made of sodium ions and Irogencarbonate ions. Sodium is a metal in Group 1 of the Periodic Table. | ł |
| | Deo | duce the formula and electrical charge of a hydrogencarbonate ion. | |
| | Exp | blain your answer. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | • |
| | ••••• | [3] |] |
| | | | |

.



bstance trachea (c) The gas exchange system is protected from pathogens and harmful substance tissue, containing goblet cells and ciliated cells, that lines the nose, trachea bronchi.

Fig. 8.2 shows part of this tissue inside the nose.





Describe how the tissue shown in Fig. 8.2 helps to stop harmful substances getting into the lungs.

| |
|------|
| |
| [2] |

© UCLES 2013

(d) An experiment was carried out to find out how passive smoking affects the ac the goblet cells and cilia.

Www.papacambridge.com Six people sat in a closed room. On day 1, they breathed normal, clean air. On day 2 they breathed air containing cigarette smoke.

After one hour, a substance was sprayed into each person's nose. After 40 minutes, the researchers measured the percentage of the substance that remained in each person's nose. This was done on both days.

The faster the cilia and goblet cells were working, the faster the substance was removed from the nose.

Table 8.1 shows the results.

| | percentage of | f substance remaining after 40 minutes |
|--------|---|--|
| person | day 1 after breathing clean air | day 2 after breathing air containing cigarette smoke |
| 1 | 65 | 26 |
| 2 | 84 | 49 |
| 3 | 67 | 96 |
| 4 | 23 | 51 |
| 5 | 40 | 91 |
| 6 | 78 | 24 |

Table 8.1

(ii) Which three persons' results showed that breathing air containing cigarette smoke slowed down the rate at which their cilia and goblet cells worked?

......[1]

(ii) Suggest how exposure to cigarette smoke could affect the health of these three people.

_____ [3]



Please turn over for Question 9.

9 (a) A student investigated how a change in potential difference across a lamp affect current flowing through the lamp.

She used wires to connect the components shown in Fig. 9.1 to make a circuit.




Fig. 9.1

(i) Using the correct circuit symbols, draw a diagram to show the circuit she used.

(ii) The student measured the current passing through a wire when a difference was applied across it.

Www.papaCambridge.com Calculate the resistance of the wire when a potential difference of 0.3V is applied and the current measured is 0.5 A.


State the formula that you use and show your working.

formula

working

[2]

(b) Electricity is often transmitted through overhead power cables hung from pylons. If these cables are put up on a hot summer day, they are hung loosely from the pylons as shown in Fig. 9.2.





Suggest why the cables are hung loosely.

[2]



BLANK PAGE



BLANK PAGE

| | 7 | <u>م</u> ٤ | . 1) 5 | | | 28 | ~ 5 | | | tiun . | oapa Cambrids |
|-------|---|------------|----------------------|-------------------------------------|---|-------------------------------------|---|----------------------------------|---|---|---|
| | 0 | 4 Helium | 20 Neon Ne | | 84 Krypton 36 | 131 Xenon 54 | Radon 86 | | 175 Lu Lutetium 71 | Lawren 103 | mbrio |
| | ₹ | | 6 Fluorine | 35.5 C1 17 Chlorine | 80 Bromine 35 | 127 T Iodine 53 | At Astatine 85 | | 173 Yb Ytterbium 70 | Nobelium 102 | |
| | ⋝ | | a O 16 | 32 32 Sultur 16 | 79 Selenium 34 | 128 Te Tellurium | Po Polonium 84 | | 169 Thulium | Mendelevium 101 | |
| | > | | 14 Nitrogen | 31 Phosphorus 15 | 75 AS Arsenic 33 | 122 Sb Antimony 51 | 209 Bismuth 83 | | 167 Er Erbium 68 | Fermium 100 | |
| | ≥ | | 12 Carbon | 28 Silicon | 73 Ge Germanium 32 | 119 Sn | 207 Pb Lead | | 165 Holmium 67 | Es Einsteinium 99 | r.t.p.). |
| | = | | ی Bora 2 | 27 Aluminium | 70 Galium 31 | 115 I I N Indium 49 | 204 T 1 Thallium 81 | | 162 Dysprosium 66 | Cf Californium 98 | ressure (|
| - | | | | | 65 Zn 30 ^{Zinc} 3 | 112 Cadmium 48 | 201 Hg ^{Mercury} 80 | | 159 Tb 65 65 | BK Berkelium 97 | The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.) |
| | | | | | 64 Copper 29 | 108 Ag Silver | 197 Au Gold | | 157 Gd Gadolinium 64 | 96 Curium 96 | temperat |
| 2 | | | | | 59 Nickel | 106 Pd Palladium | 195 Pt Platinum 79 | | 152 Eu uropium 6 | Americium 95 | at room t |
| وroup | | | | | 59 Cobalt 28 | 103 Rh hođium 46 | 192 Ir Iridium 78 | | 150 Sm samarium 62 | Pu utonium | s 24 dm ³ |
| | | Hydrogen | | | 56 Fe Iron 27 | 101 Ru ithenium | 190 OSmium 3 | | Promethium 62 | Neptunium 93 | any gas i |
| | | _ I | | | 55 Manganese 25 | Technetium Ru | 186 Renium 76 | | 144 Neodymium 60 | 238 Uranium 2 | mole of a |
| | | | | | | 4 | 184 1 V 1009sten Rt 75 | | 141 Praseodymium Nec | Protactinium Ur | e of one |
| | | | | | 24 C | | 27 | | | | e volum |
| | | | | | 51 Vanadium 23 | 93 Niobium 41 | 181 Ta Tantalum 73 | | 140 Ce ^{Cerium} | 232 Thorium 90 | μ |
| | | | | | 48 Titanium 22 | 91 Zr Zirconium 40 | 178 Hafhium 72 | | 1 | nic mass bol nic) number | |
| | | | | | 45 Scandium 21 | 89 Yttrium 39 | 139 Lathanum 57 * | 227 Actinium 89 † | series eries | a = relative atomic mass X = atomic symbol b = proton (atomic) number | |
| | = | | 9 Beryllium | 24 Mg Magnesium 12 | 40 Ca calcium 20 | 88 St rontium 38 | 137 Ba ^{Barium} 56 | 226 Ra Radium 88 | *58-71 Lanthanoid series 190-103 Actinoid series | a = a = a = a = a = a = a = a = a = a = | |
| | | | Lithium | 23 Na Sodium | 39 Potassium 19 | 85 Rb Rubidium | 133 CS Caesium | Francium | 1 La. 03 A. | ٩ | |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.