



#### **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

#### **COMBINED SCIENCE**

0653/33

Paper 3 (Extended)

May/June 2014

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.



1 (a) Fig. 1.1 shows an experiment to compare how three metals react with dilute hydrochloric acid.




Fig. 1.1

In two of the test-tubes, bubbles of hydrogen gas are produced.

(i)	Complete	the	balanced	symbol	equation	for	the	reaction	between	magnesium	and
	hydrochlor	ic ac	cid.								

		+	<b></b>	$MgCl_2$	+	[2]
(ii)	List the three	metals <b>X</b> , copper and n	nagnesium, ir	order of rea	activity.	
	most reactive					
	least reactive					[1]

**(b)** Fig. 1.2 shows an experiment in which the metal **X** is placed in solutions of copper chloride and magnesium chloride.




Fig. 1.2

	(1)	hour.
		[2]
	(ii)	Explain why you would not expect a chemical change in the contents of test-tube <b>B</b> .
		[1]
(c)		oper can be extracted from copper oxide by heating it with carbon. The process involves reduction of copper oxide.
	(i)	State what is meant by the term <i>reduction</i> .
		[1]
	(ii)	Aluminium is extracted by the process of electrolysis of molten aluminium oxide. Aluminium metal is deposited at the cathode of the electrolytic cell.
		Explain why metals are always deposited at the cathode, rather than the anode, during electrolysis.
		[2]

**2** Fig. 2.1 shows a food web of the organisms in a woodland containing oak trees.




Fig. 2.1

(a)	State betwe		used	to	describe	these	organisms,	the	woodland,	and	the	interactions
												[1]


**(b)** The animals in the food web are consumers.

Define the term consumer.

			[1 <sup>-</sup>

**(c)** The food web is a network of interconnected food chains.

One food chain in Fig. 2.1, with three trophic levels, is shown.



Write down a food chain from Fig. 2.1 which has four trophic levels.

[2]

(d)	Describe <b>two</b> ways in which energy can be lost between trophic levels of a food chain.	
	1	
	2	
		[2]
(e)	The oak trees in the wood are cut down.	
	Describe and explain how the levels of carbon dioxide and oxygen change in the atmosphe in and around the woodland.	re
		•••
	Г	3

3 (a) Fig. 3.1 shows a cell (battery) and lamp taken from the same torch (flashlight).





Fig. 3.1

	r ig. 5. i	
(i)	Explain why two cells are needed to light this lamp.	
		[1]
(ii)	State what is meant by the quantity 1.2A written on the lamp.	
		[1]
(iii)	Calculate the resistance of the lamp when it is lit and give the unit.	
	State the formula that you use and show your working.	
	formula	
	working	
	resistance = unit	[3

(b)			orch is left switched on for a long time, until the batteries becomes warm.	run down. The front of the
	Ide	ntify	y the energy transfers that have occurred during this time.	
	•••••	•••••		[2]
(c)			orch emits a narrow beam of light when switched on. Fig. 3.2 e mirror on the far side of a room.	2 shows the torch shining at
		W	vall	mirror
		***	Fig. 3.2	1111101
	(i)		n Fig. 3.2, construct an accurate ray diagram to show how reflected onto the wall.	a ray of light from the torch [2]
	(ii)	Th	he torch goes out suddenly.	
			xplain why an observer cannot detect any delay in the spo le wall.	t of light disappearing from
		••••		
				[1]

**4** (a) Petroleum (crude oil) is a mixture of different hydrocarbons.

Fig. 4.1 shows the industrial apparatus used to separate petroleum into useful products.




Fig. 4.1

Petroleum is vaporised and passed up a tower. Useful products from petroleum condense at different positions in the tower.

(i)	State the name of the process used to separate the petroleum mixture into useful products.
	[1]
(ii)	Describe how the boiling point range of a particular product affects the position in the tower where it condenses.
	[1]
iii)	Describe and explain the relationship between the boiling point of a hydrocarbon and the size of its molecules.
	[2]

(b)	Wh	en hydrocarbons burn they produce carbon dioxide and water.
		plain, in terms of the effect on the environment, why an increased level of carbon dioxide ne atmosphere is of concern to many people.
	•••••	[2]
(c)	Two	o of the hydrocarbons in refinery gas are methane and ethane.
	(i)	Complete the diagram of one molecule of ethane.
		H 
		Ċ
		[2]
	(ii)	In the process of cracking, large hydrocarbon molecules are broken down into smaller ones.
		Explain briefly why some of the smaller molecules produced by cracking are more reactive than methane and ethane.
		[2]

5

(a)	A b	oy uses headphones to listen to the radio.
	(i)	State the useful energy transformation that occurs in the headphones when he is using them.
		[1]
	(ii)	The radio emits sounds with frequencies between 100 Hz and 10 000 Hz.
		Explain why the boy is able to hear all the sounds emitted through the headphones. The boy has normal hearing.
		[1]
(b)	A b	oy is swimming in a swimming pool.
		mass is $50\mathrm{kg}$ . He dives into the water from a height of 2 metres above the water surface, n swims one length of the 25 metre long pool at a constant speed of $0.5\mathrm{m/s}$ .
	(i)	Calculate the potential energy lost by the boy as he dives and hits the water surface. (gravitational field strength, $g = 10 \mathrm{N/kg}$ )
		State the formula you use and show your working.
		formula
		working
		J [2]

(ii) Calculate the kinetic energy of the boy as he swims one leng	gth.
---	------

State the formula you use and show your working.

formula

working

J [2]

**(c)** A boy switches on a television set using a remote control.

Fig. 5.1 shows some of the parts of the electromagnetic spectrum.

In the correct blank box on Fig. 5.1, write the name of the part of the spectrum used by the remote control.

[2]

Fig. 5.1

12

# **BLANK PAGE**

**6** (a) Fig. 6.1 shows part of the human life cycle. The diagram is not to scale.




Fig. 6.1

	(i)	From Fig. 6.1, name a diploid cell.	
			[1]
	(ii)	Cell division of the zygote produces a ball of cells.	
		Describe in detail where in the female reproductive system this ball of cells is position for the next stage of development.	ed
			[2]
(b)		w mothers have to decide whether to breast-feed their baby or to bottle-feed their ban formula milk.	ıby
	Des	scribe	
	(i)	one advantage of breast-feeding,	
			[1]
	(ii)	one advantage of bottle-feeding.	
			[1]

(c) Table 6.1 summarises some of the nutrients contained in a sample of 100 g of breast milk.

Table 6.1

nutrient	mass in 100 g sample of milk
protein	1.2g
fat	3.8 g
carbohydrate	7.6 g
vitamin C	0.0039 g
calcium	0.033 g

(i) Most of the mass of milk is water.

Use the information in Table 6.1 to calculate the approximate mass of water in the sample of milk.

You may ignore the two nutrients which have a mass much smaller than the other three nutrients in Table 6.1.

Show your working.

mass of water =	g	[2]
made of water	 9	[-]

(ii)	Energy is released from milk by respiration.
	1 g of fat releases 37 kJ of energy. 1 g of carbohydrate releases 16 kJ of energy.
	Use the information in Table 6.1 to calculate whether more energy is released from the fat or the carbohydrate in the 100 g sample of milk.
	Show your working and state your answer.
	[3]

7 (a) Fig. 7.1 shows the outer shell of a chlorine atom.




Fig. 7.1

Draw a diagram showing the arrangement of the outer electrons in the atoms of a chlorine molecule,  $Cl_2$ .

[2]

(b) Chlorine is one of the halogens that are found in Group VII of the Periodic Table.

Table 7.1 shows properties of some of the elements in Group VII.

Table 7.1

period	halogen	colour	physical state at room temperature
2	fluorine		
3	chlorine	yellow-green	gas
4	bromine	dark red-brown	liquid
5	iodine	blue-black	solid

Use the information in Table 7.1 to predict the colour and physical state of fluorine and complete Table 7.1. [1]

(c)		scribe and explain what is seen when a dilute solution of chlorine is added to a colourless ution of potassium bromide.
		[2]
(d)	Tab	ole 7.2 shows some elements in Group 0 of the Periodic Table.
		Table 7.2
		Group 0
		helium
		neon
		argon
		krypton
		xenon
	(i)	State a use for <b>one</b> named element in Group 0.
		name
		use
		[1]
	(ii)	Describe how the electronic structure of the atoms of the elements of Group 0 affects their chemical properties.
		[2]

**8** Fig. 8.1 shows a simple type of air conditioner called a 'swamp cooler' that is used in buildings in dry desert places.





Fig. 8.1

Hot, dry air is blown by a fan over the surface of water in a metal container. The hot dry air causes some of the water to evaporate. The air coming out of the swamp cooler is cool and damp.

(a)	(i)	Describe the changes to the arrangement of the molecules of water during evaporation	n.
			[2]
	(ii)	Explain, referring to the movement of molecules in water and air, why the hot dry ai cooled.	r is
			[2]
(b)	In h	not countries, houses are often painted white.	
	Exp	plain why this helps to keep a house cooler.	
			[2]

(c)	The	The fan in the swamp cooler is noisy. A girl standing in the same room can hear the noise.					
	Des	scribe how the sound					
	(i)	is produced by the fan,					
			[1]				
	(ii)	travels from the fan to the girl's ear.					
			[1]				

**9** Fig. 9.1 is a flowchart to show the circulation of blood in the body.



	blood vessel Q	heart			
		Fig.	9.1		
(a) Ex	olain why this is describ	ed as a double o	circulation.		
					[1]
(b) (i)	Complete the sentence	e using words or	r phrases from the	e list.	
	You may use each wo	ord or phrase one	ce, more than onc	ce, or not at all.	
	aorta	body	left	lungs	
	pulmonary	artery p	ulmonary vein	right	
	Blood leaves the		ve	ntricle of the heart t	to go through
	blood vessel P, which	is the		, taking	blood to the
	lungs.				[2]
(ii)	Blood in vessel <b>P</b> has	a different press	sure from blood in	vessel <b>Q</b> .	
	Describe this difference	ce and explain w	hy it is necessary		
					[0]
					[2]

(c)	The	e composition of blood changes as it flows through the tissues of the small intestine.
	Sta	te
	(i)	<b>one</b> substance that <b>leaves</b> the blood as it flows through the tissues of the small intestine,
		[1]
	(ii)	two substances that enter the blood as it flows through the tissues of the small intestine.
		[6]

# **BLANK PAGE**

# **BLANK PAGE**

DATA SHEET
The Periodic Table of the Elements

								į	Group								
	=											≡	N	^		VII	0
							1 Hydrogen										4 <b>He</b> Helium
4	9 <b>Be</b> Beryllium					•		1				11 Boron 5	12 <b>C</b> Carbon 6	14 <b>N</b> Nitrogen 7	16 Oxygen	19 <b>T</b> Fluorine	20 <b>Ne</b> Neon 10
<del>-</del>	24 Mg Magnesium											27 <b>A1</b> Aluminium 13	28 <b>Si</b> Silicon	31 <b>P</b> Phosphorus 15	32 <b>S</b> Sulfur 16	35.5 <b>C1</b> Chlorine	40 <b>Ar</b> Argon
1 (4	40 <b>Ca</b> Calcium	Scandium Scandium 21	48 <b>T</b>	51 V Vanadium 23	Cr Chromium 24	Manganese	56 <b>Fe</b> Iron	59 <b>Co</b> Cobalt	59 Nickel	64 Copper 29	65 <b>Zn</b> Zinc	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium	75 <b>AS</b> Arsenic 33	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36
(-)	Sr Strontium	89 <b>×</b>	2r Zr Zirconium 40	93 <b>Nb</b> Niobium	96 <b>Mo</b> Molybdenum 42	Tc Technetium 43	Ru Ruthenium 44	Rhodium 45		108 <b>Ag</b> Silver 47	Cadmium Cad	115 <b>In</b>	<b>Sn</b> Tin	122 <b>Sb</b> Antimony 51	128 <b>Te</b> Tellurium 52	127 <b>T</b> lodine 53	131 <b>Xe</b> Xenon Xenon
ιΩ	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57 *	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum 73	184 <b>W</b> Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>Os</b> Osmium 76	192 <b>Ir</b> Iridium	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold	201 <b>Hg</b> Mercury 80	204 <b>T 1</b> Thallium	207 <b>Pb</b> Lead	209 <b>Bi</b> Bismuth	<b>Po</b> Polonium 84	At Astatine 85	<b>Rn</b> Radon 86
∞	226 <b>Ra</b> Radium 88	Actinium †															
	*58-71 Lanthanoid serie 190-103 Actinoid series	*58-71 Lanthanoid series 190-103 Actinoid series		140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	Neodymiur 60	Pm Promethium 61	150 <b>Sm</b> Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	Lu Lutetium
	м <b>Х</b>	<ul> <li>a = relative atomic mass</li> <li>X = atomic symbol</li> <li>b = proton (atomic) number</li> </ul>	ic mass ool ic) number	232 <b>Th</b> Thorium 90	Pa Protactinium 91	238 <b>U</b> Uranium 92	Neptunium	<b>Pu</b> Plutonium 94	Am Americium 95	<b>Cm</b> Curium 96	Bk Berkelium 97	Californium	<b>ES</b> Einsteinium 99	Fm Fermium 100	Md Mendelevium 101		<b>Lr</b> Lawrencium 103

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.