

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

COMBINED SCIENCE 0653/52

Paper 5 Practical Test May/June 2018

CONFIDENTIAL INSTRUCTIONS

Great care should be taken to ensure that any confidential information given does not reach the candidates either directly or indirectly.

The Supervisor's attention is drawn to the form on page 8 which must be completed and returned with the scripts.

If you have any queries regarding these Confidential Instructions, please contact Cambridge stating the Centre number, the nature of the query and the syllabus number quoted above.

email info@cie.org.uk phone +44 1223 553554 fax +44 1223 553558



International Examinations

READ THESE INSTRUCTIONS FIRST

These Confidential Instructions detail the apparatus, reagents and specimens required by each candidate for each experiment in this paper.

The Supervisor is **not** allowed to consult the Question Paper before the examination. This teacher should, as part of the preparation of the examination requirements, test the apparatus in order to ensure that it is satisfactory.

All specimens should carry only the code letters and numbers as indicated and their identity should not be revealed to the candidates.

More material may be issued if required, without penalty, but this should not be necessary. If a candidate breaks any of the apparatus the matter should be rectified and a note made in the Supervisor's Report.

It is assumed that the ordinary apparatus of a science laboratory will be available, including a supply of purified water (distilled or deionised).

Supervisors are advised to remind candidates that **all** substances in the examination should be treated with caution. Only those tests described in the Question Paper should be attempted. Suitable eye protection should be provided.

In accordance with COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

Attention is drawn, in particular, to certain materials used in the examination. The following codes are used where relevant.

C corrosive MH moderate hazard

HH health hazard T acutely toxic

F flammable O oxidising

N hazardous to the aquatic environment

Hazard data sheets should be available from your suppliers.

If arrangements are made for different sessions for different groups of candidates, care must be taken to ensure that the different groups of candidates are effectively isolated so that **no information passes between them**

The Supervisor should make sure the Supervisor's Report is fully completed and a copy is enclosed with **each** packet of scripts.

© UCLES 2018 0653/52/CI/M/J/18

Question 1

Each candidate will require:

- (i) piece of ripe, peeled banana approximately 3 cm in length and diameter not less than 2 cm
- (ii) white tile
- (iii) knife
- (iv) 30 cm ruler graduated in mm
- [MH] (v) Benedict's solution and dropping pipette, labelled Benedict's solution
 - (vi) large test-tube ($150 \, \text{mm} \times 25 \, \text{mm}$) and means of supporting it
 - (vii) 250 cm³ beaker to act as a water bath
 - (viii) access to hot and cold water
 - (ix) stirring rod.

Question 2

Each candidate will require:

- [MH][N] (i) hard glass test-tube (125 mm \times 15 mm) containing 1 cm depth of copper(I) oxide, Cu₂O (NOT copper(II) oxide) labelled (not on test-tube) H for (a)
- [MH][N] (ii) large test-tube (150 mm \times 25 mm) containing 1 cm depth of copper(I) oxide, Cu_2O (NOT copper(II) oxide) labelled (not on test-tube) H for (b)
- [MH] (iii) approximately 20 cm³ 1.0 mol dm⁻³ sulfuric acid labelled acid
- [MH] (iv) approximately $10 \, \mathrm{cm}^3 \, 0.4 \, \mathrm{mol} \, \mathrm{dm}^{-3} \, \mathrm{sodium} \, \mathrm{hydroxide}$
- [F] (v) 0.5 g magnesium powder labelled magnesium
 - (vi) two test-tubes (125 mm × 15 mm) and means to support them
 - (vii) 10 cm³ or 25 cm³ measuring cylinder
 - (viii) one small beaker
 - (ix) filter funnel
 - (x) filter paper
 - (xi) spatula
 - (xii) sight of a clock
 - (xiii) test-tube holder
 - (xiv) Bunsen burner.

Question 3

Each candidate will require:

- (i) metre rule with a millimetre scale (see note 1)
- (ii) triangular block to act as a pivot for the metre rule. The block is to stand on the bench.
- (iii) 200 g load labelled P and a 100 g load labelled Q.

Notes

1. Check that the metre rule balances on the pivot when the 50.0 cm mark is approximately over the pivot.

Action at Changeover

Place the pivot, rule and loads separately on the bench.

Spare materials and equipment should be available and can be provided without penalty. **Candidates** should be made aware of this.

Information required from the Supervisor:

The Supervisor is asked to carry out the experiments and to enter the results on a spare copy of the examination paper, clearly marked Supervisor's Results and showing the Centre number. This should be done, out of sight of the candidates, using the same solutions, reagents, specimens and apparatus as the candidates.

A copy of the Supervisor's Results should be returned with each packet of scripts. Failure to do so may cause the candidates to be penalised.

6

BLANK PAGE

© UCLES 2018 0653/52/CI/M/J/18

7

BLANK PAGE

0653/52

This form must be completed and returned in the envelope with the scripts together with the seating plan and the Supervisor's Results as mentioned on page 5.

May/June 2018

General

The Supervisor is invited to give details of any difficulties experienced by particular candidates giving their names and candidate numbers. These should include reference to:

- (a) difficulties due to faulty apparatus;
- (b) accidents to apparatus or materials;
- (c) physical handicaps, e.g. short sight, colour blindness;
- (d) any other information that is likely to assist the Examiner, especially if this cannot be discovered in the scripts;
- (e) any help given to a candidate.

The Supervisor is asked to supply the following information:

Plan of work benches, giving details by candidate numbers of the places occupied by the candidates for each session and a copy of the Supervisor's Results.

NAME OF CENTRE	
CENTRE NUMBER	
DECLARATION (to be signed by the Supervisor)	
The preparation of this practical examination has been carried out so as to maintain fully the of the examination.	esecurity
NAME	
(in block capitals)	
SIGNED(Su	ıpervisor

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2018 0653/52/CI/M/J/18