

### **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	

**COMBINED SCIENCE** 

0653/52

Paper 5 Practical Test

May/June 2018

1 hour 30 minutes

Candidates answer on the Question Paper.

Additional Materials:

As listed in the Confidential Instructions.

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

Notes for Use in Qualitative Analysis for this paper are printed on page 8.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use							
1							
2							
3							
Total							

This document consists of 8 printed pages.

S CAMBRIDGE

International Examinations

1

You are provided with a piece of banana, hot and cold water, and Benedict's solution.									
Cut a slice of about 5 mm from one end of the banana.									
Place it on the white tile with the cut surface uppermost.									
(a)	(i)	Make an enlarged pencil drawing of the banana slice in the box below.							
	(ii)	[2]  Measure the diameter of the slice of banana, in millimetres, to the nearest millimetre.  diameter =							
		Measure the diameter of your drawing of the banana, in millimetres, to the nearest millimetre.							
		diameter = mm [3]							
(	(iii)	Use your measurements to calculate the magnification of your drawing.							
		Show your working.							

magnification = .....[1]

© UCLES 2018 0653/52/M/J/18

(b)	) Cut a fresh slice of banana of approximately 5 mm in length and chop it into small pieces.										
	Place the pieces of banana in the test-tube and add about 1 cm depth of cold water.										
	Mash the banana gently using a stirring rod.										
	Carry out a test on the banana in the test-tube using the Benedict's solution.										
	You need to add Benedict's solution to at least the same depth as the banana and use the beaker and the hot water provided as a water-bath.										
	Record and explain your observations.										
	observations										
	explanation										
	[2]										
(c)											
(-)	He uses the following method.										
	Method										
	Place some chopped banana in a test-tube.										
	2. Add 2 cm <sup>3</sup> water and stir.										
	3. Pour the water into another test-tube containing 2 cm <sup>3</sup> ethanol.										
	(i) Identify one error in the student's method.										
	[1]										
	(ii) State the observation for a positive result from a correct fat test.										
	·[1]										

NOI	es to	or use in Qualitative Analysis for this question are printed on page 8.									
You	are	going to investigate the reactions of metal oxide <b>H</b> .									
(a)	Heat the <b>smaller</b> test-tube containing solid <b>H</b> .										
	Continue heating in the hottest part of a blue flame for at least 2 minutes.										
	Red	cord the colour of solid <b>H</b> after heating.									
		[1]									
(b)	•	To the sample of solid <b>H</b> in the <b>larger</b> test-tube add about 10 cm <sup>3</sup> of the unknown acid labelled <b>acid</b> .									
	•	Carefully heat until the mixture boils, then stop heating.									
	•	Leave to cool for approximately one minute.									
	•	Filter the mixture.									
	(i)	Record the colours of the filtrate and residue.									
		filtrate									
		residue[2]									
	(ii)	Place approximately 1 cm depth of the liquid filtrate into a clean test-tube.									
		Add sodium hydroxide solution slowly until there is no further change.									
		Record your observations.									
		[1]									
	(iii)	Place approximately 1 cm depth of the liquid filtrate into another clean test-tube.									
		Add a spatula load of magnesium powder.									
		Mix the contents of the test-tube.									
		Record your observations. Do <b>not</b> include any bubbling or temperature changes which may occur.									
		[2]									

© UCLES 2018 0653/52/M/J/18

(c)	(i)	Using your observations in (a) and (b), identify the metal in the metal oxide H.
		State <b>one</b> piece of evidence you have used to make this identification.
		metal is
		piece of evidence
		[2]
	(ii)	The acid used in <b>(b)</b> is either hydrochloric acid or sulfuric acid.
		Describe a test to identify the acid used in <b>(b)</b> . You should include the expected observations for the acids.
		Do <b>not</b> carry out this test.
		test
		observation for hydrochloric acid
		observation for sulfuric acid
		[2]

3 You are going to measure the approximate mass of a metre rule using a balancing method.

You are provided with a 200 g load labelled P, a 100 g load labelled Q, a metre rule and a pivot.




Fig. 3.1

- Set up the apparatus as shown in Fig. 3.1. (a) (i)
  - Place the pivot under the 40.0 cm mark. The position of the pivot must not change during this experiment.
  - Place the load **P** on the rule so that its centre is a distance  $d_1 = 10.0$  cm from the zero end of the rule, as shown in Fig. 3.1.
  - Adjust the position of the load Q so that the rule is as close as possible to being balanced.

Record in Table 3.1 the distance  $d_2$ , to the nearest 0.1 cm, from the **zero** end of the rule to the centre of load Q. [1]

Table 3.1

d <sub>1</sub> /cm	d <sub>2</sub> /cm	$a = (40 - d_1)/\text{cm}$	$b = (d_2 - 40)/\text{cm}$
10.0			
15.0			
25.0			
30.0			

- Repeat the procedure in (a)(i) for values of  $d_1 = 15.0 \,\mathrm{cm}$ , 25.0 cm and 30.0 cm. [2]
- (b) For each value of  $d_1$  and  $d_2$ , calculate the distances a and b as shown in Table 3.1. Use the equations shown.

$$a = (40 - d_1)$$

$$b = (d_2 - 40)$$

Record in Table 3.1 your values of a and b.

[1]

On the grid provided, plot a graph of a (vertical axis) against b.

Start your axes from the origin (0, 0). Draw the best-fit straight line. [3]

© UCLES 2018 0653/52/M/J/18

					1					1	J.J	1	[]		1	1.1.	1111	1	111	1.1.	1	1.1.	1									
					<u></u>	+++					##	<u></u>					盐		44	##					#							
					-    -											1.1.	##		##	:   -					#							
				444	<u> </u>					11	##	<u></u>				1-1-	#		44	#					4							
					-    -						##	 					†- - 		##												- <del> </del>	···
					!						11.						##		#	##					11							
											11.						##					H			-							
																			#													
												ļii				1.1.							 		+							
				+++													<u> </u>		11						##							
										1.1	<u> </u>	!!! !!!					 			·						 						
a/c	cm										11.					1-1-	##		##	##		11			##							
					-    -					11	<del>                                      </del>	 				1-1-	†- -  - -	 	##			H	 	11	11							
											##					1.1.			##	##		H										
					ļ  -																	H										
																			-11													
					<u> </u>						11.	ļii					<u> </u>	ļ	11				<u></u>									
					<u></u>						++-									++			<del>   </del>		##							
					-    -			- - <b> </b>		11	11	:-::- :!!					<del>}-}-</del>	 	44				 		*							
											11						##		##	##		H										
					-    -						I-I						}-}-		#													
											##					1-1-			##	++												
						+					†- <del> </del>						<del> - -</del>		++						+							
														b	/c	m																
	(ii) E	Exte	nd y	your	line	e u	ntil	it c	uts	s th	ne i	axi	s.																			
	,	∧/rita	, da	NA/P	tha		مبا	of	tha	. ir	ıt o ı		nt	τ	'n.	the		orti	00	١٥	vio											
	`	//rite	<del>,</del> uu	70011	uie	va	iue	ΟI	uie	<i>;</i> 11	itei	CE	þι	1 0	111	uic	; V	ei u	Сa	ıa	ΧIS											
																				<i>I</i> =							•••					[1]
(d)	The r	nass	s m	in g	ran	าร (	of th	ne i	me	tre	ru	ıle	is	giv	en	ı b	y tl	ne	eq	ua	tio	n s	sho	wr	١.							
` ,				Ū															•													
											1	m =	= 2	20 :	× 1																	
	Use t					Ca	alcu	ılat	e a	a v	alu	ie f	for	m	. C	Siv	e y	ou/	r a	ıns	swe	er t	to a	an	ap	рі	rol	pria	ate	; n	un	nber of
																			m :	= .												g [1]
, ,	0								_			1.	. •	١.																		
(e)	Sugg for th														car	ryı	ng	OL	ıt tl	ne	ех	рє	erim	ıer	ıt v	WI	เท	ca	re,	, y	ou	r value
									•																							

© UCLES 2018 0653/52/M/J/18

### NOTES FOR USE IN QUALITATIVE ANALYSIS

### **Tests for anions**

anion	test	test result
carbonate (CO <sub>3</sub> <sup>2-</sup> )	add dilute acid	effervescence, carbon dioxide produced
chloride (C <i>l</i> <sup>-</sup> ) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.
nitrate (NO <sub>3</sub> <sup>-</sup> ) [in solution]	add aqueous sodium hydroxide, then aluminium foil; warm carefully	ammonia produced
sulfate (SO <sub>4</sub> <sup>2-</sup> ) [in solution]	acidify with dilute nitric acid, then add aqueous barium nitrate	white ppt.

# Tests for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia
ammonium (NH <sub>4</sub> <sup>+</sup> )	ammonia produced on warming	-
copper(II) (Cu <sup>2+</sup> )	light blue ppt., insoluble in excess	light blue ppt., soluble in excess, giving a dark blue solution
iron(II) (Fe <sup>2+</sup> )	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe <sup>3+</sup> )	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn <sup>2+</sup> )	white ppt., soluble in excess giving a colourless solution	white ppt., soluble in excess giving a colourless solution

## **Tests for gases**

gas	test and test result
ammonia (NH <sub>3</sub> )	turns damp red litmus paper blue
carbon dioxide (CO <sub>2</sub> )	turns limewater milky
chlorine (Cl <sub>2</sub> )	bleaches damp litmus paper
hydrogen (H <sub>2</sub> )	'pops' with a lighted splint
oxygen (O <sub>2</sub> )	relights a glowing splint

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2018 0653/52/M/J/18