



Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education

COMBINED SCIENCE 0653/22

Paper 2 Multiple Choice (Extended)

February/March 2019

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.





- 1 The following are features of palisade mesophyll cells:
 - 1 column shaped
 - 2 have a nucleus
 - 3 have large vacuoles
 - 4 have many chloroplasts


Which features of these cells help them to absorb maximum light and carry out photosynthesis?


- **A** 1, 2, 3 and 4
- B 1 and 4 only
- C 2 and 4 only
- **D** 4 only
- 2 In an experiment, an enzyme from the human alimentary canal is found to work slowly at 20 °C.

 What is the optimum temperature for enzymes working in the human alimentary canal?
 - **A** 17°C
- **B** 27 °C
- **C** 37 °C
- **D** 77°C
- 3 Which graph shows the effect of light intensity on the rate of photosynthesis?









| | | | | | | | _ | | |
|---|------|-------------|--------------------|-------------|----------|--------|--------------|------------|----------------|
| 4 | Wh | at is cau | sed by an ir | on deficie | ency in | the o | diet of a hu | ıman? | |
| | Α | bleedin | g gums | | | | | | |
| | В | rickets | | | | | | | |
| | С | cannot | form white b | olood cell | s | | | | |
| | D | anaemi | а | | | | | | |
| | | | | | | | | | |
| 5 | The | e diagran | n shows a tr | ansverse | section | n thr | ough a pla | nt root. | |
| | | | | | | 0 | | _1 | |
| | In v | which tiss | sue is water | transport | ted fron | n the | root to the | e leaves? | |
| | Α | 1 and 2 | В. | 1 only | | С | 2 only | D | neither 1 or 2 |
| | | | | • | | | · | | |
| 6 | Wh | at will giv | ve the lowe | st rate of | transpi | iratio | n? | | |
| | | 1 | high tempe | erature | | | | | |
| | | 2 | high humid | dity in the | atmos | pher | е | | |
| | | 3 | high rate o | of movem | ent of v | vatei | molecule | S | |
| | A | 1 only | В | 2 only | | С | 1 and 3 | D | 2 and 3 |
| 7 | Wh | at are th | e reactants | in aerobi | c respir | atior | 1? | | |
| | Α | carbon | dioxide and | oxygen | | | | | |
| | В | carbon | dioxide and | water | | | | | |
| | С | glucose | and oxyge | n | | | | | |
| | D | glucose | and water | | | | | | |
| | | | | | | | | | |
| 8 | Wh | at contro | ols phototrop | oism and | gravitro | pisn | n in the sh | oot of a p | lant? |
| | A | auxin in | the cells | | | | | | |
| | В | carbon | dioxide in th | ne air | | | | | |
| | С | mineral | s in the soil | | | | | | |

D water in the cells

9 Which row is correct for sexual reproduction?

| | genetically different offspring produced | one parent | zygote produced |
|---|------------------------------------------|---------------|--------------------|
| Α | ✓ | ✓ | X |
| В | ✓ | X | ✓ |
| С | x | ✓ | X |
| D | X | X | ✓ |


10 Four students are comparing the human male and female gametes.

Which student has the correct comparison?

| | size | movement | number |
|---|--------------|------------------|-----------------|
| Α | egg bigger | sperm mobile | usually one egg |
| В | sperm bigger | sperm not mobile | many eggs |
| С | egg bigger | sperm not mobile | one sperm |
| D | sperm bigger | sperm mobile | many sperm |

11 The graph shows the energy content of organisms at each trophic level in a food chain.

Which letter represents the primary consumers?



12 A farmer chops down a tree to provide firewood. He gets warm when chopping down the tree. The farmer then burns the wood to keep warm.


What is the original source of the energy that warms the farmer in both cases?

- A photosynthesis by the tree growing the wood
- **B** respiration
- C the match used to light the fire
- **D** the Sun
- **13** Eutrophication causes the death of organisms in water.

Which row shows the changes that take place during eutrophication?

| | decomposition | respiration | oxygen concentration |
|---|---------------|-------------|-------------------------|
| Α | decreases | increases | decreases |
| В | increases | decreases | decreases |
| С | decreases | decreases | increases |
| D | increases | increases | decreases |

- 14 Which statement describes oxygen molecules at room temperature and pressure?
 - **A** They are closely packed and move around slowly.
 - **B** They are closely packed and vibrate about a fixed point.
 - **C** They are loosely packed and move around rapidly.
 - **D** They are loosely packed and vibrate about a fixed point.
- 15 Which piece of equipment can be used to measure exactly 21.6 cm³ of dilute sulfuric acid?



| 16 | Which statement about the compound formed between a metal and a non-metal is correct? | | | | | | | | |
|----|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-------------|-----------------|----------|--------------------|-------------|---------------|-----------------------|
| | Α | It forms strong bonds by sharing electrons. | | | | | | | |
| | В | It has stron | ng bonds | between its a | toms. | | | | |
| | С | It has stron | ng bonds | between met | al ions | and deloc | alised elec | ctrons. | |
| | D | It has stron | ng bonds | between opp | ositely | charged id | ons. | | |
| | | | | | | | | | |
| 17 | Wh | ich stateme | ent about t | he electrolys | is of m | olten lead(| (II) bromid | e is correct? | |
| | Α | Bromide ic | ons gain e | lectrons to fo | rm bro | mine at the | e cathode. | | |
| | В | Bromine Ic | ses elect | rons to form I | oromid | e ions at th | ne anode. | | |
| | С | Lead atom | is lose ele | ectrons to forr | n lead | ions at the | anode. | | |
| | D | Lead ions | accept ele | ectrons to for | m lead | at the cat | hode. | | |
| 18 | Fou | ur statemen | ts about r | eactions are l | isted. | | | | |
| | | 1 B | urning a f | uel is an exot | hermic | reaction. | | | |
| | | | | ic reactions h | | | ındinas. | | |
| | | | | ic reactions to | • | | 3 | | |
| | | | | nermic reaction | | | e reactants | s gain energ | y. |
| | Wh | ich stateme | ents are co | orrect? | | · | | | |
| | Α | 1 and 2 | В | 1 and 3 | С | 2 and 4 | D | 3 and 4 | |
| | | i and 2 | | i dila o | | Z dila i | J | o dila 1 | |
| 19 | Wh | ich stateme | ent about t | he rate of a r | eactior | n is not co | rrect? | | |
| | Α | Decreasing between p | • | centration of | a rea | ictant solu | tion decre | eases the fre | equency of collisions |
| | В | B Decreasing the temperature of a reaction mixture decreases the frequency of collisions between particles. | | | | | | | |
| | С | C Increasing the particle size of a solid reactant increases the rate of the reaction. | | | | | | | |
| | D | D Increasing the temperature of a reaction mixture increases the rate of the reaction. | | | | | | | |
| | | | | | | | | | |
| 20 | A s | olution is te | sted for th | ne presence o | of catio | ns. | | | |
| | | | | test | | | re | sult | |
| | | | add | excess aque | ous am | nmonia | green p | recipitate | |
| | Which cation is present? | | | | | | | | |

C Fe³⁺ **D** Zn²⁺

© UCLES 2019 0653/22/F/M/19

A Cu²⁺

B Fe²⁺

| 21 | Chlorine, | bromine and | d iodine are | elements in | Group | VII of the | Periodic Table. |
|----|-----------|-------------|--------------|-------------|-------|------------|-----------------|
|----|-----------|-------------|--------------|-------------|-------|------------|-----------------|

Which trend is observed going down Group VII?

- **A** Each element has the same physical state.
- **B** The colour of the element becomes lighter.
- **C** The reactivity of the element decreases.
- **D** The state of the element changes from solid to liquid to gas.

22 Hydrogen reacts very slowly with nitrogen to form ammonia.

Metal X is a catalyst for this reaction.

What is another property of metal X?

- A It forms coloured compounds.
- **B** It forms covalent compounds.
- **C** It has a low density.
- **D** It has a low melting point.

23 The reactivity series for some metals and carbon is shown.

potassium sodium calcium magnesium aluminium carbon zinc copper

most reactive

least reactive

Which process is used to extract calcium from its ore?

- A reducing the ore with carbon
- **B** electrolysis of the molten ore
- **C** heating the ore with aluminium
- **D** heating the ore in an inert atmosphere

24 A colourless liquid turns blue cobalt chloride paper to pink.

The colourless liquid boils at 78 °C.

Which statement about the colourless liquid is correct?

- A It does not contain water.
- **B** It is a hydrocarbon.
- C It contains some water.
- **D** It is pure water.


- 25 Some statements about gases in the air are listed.
 - 1 The amount of carbon dioxide in the atmosphere is increased by burning fossil fuels.
 - 2 Methane is a greenhouse gas.
 - 3 Increasing carbon dioxide in the atmosphere decreases the greenhouse effect.
 - 4 Methane is a product of respiration.

Which statements describe factors that contribute to climate change?

- **A** 1 and 2
- **B** 1 and 4
- C 2 and 3
- **D** 3 and 4
- 26 Which of hydrogen, petroleum and wood are fossil fuels?

| | hydrogen | petroleum | wood |
|---|----------|-----------|------|
| Α | ✓ | ✓ | ✓ |
| В | ✓ | X | X |
| С | X | ✓ | X |
| D | X | X | ✓ |

- 27 Which statement describes compounds in the same homologous series?
 - A They have different general formulae and different chemical properties.
 - **B** They have different general formulae and similar chemical properties.
 - **C** They have the same general formula and different chemical properties.
 - **D** They have the same general formula and similar chemical properties.
- **28** The speed-time graph represents part of the journey of a car.



How far does the car travel between 0s and 20s?

- **A** 150 m
- **B** 200 m
- **C** 250 m
- **D** 400 m

29 A vehicle moves in a straight line.

The table shows how its speed varies over a time of 40 s.


| time/s | 0 | 10 | 20 | 30 | 40 |
|--------------|----|----|----|----|----|
| speed m/s | 26 | 24 | 18 | 10 | 2 |

What describes the motion of the vehicle during the 40 s?

- A constant acceleration
- **B** constant deceleration
- C non-constant deceleration
- **D** positive acceleration

30 The diagram shows a cyclist riding along a hilly road.


At which position does the cyclist have the least gravitational potential energy?



31 Which row gives thermal properties of air and aluminium?

| | air | aluminium | | | |
|---|--------------------------|--------------------------|--|--|--|
| Α | a bad thermal conductor | a bad thermal conductor | | | |
| В | a bad thermal conductor | a good thermal conductor | | | |
| С | a good thermal conductor | a bad thermal conductor | | | |
| D | a good thermal conductor | a good thermal conductor | | | |

32 The diagram shows the direction of a wave passing from medium 1 into medium 2.





How do the speed and the wavelength of the wave in medium 2 compare with the speed and the wavelength of the wave in medium 1?

- **A** In medium 2, both the speed and the wavelength are greater.
- **B** In medium 2, both the speed and the wavelength are smaller.
- **C** In medium 2, the speed is greater but the wavelength stays the same.
- **D** In medium 2, the speed is smaller but the wavelength stays the same.
- **33** A thin converging lens forms a real image.

In the diagrams F indicates each principal focus of the lens.

Which diagram shows how a real image of the object is formed?





34 Which statement about light and infra-red radiation is correct?

Their wavelengths in a vacuum are equal.

C They need a medium through which to travel.

They travel at 3.0×10^8 m/s in a vacuum.


They are longitudinal waves.

35 There is a current of 6.0 A in a wire.

В

| | Hov | w much charge f | lows | s through the wir | e in | 2.0 minutes? | | |
|----|------|--------------------|-------|--------------------------|---------|-------------------|--------|---------------------------------|
| | Α | 0.050 coulomb | | | | | | |
| | В | 3.0 coulomb | | | | | | |
| | С | 12 coulomb | | | | | | |
| | D | 720 coulomb | | | | | | |
| | | | | | | | | |
| 36 | A re | esistance wire of | f len | gth <i>l</i> has cross-s | section | onal area A and | resis | stance R. |
| | A s | econd resistance | e wii | re of the same m | nater | ial has length 0. | 50 l a | and cross-sectional area 2.0 A. |
| | Wh | at is the resistar | nce (| of the second wi | re? | | | |
| | Α | 0.25 <i>R</i> | В | 0.50 <i>R</i> | С | R | D | 2.0 <i>R</i> |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

37 A variable power supply is connected to a resistor and there is a current in the resistor.




The potential difference across the resistor is decreased.

The temperature of the resistor does not change.

What happens to the current in the resistor and what happens to the resistance of the resistor?

| | current | resistance |
|---|-----------|----------------|
| Α | decreases | increases |
| В | decreases | stays the same |
| С | increases | decreases |
| D | increases | stays the same |

38 The diagram shows a circuit with three switches P, Q and R.




Which switches must be closed so that both lamps light?

- A P and Q only
- **B** P and R only
- C Q and R only
- D P, Q and R

39 The diagram shows three identical lamps connected in series to a battery.


Each lamp is labelled 0.60 V, 0.30 A. The lamps are working at normal brightness.



What is the potential difference across the battery and the current in the battery?

| | potential difference/V | current/A |
|---|------------------------|-----------|
| Α | 0.60 | 0.30 |
| В | 0.60 | 0.90 |
| С | 1.80 | 0.30 |
| D | 1.80 | 0.90 |

40 The diagram shows four 4.0Ω resistors connected to a power supply.



What is the resistance of the circuit?

A 1.0Ω

B 2.0Ω

 \mathbf{C} 4.0 Ω

D 16Ω

14

BLANK PAGE

15

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

| | II | 2 He | ium 4 | 0 | <u>e</u> | uo O | 8 | > | nog O | ဖွ | ٦ | pton | 4 | <u>(</u> Ф) | non 31 | ور | Ę | don - | | | |
|-------|-----------|---------|---------------|---------------|--------------|------------------------------|----|---------------|------------------|-----|-----------------|-----------------|-----|-------------|------------------|-------|-------------|-----------------|--------|-----------|--------------------|
| Group | > | I | hel | _ | <i>Z</i> | - N | _ | 4 | arç | (2) | <u> </u> | kry. | (n) | × | xe 7 | ω | <u>щ</u> | rać ' | | | |
| | = | | | 6 | ш | fluorine 19 | 17 | Cl | chlorine 35.5 | 35 | Ŗ | bromine 80 | 53 | Н | iodine 127 | 85 | ¥ | astatine - | | | |
| | 5 | | | 80 | 0 | oxygen 16 | 16 | S | sulfur 32 | 34 | Se | selenium 79 | 52 | <u>e</u> | tellurium 128 | 84 | Ъ | polonium – | 116 | _ | livermorium - |
| | > | | | 7 | z | nitrogen 14 | 15 | ۵ | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sp | antimony 122 | 83 | Ξ | bismuth 209 | | | |
| | ≥ | | 9 | ပ | carbon 12 | 14 | S | silicon 28 | 32 | Ge | germanium 73 | 20 | Sn | tin 119 | 82 | Pb | lead 207 | 114 | Εl | flerovium | |
| | ≡ | | | 2 | Ш | boron 11 | 13 | Αl | aluminium 27 | 31 | Ga | gallium 70 | 49 | In | indium 115 | 81 | 11 | thallium 204 | | | |
| | | | | | | | | | | 30 | Zu | zinc 65 | 48 | ဥ | cadmium 112 | 80 | Ŗ | mercury 201 | 112 | S | copernicium |
| | | | | | | | | | | 29 | Cn | copper 64 | 47 | Ag | silver 108 | 62 | Αn | gold 197 | 111 | Rg | roentgenium |
| | | | | | | | | | | 28 | z | nickel 59 | 46 | Pd | palladium 106 | 78 | 귙 | platinum 195 | 110 | Ds | darmstadtium - |
| | | | | | | | | | | 27 | ပိ | cobalt 59 | 45 | R | rhodium 103 | 77 | Ir | iridium 192 | 109 | Mt | meitnerium - |
| | | - I | hydrogen 1 | | | | | | | 26 | Fe | iron 56 | 44 | R | ruthenium 101 | 92 | SO | osmium 190 | 108 | Hs | hassium |
| | | | | | | | | | | 25 | Mn | manganese 55 | 43 | ည | technetium - | 75 | Re | rhenium 186 | 107 | Bh | bohrium |
| | | Kev | | atomic number | loq | ass | | | | 24 | ပ် | chromium 52 | 42 | Mo | molybdenum 96 | 74 | > | tungsten 184 | 106 | Sg | seaborgium |
| | | | Key | | atomic symbo | name relative atomic mass | | | | 23 | > | vanadium 51 | 41 | qN | niobium 93 | 73 | Та | tantalum 181 | 105 | Ор | dubnium |
| | | | | | | rela | | | | 22 | F | titanium 48 | 40 | Zr | zirconium 91 | 72 | Έ | hafnium 178 | 104 | 짪 | rutherfordium - |
| | | | | | | | | | | 21 | လွ | scandium 45 | 39 | > | yttrium 89 | 57–71 | lanthanoids | | 89–103 | actinoids | |
| | = | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | Š | strontium 88 | 56 | Ba | barium 137 | 88 | Ra | radium |
| | _ | | | 8 | := | lithium 7 | 7 | Na | sodium 23 | 19 | ¥ | potassium 39 | 37 | Rb | rubidium 85 | 55 | Cs | caesium 133 | 87 | Ŧ | francium |

| 7.1 | Γn | lutetium 175 | 103 | Ļ | lawrencium | I |
|-----|--------|---------------------|-----|-----------|--------------|-----|
| 70 | ХÞ | ytterbium 173 | 102 | Š | nobelium | I |
| 69 | Ш | thulium 169 | 101 | Md | mendelevium | ı |
| 89 | Щ | erbium 167 | 100 | Fm | fermium | I |
| 29 | 웃 | holmium 165 | 66 | Es | einsteinium | I |
| 99 | ò | dysprosium 163 | 86 | ŭ | californium | ı |
| 65 | Д | terbium 159 | 6 | ă | berkelium | ı |
| 64 | 9 G | gadolinium 157 | 96 | Cm | curium | I |
| 63 | En | europium 152 | 92 | Am | americium | I |
| 62 | Sm | samarium 150 | 94 | Pu | plutonium | I |
| 61 | Pm | promethium - | 93 | ď | neptunium | I |
| 09 | PΝ | neodymium 144 | 92 | \supset | uranium | 238 |
| 29 | Ā | praseodymium 141 | 91 | Ра | protactinium | 231 |
| 28 | Ce | cerium 140 | | | | 232 |
| 22 | Га | lanthanum 139 | 88 | Ac | actinium | ı |

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).