Cambridge IGCSE[™]

COMBINED SCIENCE 0653/23

Paper 2 Multiple Choice (Extended)

October/November 2020

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)


INSTRUCTIONS

There are forty questions on this paper. Answer all questions.


- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark. A mark will not be deducted for a wrong answer.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.




1 The diagram shows two red blood cells inside a capillary and two tissue cells near this capillary.



How does the oxygen in the red blood cells reach the tissue cells?

- A by absorption
- B by diffusion
- C by respiration
- **D** by transpiration

2 The diagram shows how the activity of an enzyme changes with temperature.



This enzyme works in the human body.

What is the most likely value of temperature X?

- **A** 10 °C
- **B** 40 °C
- **C** 70 °C
- **D** 100 °C


3 Which row shows the results of mechanical digestion?

| | food is broken down into | | |
|---|--------------------------|----------------------|----------------------|
| | smaller pieces | smaller molecules | soluble molecules |
| Α | Х | ✓ | ✓ |
| В | X | X | ✓ |
| С | ✓ | X | x |
| D | ✓ | x | ✓ |

4 Protease breaks down protein.

What is the protein broken down into?

- A amino acids
- B fatty acids
- C glycerol
- **D** starch
- 5 The graph shows the uptake of water by root hair cells over many hours during a day.



What could have caused the change in the rate of uptake at T?

- A decrease in temperature
- **B** decrease in humidity
- **C** increase in light intensity
- **D** increase in temperature
- 6 How does mucus benefit the gas exchange system?
 - A It absorbs carbon monoxide before it reaches the alveoli.
 - **B** It prevents friction between the air and the trachea.
 - **C** It removes the nicotine in cigarette smoke.
 - **D** It traps pathogens.
- 7 Which shows the balanced chemical equation for aerobic respiration?

A
$$6CO_2 + C_6H_{12}O_6 \rightarrow 6O_2 + 6H_2O$$

B
$$6CO_2 + 6H_2O \rightarrow C_6H_{12}O_6 + 6O_2$$

$$\textbf{C} \quad C_6 H_{12} O_6 \ + \ 6 O_2 \ \rightarrow \ 6 C O_2 \ + \ 6 H_2 O$$

D
$$6O_2 + 6H_2O \rightarrow 6CO_2 + C_6H_{12}O_6$$


4

8 A person's body secretes adrenaline in response to a frightening experience.

Which statement is correct?

- **A** The person's blood glucose concentration decreases.
- **B** The person's breathing rate does not change.
- **C** The person's pulse rate increases.
- **D** The person's pupils become narrower.

9 The diagram shows a germinating seed.



What does the germinating seed show?


| | shoot | root |
|---|-----------------------|-----------------------|
| Α | negative phototropism | negative gravitropism |
| В | negative phototropism | positive gravitropism |
| С | positive phototropism | negative gravitropism |
| D | positive phototropism | positive gravitropism |

10 Which row describes asexual reproduction?

| | number of parents | a zygote is produced | offspring identical to the parent |
|---|-------------------|----------------------|-----------------------------------|
| Α | 1 | no | yes |
| В | 1 | yes | no |
| С | 2 | no | yes |
| D | 2 | yes | no |


11 The diagram shows a section through a buttercup flower.

Which structure produces pollen grains?



12 The diagram shows a male gamete and a female gamete.

Which label is correct?



- **13** Some stages in the process of eutrophication are listed.
 - 1 reduction in dissolved oxygen
 - 2 increased aerobic respiration by decomposers
 - 3 increased availability of nitrates
 - 4 death of organisms requiring dissolved oxygen
 - 5 increased growth of producers and increased decomposition after death of producers

In which sequence do these stages take place?

A
$$1 \rightarrow 4 \rightarrow 3 \rightarrow 5 \rightarrow 2$$

$$\textbf{B} \quad 3 \rightarrow 1 \rightarrow 5 \rightarrow 2 \rightarrow 4$$

$$\textbf{C} \quad 3 \rightarrow 5 \rightarrow 2 \rightarrow 1 \rightarrow 4$$

D
$$4 \rightarrow 3 \rightarrow 1 \rightarrow 2 \rightarrow 5$$


14 The temperature and pressure of oxygen in two different containers are shown.

| | temperature /°C | pressure kN/m² |
|-------------|--------------------|-------------------|
| container 1 | 20 | 200 |
| container 2 | 50 | 150 |

Which statement about the oxygen molecules in container 1 compared to container 2 is correct?

- A In container 1 they are closer together and moving faster.
- **B** In container 1 they are closer together and moving slower.
- **C** In container 1 they are further apart and moving faster.
- **D** In container 1 they are further apart and moving slower.
- **15** A pure sample of a coloured dye is tested using chromatography.

The chromatogram obtained is shown.




How is the R_f value of the dye calculated?

- $\mathbf{A} = \frac{R}{P}$
- $\mathbf{B} = \frac{\mathbf{R}}{\mathbf{Q}}$
- $C = \frac{R-S}{Q-S}$
- $\mathbf{D} = \frac{\mathsf{R} \mathsf{S}}{\mathsf{P} \mathsf{S}}$

- **16** Which statement describes a mixture?
 - **A** It contains molecules made from the same type of atom.
 - **B** It contains only one type of atom.
 - **C** It contains two different types of atom joined by chemical bonds.
 - **D** It contains two different types of atom that can be separated by physical processes.

- 17 Which equation is **not** correctly balanced?
 - **A** Ca + $2H_2O \rightarrow Ca(OH)_2 + H_2$
 - **B** $CaCO_3 + 2HCl \rightarrow CaCl_2 + H_2O + CO_2$
 - **C** CaO + 2HC $l \rightarrow$ CaC l_2 + H₂O
 - **D** $Ca(OH)_2 + 2HCl \rightarrow CaCl_2 + H_2O$
- 18 What happens to cations during electrolysis?
 - A They gain electrons.
 - B They gain oxygen.
 - **C** They lose electrons.
 - **D** They lose oxygen.
- **19** The equation and the energy level diagram for the reaction between hydrogen and chlorine are shown.



Which statement about this reaction is correct?

- **A** The reaction is endothermic.
- **B** The products have less energy than the reactants.
- **C** X is the activation energy.
- **D** More bonds are being broken than are being formed.

20 Dilute hydrochloric acid reacts with solid calcium carbonate.

Decreasing the temperature and diluting the acid both decrease the rate of reaction.

Which statement explains why these changes cause the rate of reaction to decrease?

- A Both result in the acid particles having less energy.
- **B** Both result in a lower proportion of collisions between reacting particles being successful.
- **C** Both result in fewer acid particles per cm³ of solution.
- **D** Both result in a lower frequency of collisions between reacting particles.
- 21 The equation for the reaction between zinc oxide and copper is shown.

$$ZnO + Cu \rightarrow Zn + CuO$$

Which statement about this reaction is correct?

- **A** Copper is the oxidising agent.
- **B** Copper oxide is being oxidised.
- **C** Zinc is the reducing agent.
- **D** Zinc oxide is being reduced.
- 22 Which two substances both react with dilute sulfuric acid to make the salt magnesium sulfate?
 - A magnesium carbonate and magnesium chloride
 - B magnesium chloride and magnesium nitrate
 - **C** magnesium oxide and magnesium carbonate
 - **D** magnesium oxide and magnesium nitrate

23 Acid X reacts with metal Y.

A colourless gas is given off and a pale green solution is produced.

Two tests are carried out on the solution.

| test | reagent(s) added | result |
|------|--|-------------------|
| 1 | aqueous silver nitrate and nitric acid | white precipitate |
| 2 | aqueous sodium hydroxide | green precipitate |

What are acid X and metal Y?

| | acid | metal |
|---|--------------|-------|
| Α | hydrochloric | iron |
| В | hydrochloric | zinc |
| С | sulfuric | iron |
| D | sulfuric | zinc |

24 X, Y and Z are elements in Group VII.

X reacts with potassium iodide but not with potassium bromide.

Y reacts with potassium bromide but not with sodium chloride.

Z does not react with potassium bromide or with potassium iodide.

What are X, Y and Z?


| | Х | Y | Z |
|---|----------|----------|----------|
| Α | bromine | chlorine | iodine |
| В | bromine | iodine | chlorine |
| С | chlorine | bromine | iodine |
| D | iodine | chlorine | bromine |

25 Some physical properties of four elements are shown.

Which element can act as a catalyst?

| | melting point /°C | conductivity as a solid | density g/cm³ |
|---|----------------------|----------------------------|------------------|
| Α | 98 | good | 0.97 |
| В | 113 | poor | 2.07 |
| С | 1455 | good | 8.9 |
| D | 1683 | poor | 2.32 |

- 26 Which method is used to extract copper from copper(II) oxide?
 - A dissolving copper(II) oxide in hydrochloric acid and then filtering
 - **B** dissolving copper(II) oxide in water and then filtering
 - C heating the copper(II) oxide
 - **D** heating the copper(II) oxide mixed with carbon
- **27** Which statement describes a hydrocarbon?
 - A a compound that burns to form carbon dioxide and hydrogen
 - **B** a compound that contains carbon and hydrogen only
 - C a compound that only contains ionic bonds
 - **D** a compound that reacts easily with metals
- 28 The diagram shows a speed–time graph for an object.



What is the average speed of the object?


- A 2.0 m/s
- **B** 4.0 m/s
- **C** 7.0 m/s
- **D** 10 m/s

29 A load is hung from a spring. Measurements are taken to determine the spring constant of the spring.

Which calculation is used to obtain the spring constant?

- A extension of spring mass of load
- B extension of spring weight of load
- $\mathbf{C} \quad \frac{\text{mass of load}}{\text{extension of spring}}$
- $\mathbf{D} \quad \frac{\text{weight of load}}{\text{extension of spring}}$
- 30 A container has a square base of side 2.0 m.

The pressure due to the water on the base of the container is 20 000 N/m².



What is the force due to the water on the base of the container?

- **A** 5000 N
- **B** 10000 N
- C 40000 N
- **D** 80000 N
- **31** A crane raises a mass of 200 kg through a vertical distance of 12 m.

The gravitational field strength g is $10 \,\mathrm{N/kg}$.

How much work is done on the mass?

- **A** 17J
- **B** 170 J
- **C** 2400 J
- **D** 24000 J
- 32 A car of mass 1200 kg travels at a speed of 15 m/s.

The speed of the car now increases to 25 m/s.

What is the increase in the kinetic energy of the car?

- **A** 60000J
- **B** 135000 J
- C 240 000 J
- **D** 375000 J

© UCLES 2020

- 33 For which energy resource is the Sun the only source?
 - **A** geothermal
 - B natural gas
 - **C** nuclear
 - **D** tidal
- **34** The molecules in a substance vibrate about fixed positions.

The substance is now cooled.

Which row gives the state of the substance and the effect of cooling on the distance between its molecules?

| | state of substance | effect on distance between molecules |
|---|-----------------------|--------------------------------------|
| Α | solid | decreases |
| В | solid | increases |
| С | liquid | decreases |
| D | liquid | increases |


35 In which states of matter can convection occur?

| | in a solid | in a liquid | in a gas |
|---|------------|-------------|----------|
| Α | no | no | yes |
| В | no | yes | yes |
| С | yes | no | no |
| D | yes | yes | no |

36 The diagram shows a section of a rope.

Four wave crests pass a point on the rope every second.

Each wave crest travels 80 cm in one second.



What is the speed of the wave?


A 4.0 cm/s

B 5.0 cm/s

C 20 cm/s

80 cm/s

37 The diagram represents a wave in air. Molecules are closer together in region P than they are in region Q.



What are the names of regions P and Q, and which type of wave is represented?

| | region P | region Q | type of wave |
|---|-------------|-------------|--------------|
| Α | compression | rarefaction | longitudinal |
| В | compression | rarefaction | transverse |
| С | rarefaction | compression | longitudinal |
| D | rarefaction | compression | transverse |


38 A power supply causes a current in a circuit.

The electromotive force (e.m.f.) of the power supply and the resistance of the circuit are both changed.


Which pair of changes **must** result in a smaller current in the circuit?

| | e.m.f. | resistance |
|---|-----------|------------|
| Α | decreased | decreased |
| В | decreased | increased |
| С | increased | decreased |
| D | increased | increased |

39 A circuit includes a lamp, a switch and an ammeter. The switch is open.



The switch is now closed and the ammeter displays the current reading shown.



The switch remains closed for 20 seconds before it is opened again.

What is the charge that flows while the switch is closed?

A 0.25 C

B 4.0 C

C 90 C

D 100 C

- **40** What is the purpose of a fuse in an electrical appliance?
 - A to maintain the correct current in the appliance
 - **B** to maintain the correct voltage across the appliance
 - **C** to prevent the insulation around the cables from becoming too thin
 - **D** to protect the wires from overheating when the current is too large

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

© UCLES 2020

The Periodic Table of Elements

| _ | | a) | E | | ď | | | <u>.</u> | ç | | <u>.</u> | uo | | ď | <u> </u> | | _ | <u> </u> | | | |
|---|-----|----|---------------|---------------|------------|-------------------------|----|----------|------------------|---------------------------|---------------------|---|----|-----|------------------|---------------------------------------|-------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| = | 2 : | Ĭ | heliu 4 | 10 | ž | neo. | 18 | Ā | argo 40 | 36 | 조 | kryptt 84 | 54 | × | xenc 131 | 86 | 쬬 | rado | | | |
| ₹ | | | | 6 | щ | fluorine 19 | 17 | Cl | chlorine 35.5 | 35 | ğ | bromine 80 | 53 | Н | iodine 127 | 85 | Αţ | astatine - | | | |
| | | | | 8 | 0 | oxygen 16 | 16 | ഗ | sulfur 32 | 34 | Se | selenium 79 | 52 | Б | tellurium 128 | 84 | Ъ | polonium – | 116 | ^ | livermorium - |
| > | | | | 7 | z | nitrogen 14 | 15 | ۵ | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sp | antimony 122 | 83 | <u>B</u> | bismuth 209 | | | |
| ≥ | | | | 9 | ပ | carbon 12 | 14 | S | silicon 28 | 32 | Ge | germanium 73 | 90 | Sn | tin 119 | 82 | Pb | lead 207 | 114 | Εl | flerovium |
| ≡ | | | | 2 | М | boron 11 | 13 | Αl | aluminium 27 | 31 | Ga | gallium 70 | 49 | In | indium 115 | 81 | 11 | thallium 204 | | | |
| | | | | | | | | | | 30 | Zu | zinc 65 | 48 | ပ္ပ | cadmium 112 | 80 | В́Н | mercury 201 | 112 | ű | copernicium |
| | | | | | | | | | | 29 | Cn | copper 64 | 47 | Ag | silver 108 | 79 | Αn | gold 197 | 111 | Rg | roentgenium |
| | | | | | | | | | | 28 | Z | nickel 59 | 46 | Pd | palladium 106 | 78 | 풉 | platinum 195 | 110 | Ds | darmstadtium - |
| | | | | | | | | | | 27 | ပိ | cobalt 59 | 45 | 뫈 | rhodium 103 | 77 | ŀ | iridium 192 | 109 | M | meitnerium - |
| | - : | I | hydrogen 1 | | | | | | | 26 | Ьe | iron 56 | 44 | Ru | ruthenium 101 | 9/ | SO | osmium 190 | 108 | Hs | hassium |
| | | | | | | | | | | 25 | Mn | manganese 55 | 43 | ည | technetium - | 75 | Re | rhenium 186 | 107 | Bh | bohrium |
| | | | | | mic symbol | ass | | | | 24 | ပ် | chromium 52 | 42 | Mo | molybdenum 96 | 74 | ≯ | tungsten 184 | 106 | Sg | seaborgium |
| | | | Key | atomic number | | name ative atomic ma | | | | 23 | > | vanadium 51 | 41 | qN | niobium 93 | 73 | Б | tantalum 181 | 105 | o O | dubnium |
| | | | | | ato | rela | | | | 22 | F | titanium 48 | 40 | Zr | zirconium 91 | 72 | Ξ | hafnium 178 | 104 | 꿆 | rutherfordium - |
| | | | | | | | | | | 21 | Sc | scandium 45 | 39 | > | yttrium 89 | 57–71 | lanthanoids | | 89–103 | actinoids | |
| = | | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | ഗ് | strontium 88 | 56 | Ba | barium 137 | 88 | Ra | radium |
| _ | | | | 3 | := | lithium 7 | # | Na | sodium 23 | 19 | ¥ | potassium 39 | 37 | В | rubidium 85 | 55 | Cs | caesium 133 | 87 | Ľ. | francium |
| | N | | | 1 | II | II | II | II | II | III IV VI VII H | III IV VI VII | III IV VI VII VII | II | II | II | III IV V VI VI VI VI VI | II | 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 |

| 71 | lutetium 175 | 103 | Ļ | lawrencium | I |
|-----------------|---------------------|-----|-----------|--------------|-----|
| | ytterbium 173 | | | _ | ı |
| 69 Tm | thulium 169 | 101 | Md | mendelevium | ı |
| 88 T | erbium 167 | 100 | Fm | fermium | ı |
| 67 H | holmium 165 | 66 | Es | einsteinium | I |
| ₈ 2 | dysprosium 163 | 86 | ŭ | californium | Ţ |
| 65 Tb | terbium 159 | 26 | 益 | berkelium | ı |
| Gd Gd | gadolinium 157 | 96 | Cm | curium | ı |
| 63 En | europium 152 | 92 | Am | americium | ı |
| Sn Sn | samarium 150 | 94 | Pu | plutonium | ı |
| Pm | promethium – | 93 | dN | neptunium | ı |
| 09 N | neodymium 144 | 92 | \supset | uranium | 238 |
| 59 P | praseodymium 141 | 91 | Ра | protactinium | 231 |
| Se O | cerium 140 | 06 | Т | thorium | 232 |
| 2 | lanthanum 139 | 68 | Ac | actinium | ı |

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).