



CANDIDATE NAME

CENTRE NUMBER

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

						-
			CANDIDATE NUMBER			

CO-ORDINATED SCIENCES

0654/03

Paper 3 (Extended)

October/November 2009

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 22 printed pages and 2 blank pages.



2

BLANK PAGE

[1]

		3	
1	(a)	The Law of Reflection states that when a ray of light is reflected at a surface, the of incidence equals the angle of reflection.	Co
		Complete the diagram to show how a ray of light is reflected by a plane (flat) mirr Label the angle of incidence and angle of reflection.	or.
		mirror	
		ray of light	
			[3]
	(b)	When white light passes through a prism, it is split into its component colours.	
		(i) Which colour is refracted most by the prism?	
			[1]
		(ii) Why are some colours refracted more than others?	

		-
2		beans (soyabeans) are grown for their seeds. The seeds are an excellent so tein and starch, and are used in the production of a wide variety of foods.
	(a)	Soy beans have nodules on their roots that contain nitrogen-fixing bacteria called <i>Rhizobium</i> .
		Suggest how this helps soy bean plants to produce seeds containing a lot of protein.
		[2]
	(b)	Soy beans have been cultivated for hundreds of years, and artificial selection has produced many different varieties. The soy bean plants have been selected to possess a particular set of characteristics, such as providing high yields of seeds.
		Outline how artificial selection would be carried out to produce a variety of soy beans that produced high yields of seeds.
		[4]
	(c)	An investigation was carried out to find out how four different varieties of soy beans would be affected if the concentration of carbon dioxide in the atmosphere increased.
		Four varieties were used called Arksov Dunfield Mukden and Mandarin

Several plants of each variety were grown in normal concentrations of carbon dioxide. Another set of plants of each variety was grown in a high concentration of carbon dioxide.

The mean masses of leaves and seeds produced per plant were measured at each carbon dioxide concentration. The results are shown in Table 2.1.

Table 2.1


		5	at high carbon dioxide concentration
	Tal	ble 2.1	130
variety	feature	at normal carbon dioxide concentration	at high carbon dioxide concentration
Arksoy	mass of leaves per plant/ g	6.54	7.75
	mass of seeds per plant/g	30.8	42.4
Dunfield	mass of leaves per plant/ g	7.20	11.19
	mass of seeds per plant/g	46.1	55.9
Mukden	mass of leaves per plant/ g	6.08	8.93
	mass of seeds per plant/g	41.4	56.5
Mandarin	mass of leaves per plant/ g	5.43	7.30
	mass of seeds per plant/g	31.3	58.4

(i)	State which variety of soy bean would be best to grow at normal carbon dioxide concentration.
	[1]
(ii)	State which variety of soy bean showed the greatest increase in seed production at high carbon dioxide concentration compared with normal carbon dioxide concentration.
	[1]
(iii)	Explain why the mass of leaves and seeds per plant was greater at high carbon dioxide concentration than at normal carbon dioxide concentration.
	[2]
(iv)	Suggest and explain why it is important to find out how crops grow in carbon dioxide concentrations that are greater than in our present atmosphere.
	[2]

the characteristics and the characteristics are the characteristics.

3 Some types of fertiliser have the letters NPK on the package label, indicating the chasymbols of three elements contained in the fertiliser.

6



(a) State and explain which of the elements shown in the name NPK contains atoms that have their electrons arranged as shown in Fig. 3.1.




Fig. 3.1

	element		•••••
	explanation		
			[2]
(b)	Plants need	I nitrogen in order to produce amino acids.	
	Name the t molecules.	three elements, other than nitrogen, which are present in all amino a	cid
			[1]

(c) Ammonia is an important compound that is used in the manufacture of fertilisers.

Fig. 3.2 shows a simplified diagram of the type of reaction vessel that is used in the production of ammonia.




Fig. 3.2

(i) The equation below shows what happens on the surface of the iron catalyst.

The equation is not balanced.

Balance the equation.

$$N_2 + H_2 \Longrightarrow NH_3$$

(ii) The yield of ammonia in this reaction vessel is 15%. This means that the mixture of gases coming out of the reaction vessel contains 15% by mass of ammonia.

mixture.

State and explain which gases account for most of the remaining 85% of the gas

(iii) Research chemists and engineers have investigated the effects of temporal and pressure on the yield of ammonia.

Fig 3.3 shows the results of their investigations.




Fig. 3.3

The engineers running the factory want to increase the yield of ammonia.

Use the information in Fig. 3.3 to suggest two ways in which this could be done.

1	
2	 [2]

(d) In an ammonia factory, 1000 kg of gas mixture leave the reaction vessel every minute. In this factory the yield of ammonia is 17%.

Calculate the number of moles of ammonia which leave the reaction vessel every minute.

Show your working.

[relative atomic masses, A _r : N=14; H=1] 1 kg = 1000 g	
	[4]

4	(a)	mans, like all mammals, keep their body temperature fairly constant. Explain how a body temperature that is much higher than normal could affect to chemical reactions that take place in the body.	For iner
			[3]

(b) A gene has recently been discovered which affects the ability to smell a particular component of male sweat.

(ii) Explain how sweating helps to cool the body.

The gene has two alleles. Allele **A** is dominant and causes the ability to smell this substance. Allele **a** is recessive, and causes inability to smell it.

Construct a complete genetic diagram to show the expected genotypes and phenotypes in the offspring of two parents who are both heterozygous for these alleles.

5 (a) Fig. 5.1 shows some apparatus set up to measure the specific heat capa aluminium.




Fig. 5.1

The block is heated electrically and the electrical energy input is measured using a joulemeter. The temperature of the block and the total electrical energy supplied are measured at intervals.

The results are shown on Fig. 5.2.




Fig. 5.2

(i)	State the relationship between the temperature and the energy supplied.	Can
		[1]
(ii)	Use the graph to calculate the energy needed to raise the temperature of the bl from 25 °C to 45 °C.	ock
	Show your working on the graph.	
		[2]
iii)	The mass of the aluminium block is 2 kg.	
	Use the formula	
	energy = mass x specific heat capacity x temperature change	
	to calculate the specific heat capacity of aluminium.	
	Show your working.	
		[3]
iv)	The temperature of the block rose from 25 °C to 45 °C in 600 seconds.	
	Use your answer from (ii) to calculate the electrical power during this time.	
	State the formula that you use and show your working.	
	formula	
	working	
		נסז
		[2]

	(V)	The voltage of the power supply in Fig. 5.1 is 12 v. It is fitted with a 10 amp h
		Use the formula power = voltage x current
		to explain why this fuse is adequate for this experiment.
		[2]
(b)		nin sheet of aluminium is placed between a radioactive source and a radiation detector e source emits one type of radiation only.
	The	e radiation detected is reduced but not completely stopped.
	(i)	Suggest which type of radiation is being emitted and explain your answer.
		[2]
	(ii)	A thin sheet of another metal will completely stop this type of radiation. Suggest what this metal could be.
		[1]

6 The Earth's crust contains very large amounts of the elements silicon and aluminium.

These elements are found combined in compounds such as silicon dioxide and aluminiu oxide.

(a) Pure silicon is used in the manufacture of many types of electronic devices.

Silicon can be obtained by heating a mixture of silicon dioxide and carbon.

A symbolic equation for this reaction is shown below.

$$SiO_2 + C \rightarrow Si + CO_2$$

State the type of chemical reaction shown above.

Explain your answer briefly.

[2]

(b) Fig. 6.1 shows a diagram of the process used to extract aluminium from aluminium compounds.

A simplified equation for what happens in this electrolysis reaction is shown below.

aluminium oxide → aluminium + oxygen




Fig. 6.1

	re
(1)	Explain why aluminium atoms are formed at the cathode and not at the anode.

	(ii)	Describe what happens to convert aluminium ions into aluminium atoms surface of the cathode.	For iner's
			Tage
			ATT.
		[2]	
(c)	Silio	con dioxide and aluminium oxide are found together in clay.	
		nen some types of clay are shaken with water, a colloid is produced. Fig. 6.2 shows liagram of how such a mixture might look when magnified.	
		water dispersed clay particles	
		Fig. 6.2	
		plain, in terms of rays of light, why a colloid is not transparent, but an aqueous ution of sodium chloride is transparent.	
		[2]	

(d) Table 6.1 shows some information about carbon dioxide and silicon dioxide.

Table 6.1

	carbon dioxide	silicon dioxide
chemical formula	CO ₂	SiO ₂
type of bonding	covalent	covalent
melting point/°C	– 57	1710

Explain, in terms of their internal structures, why much more energy is needed to melt silicon dioxide than to melt carbon dioxide.
[2]

Fig. 7.1 shows the main bones, muscles and tendons in the human arm.




Fig. 7.1

a)	Name	bones	A,	В,	C	and	D.
----	------	-------	----	----	---	-----	----

D	 [2]
С	
В	
A	

	he elbow.	ena
(i)	biceps muscle	
		[2]
(ii)	tendons	
		[1]

		www.xtrapapers.com
		17
(c)		scles are able to produce quite large forces, but they cannot change their length hiper's much.
		this information, and the principle of levers, to explain why the biceps muscle is ched to bone C close to the elbow joint, and not further away from it.
		[3]
(d)	Blo	od is supplied to muscles in capillaries.
	(i)	Explain why a muscle such as the biceps needs a good supply of blood.
		[3]
	(ii)	Describe one way in which the structure of a capillary is related to its function.
		structure
		how this relates to its function
		[2]

8	(a)	(i)	An elephant of mass 4000 kg is moving at 0.5 m/s.	6.5
			An elephant of mass 4000 kg is moving at 0.5 m/s. Calculate the momentum of the elephant.	
			State the formula that you use and show your working.	
			formula	
			working	
			r	·01
				[2]
		(ii)	Two elephants, both of mass 4000 kg and both travelling at a speed of $0.5\mathrm{m}$ / collide head on. Explain what happens to their momentum, energy and speed.	s,
			momentum	•••
				•••
			energy	•••
				•••
			speed	•••
				[3]
	(b)	An	elephant lifts a mass of 300 kg through a vertical distance of 2 m.	
		Cal	culate the work done by the elephant.	
		Sta	te the formula that you use and show your working.	
			formula	
			working	
			Г	2]
				-1

(c)	(i)	To determine the density of an elephant, its volume must be measured.
		Describe a method for measuring the volume of an irregularly shaped object.
		[2]
	(ii)	The volume of an elephant is 4 m ³ . Its mass is 4000 kg.
		Calculate the density of this elephant.
		State the formula that you use and show your working.
		formula
		working
		[2]
(d)		phants can communicate using infra-sound. These sound waves have frequencies ow as 5 Hz. The audible range for an elephant is 5 Hz – 10 000 Hz.
	(i)	What is meant by the term frequency?
		[1]
	(ii)	State the audible range for humans.
		[1]
((iii)	Sound waves are longitudinal waves. Explain how these differ from transverse waves.
		[2]

Fig. 9.1 shows a process carried out at an oil refinery.




Fig. 9.1

(a)	Sta	te one way in which the properties of gasoline are different from those of diesel oil.
		[1]
(b)	Gas	soline (petrol) is used as car fuel.
	(i)	Name a poisonous carbon compound which is found in the exhaust gases from cars.
		[1]
	(ii)	Describe briefly how the amount of this gas entering the air is reduced in modern cars.
		[1]

- (c) Alkenes are unsaturated hydrocarbons produced by the catalytic cracking of a from petroleum (crude oil).
 - (i) Complete the graphic (displayed) formulae for the alkane and the alkene which have three carbon atoms per molecule.

ALKANE	ALKENE
H	H
H—C	H—C
H	H

[2]

(ii) The apparatus in Fig. 9.2 can be used to test a gaseous hydrocarbon to discover whether it is an alkane or an alkene.

Name solution ${\bf X}$ and describe what would be observed if the gaseous hydrocarbon is an alkene.




Fig. 9.2

	121

(d)	Ethanol, C_2H_6O , is an important chemical which is made from ethene, C_2H_4 , presence of a catalyst.
	Write a balanced symbolic equation for the conversion of ethene to ethanol.
	[1]
(e)	Fuel oil is used as an energy source in some power stations. Fuel oil which is obtained from petroleum contains sulfur compounds.
	In some power stations, the combustion products from the burning of fuel oil are treated with calcium hydroxide, an alkali, before release into the atmosphere.
	Suggest and explain why this is done.
	[3]

BLANK PAGE

Www.xtrapapers.com

DATA SHEET
The Periodic Table of the Elements

	0	4 Heium	20 Neon 10 A40 Argon 18	Krypton 36	Xe Xenon 254	Rn Radon 86		175 Lu Lutetium 71	Lr Lawrencium 103
Group	II/		19 Fluorine 9 35.5 C 1 Chlorine	80 Br Bromine 35	lodine 53	At Astatine 85		173 Yb Ytterbium 70	No Nobelium 102
	IN		16 Oxygen 8 32 S Sulfur 16	Selenium 34	Te Tellurium 52	Po Polonium 84		169 Tm Thulium 69	Md Mendelevium 101
	>		14 Nitrogen 7 31 Phosphorus 15	75 AS Arsenic 33	Sb Antimony 51	209 Bi Bismuth 83		167 Er Erbium 68	Fm Fermium 100
	2		12 Carbon 6 Silicon 14	73 Ge Germanium 32	Sn 119	207 Pb Lead 82		165 Ho Holmium 67	Es Einsteinium 99
	≡		11 Boron 5 27 All	70 Ga Gallium 31	In Indium	204 T t Thallium		162 Dy Dysprosium 66	Ç Californium 98
				2n Zinc 30	Cd Cadmium 48	201 Hg Mercury 80		159 Tb Terbium 65	BK Berkelium 97
				Copper 29	Ag Silver	197 Au Gold 79		157 Gd Gadolinium 64	Cm Curium
				28 Nickel	Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am Americium 95
				59 Cobalt 27	Rhodium 45	192 Ir Iridium		Sm Samarium 62	Pu Plutonium 94
		1 X Hydrogen		56 Fron 100 100 100 100 100 100 100 100 100 10	Ruthenium 44	190 Os Osmium 76		Pm Promethium 61	Neptunium
				Mn Manganese 25	Tc Technetium 43	186 Re Rhenium 75		144 Nd Neodymium 60	238 U Uranium 92
				Chromium 24	Molybdenum	184 W Tungsten 74		141 Pr Praseodymium 59	Pa Protactinium 91
				Vanadium 23	Nobium 41	181 Ta Tantalum 73		140 Ce Cerium 58	232 Th Thorium
				48 Titanium 22	Zirconium	178 Hf Hafnium 72			nic mass Ibol nic) number
				Scandium 21	Yttrium 39	139 La Lanthanum 57 *	227 AC Actinium 89	d series series	a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		Be Berylium 4 24 Magnesium 12	Ca Calcium 20	Strontium 38	137 Ba Barium 56	226 Ra Radium	*58-71 Lanthanoid series	« × ∞
	_		7 Lithium 3 23 Na Sodium 11	39 Potassium	Rubidium	133 Cs Caesium 55	Fr Francium 87	*58-71 L	Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.