www.xtrapapers.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2011 question paper for the guidance of teachers

0654 CO-ORDINATED SCIENCES

0654/33

Paper 3 (Extended Theory), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	1
	IGCSE – October/November 2011	0654	

1 (a) (i) line from cell A to leaf; line from cell B to root;

culture;

(ii) cell A has chloroplasts/chlorophyll; for <u>photosynthesis</u>; cell B does not because it, is underground/gets no light;

(b) tissue culture is asexual reproduction/producing seeds is sexual reproduction; tissue culture produces identical plants; plants grown from seeds show variation; ref. genetically identical (for tissue culture) or genetically different plants (for seeds); seeds may not germinate/mature plants produced more quickly using tissue

[max 3]

[1]

[1]

- (c) (i) higher yields/no need to spray, pesticides/insecticides;
 - (ii) may harm beneficial or harmless insects that eat parts of the plant (e.g. butterflies or bees that eat nectar or pollen)/may affect ecosystem because fewer insects for other animals to eat /people may not like the idea of eating


this maize/may make it difficult for farmers in developing countries to compete with those in developed countries;

[Total: 10]

2 (a) (i) (long) chain (molecule); made of repeating units/monomers;

[2]

(b) (i)



bonding pairs; non-bonding pairs;

[2]

- (ii) no hydrogen/hydrocarbons contain carbon and hydrogen (only);
- (iii) four C and 8 F;
 all single bonds;
 indication that chain continues;

[3]

[1]

Page 3	Mark Scheme: Teachers' version	Syllabus	.0
	IGCSE – October/November 2011	0654	120

(c) PTFE only weak attractive forces between molecules; molecules move past each other easily when heated; melamine molecules have cross-links/strong bonds holding molecules together; molecules locked in place/do not move past each other when heated;

[max Co

(d) (i)
$$\rightarrow$$
 CaCO₃ + CO₂ + H₂O;

[1]

(ii) (hard) water passed through resin/beads/support/column; calcium/magnesium, ions stick to resin; sodium ions detach from resin/replace Ca²⁺/Mg²⁺;

[3]

[Total: 15]

3 (a) (i) mass and velocity;

[1]

(ii) velocity/momentum are vector quantities; direction has changed;

[2]

(b) (i) X at 2 seconds;

[1]

(ii) (deceleration =) change in speed/time (or gradient) **OR** 15/3 **OR** rise \div run; = 5 m/s²:

[2]

(iii) area under graph; 22.5 m;

[2]

(c) (i) (resistance =) voltage/current; = $12/2.4 = 5\Omega$;

[2]

(ii) 1/R = 1/R1 + 1/R2; = 1/5 + 1/5; $(R = 5/2 =) 2.5 \Omega$;

[Total: 13]

4 (a) (i) changes the way the body works/owtte;

[1]

[3]

(ii) pain relief;

[1]

(b) (i) limestone is, calcium carbonate/not calcium oxide;

[1]

(ii) calcium is in Group 2/atoms have two outer electrons; these/two/outer, electrons lost (when calcium ion forms); ion has two more positive charges (protons) than negative charges (electrons);

[3]

[2]

(iii) single negative; working to show need for charge balance; Ĺ

www.xtrapapers.cor

Page 4	Mark Scheme: Teachers' version	Syllabus	.0	1
_	IGCSE – October/November 2011	0654	800	

- (c) (i) (use of moles = mass \div molar mass) M_r calcium oxide = **56**; $224 \div 56 = 4$;
 - (ii) (look for direct proportion from equation with or without reference to moles, e.g.) 56 g of CaO react with 18 g water;
 224 g CaO will react with 18 × 224 ÷ 56 = 72 g;
 OR

1 mole of CaO reacts with 1 mole of $H_2O/4$ moles CaO react with 4 moles H_2O ; mass of 4 moles water = $18 \times 4 = 72g$; [max 2]

[Total: 12]

[1]

- 5 (a) any two of: scales/fins/operculum;
 - (b) (i) joining of male and female, gamete/sex cells/nuclei; outside the female's body; [2]
 - (ii) sperm/male gamete/male sex cell, would not be able to swim;ORgametes/sex cells/eggs/sperm/zygote, would dry out;[max 1]
 - (c) (accept reverse argument throughout for fish that do not have this behaviour) idea that this behaviour, increases chance of survival/gives an advantage; young of fish who does this more likely to breed; and (more likely to) pass on genes for this behaviour to their offspring; [3]
 - (d) (i) both sets of fish kept in the same conditions/environment is the same for both sets of fish (so not environment);populations A and B genetically different;[2]
 - (ii) more testosterone in population A (mothers);
 detail, for example: both before and after eggs hatched/figures quoted/
 difference quoted;
 [2]
 - (iii) numbers too small (to draw any firm conclusions); idea that results only show correlation, not cause; [2]

[Total: 13]

Syllabus

		9	IGCSE – October/November 2011	0654	OD .
6	(a)	(i)	air particles; vibrate; compressions and rarefactions; series of compressions and rarefactions;		and Cambridg
		(ii)			[2]
	(b)	(i)	(mass =) density × volume ; = 1.3 × 50 000 = 65 000 kg ;		[2]
		(ii)	(E =) mass × specific heat capacity × <u>change</u> in temperature = $65000 \times 1000 \times 10$; = $650000000\text{J}/6.5 \times 10^5\text{kJ}$;	ure ;	[3]
	(c)	(i)	distance between identical points on successive waves;		[1]
		(ii)	$v = f \times \lambda$; f = 300000000/0.00000075; $= 400000000000000Hz/4 \times 10^{14}Hz/400THz$;		[3]
					[Total: 13]
7	(a)	(i)	outer electrons show group number/all in Groups 1 or 2/all in groups on left of Periodic Table;		[1]
		(ii)	4;		[1]
	(b)	(i)	hexane, cannot be electrolyte/is covalent/contains no ion (sulfuric) acid, reacts with/dissolves, the, electrodes/meta		; [2]
		(ii)	magnesium ; Y		
			iron X ; (magnesium shown as most reactive then other three corr	rect)	[2]
					[Total: 6]
8	(a)	(i)	alveolus/air sac ;		[1]
		(ii)	capillary ;		[1]
		(iii)	carbon dioxide movement ; diffusion ; more CO_2 in blood vessel than in alveolus/there is a diffusion because respiration (in body cells) produces CO_2 ;	sion gradient ;	[max 3]

Mark Scheme: Teachers' version

Page 5

www.xtrapapers.com

[2]

[Total: 7]

	Pa	ıge 6	Mark Scheme: Teachers' version	Syllabus Tr
			IGCSE – October/November 2011	0654
	(b)	hea (he	m right ventricle ; art/right ventricle/cardiac muscle, contracts ; eart) produces pressure ; od travels along pulmonary artery ;	Syllabus 0654 Cannibility
	(c)	incr dec	th sets of muscles <u>contract</u> ; rease volume of, thorax/chest (cavity)/lungs; crease pressure (in thorax/chest (cavity)/lungs); moves in down pressure gradient;	[max 3]
				[Total: 11]
9	(a)	5 m	ninutes ;	[1]
	(b)	(i)	(current =) power/voltage; (current =) 1000/250 = 4 A;	[2]
		(ii)	charge = current × time ; = 4 × 120 = 480 C ;	[2]

(c) hot water rises/cold water sinks; (because) hot water is less dense/cold water is more dense;