

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions. A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use		
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
Total		

This document consists of 28 printed pages.





(c) After pollination, seeds are produced. A student set up an experiment to investig conditions needed for the germination of lettuce seeds.

Www.PapaCambridge.com He placed five lettuce seeds on cotton wool in each of five test-tubes. Fig. 1.2 shows the conditions present in each tube.





Table 1.1 shows his results.

Та	bl	е	1	.1	

tube		conditions		number of seeds that germinated
Α	water	oxygen	light	5
В	no water	oxygen	light	0
С				5
D				0
E				0

- (i) Complete Table 1.1 to show the conditions present in each tube. Tubes A and B have been done for you. [2]
- (ii) What conclusions can the student make from these results?

[3]

	4	
ie air	is a mixture of gases which includes nitrogen and oxygen.	Co
(a) (i)	State the percentage of nitrogen in the air.	
(ii)	Air is drawn into car engines where some of the nitrogen and oxygen combine form oxides of nitrogen.	e to
	Use the examples of air and oxides of nitrogen to state two differences between mixture and a compound.	n a
	1	
	2	
		[2]
(iii)	Oxides of nitrogen in the exhaust (waste) gases from car engines cause pollution.	air
	Name one other gaseous oxide in car exhaust gases which is poisonous humans if it is inhaled.	to
		[1]
b) Nit	rogen gas in the air exists as molecules which have the formula, N_2 .	
b) Nit Wr ma	rogen gas in the air exists as molecules which have the formula, N_2 . Then magnesium burns in air a white solid is formed. This white solid conta gnesium oxide, MgO, and magnesium nitride, Mg ₃ N ₂ .	ins
b) Nit Wr ma (i)	rogen gas in the air exists as molecules which have the formula, N_2 . Then magnesium burns in air a white solid is formed. This white solid conta gnesium oxide, MgO, and magnesium nitride, Mg ₃ N ₂ . Name the type of chemical bonding in nitrogen and in magnesium nitride.	ins
b) Nit Wr ma (i)	rogen gas in the air exists as molecules which have the formula, N ₂ . Then magnesium burns in air a white solid is formed. This white solid conta gnesium oxide, MgO, and magnesium nitride, Mg ₃ N ₂ . Name the type of chemical bonding in nitrogen and in magnesium nitride. nitrogen	ins
b) Nit Wr ma (i)	rogen gas in the air exists as molecules which have the formula, N ₂ . Then magnesium burns in air a white solid is formed. This white solid conta gnesium oxide, MgO, and magnesium nitride, Mg ₃ N ₂ . Name the type of chemical bonding in nitrogen and in magnesium nitride. nitrogen magnesium nitride	ins [2]
b) Nit Wr ma (i) (ii)	rogen gas in the air exists as molecules which have the formula, N ₂ . Then magnesium burns in air a white solid is formed. This white solid contain gnesium oxide, MgO, and magnesium nitride, Mg ₃ N ₂ . Name the type of chemical bonding in nitrogen and in magnesium nitride. nitrogen magnesium nitride Explain your answers to (i).	ins [2]
b) Nit Wr ma (i) (ii)	rogen gas in the air exists as molecules which have the formula, N ₂ . nen magnesium burns in air a white solid is formed. This white solid conta gnesium oxide, MgO, and magnesium nitride, Mg ₃ N ₂ . Name the type of chemical bonding in nitrogen and in magnesium nitride. nitrogen magnesium nitride Explain your answers to (i).	ins [2]
b) Nit Wr ma (i) (ii)	rogen gas in the air exists as molecules which have the formula, N ₂ . en magnesium burns in air a white solid is formed. This white solid conta gnesium oxide, MgO, and magnesium nitride, Mg ₃ N ₂ . Name the type of chemical bonding in nitrogen and in magnesium nitride. nitrogen magnesium nitride Explain your answers to (i).	ins [2]
b) Nit Wr ma (i)	rogen gas in the air exists as molecules which have the formula, N ₂ . een magnesium burns in air a white solid is formed. This white solid conta gnesium oxide, MgO, and magnesium nitride, Mg ₃ N ₂ . Name the type of chemical bonding in nitrogen and in magnesium nitride. nitrogen magnesium nitride Explain your answers to (i).	ins [2]
b) Nit Wr ma (i) (ii)	rogen gas in the air exists as molecules which have the formula, N ₂ . nen magnesium burns in air a white solid is formed. This white solid conta gnesium oxide, MgO, and magnesium nitride, Mg ₃ N ₂ . Name the type of chemical bonding in nitrogen and in magnesium nitride. nitrogen magnesium nitride Explain your answers to (i).	ins [2]
b) Nit Wr (i) (ii)	rogen gas in the air exists as molecules which have the formula, N ₂ . en magnesium burns in air a white solid is formed. This white solid contar gnesium oxide, MgO, and magnesium nitride, Mg ₃ N ₂ . Name the type of chemical bonding in nitrogen and in magnesium nitride. nitrogen magnesium nitride Explain your answers to (i). State what is shown by the chemical formula of magnesium nitride, Mg ₃ N ₂ .	ins [2]
b) Nit Wr (i) (ii)	rogen gas in the air exists as molecules which have the formula, N ₂ . then magnesium burns in air a white solid is formed. This white solid contains gnesium oxide, MgO, and magnesium nitride, Mg ₃ N ₂ . Name the type of chemical bonding in nitrogen and in magnesium nitride. nitrogen magnesium nitride Explain your answers to (i). State what is shown by the chemical formula of magnesium nitride, Mg ₃ N ₂ .	ins [2] [2]

n Fig. 2. (c) A student carries out a test on a sample of ammonium sulfate as shown in Fig. 2



Fig. 2.1

Describe and explain the change in colour of the damp red litmus paper.

..... [2]





- 8

 4 Bats use echo location to detect objects around them. To do this, they emit ultrasount

 (a) (i) Ultrasound is sound that has a frequency too high for a human to hear.

 Suggest a frequency for the ultrasound emitted by bats.

 (ii) Underline the word or words that correctly describe an ultrasound wave.

 electromagnetic
 longitudinal

 transverse
 [1]
 - (b) Most bats drink by flying close to the surface of a pond and taking mouthfuls of water from it.

Researchers thought that bats may be able to tell where water is present because the water has a much smoother surface than the surrounding ground. They put several thirsty bats into a closed room. They placed sheets of two rough materials and two smooth materials on the floor.

rough materials	smooth materials
metal grid	metal sheet
tree bark	smooth wood

The researchers counted the number of times the bats tried to drink from the surface of each material. Their results are shown in Fig. 4.1.



Fig. 4.1

(i) Compare the results for the rough materials and the smooth materials.

[2]

(ii) The ultrasound waves reflect from surfaces and are detected by receptors bat's head.

ceptors Fig. 4.2 shows how ultrasound waves are reflected from a rough surface and from a smooth surface. The arrows show the direction in which the sound waves travel.





smooth surface

Fig. 4.2

Use the information in Fig. 4.1 and Fig. 4.2 to suggest how bats detect a water surface.

 [2]

(c) Many bats feed on moths. Tiger moths have reflex actions that help them to from bats.

Www.PapaCambridge.com A tiger moth has two simple 'ears', each containing a sensory neurone. The sensory neurone produces nerve impulses when it detects ultrasound.

This causes the moth to fly in rapid zig-zags, which makes it more difficult for the bat to catch.

- (i) What is the stimulus for this reflex action? [1]
- The path taken by a nerve impulse in a reflex action in a tiger moth is similar to (ii) that in a human.

Fig. 4.3 shows three neurons involved in the reflex action.





Please turn over for Question 5.



(b) Fig. 5.1 shows chromatography being used by a student to investigate mixtures (coloured compounds) used to colour sweets.





Fig. 5.2 shows the appearance of the chromatography paper after several minutes.



(i) Deduce and explain the colour of the sweet which contains only one dye.

	colour
	explanation
	[2]
(ii)	State which sweet contained a dye which was not one of the food dyes in the mixture \mathbf{P} .
	[1]
(iii)	Explain one reason why companies that make food dyes must ensure that their products are pure.
	[1]



(c) The casing of the washing machine is a solid. The water used in it is a liquid.

Complete the diagrams below to show the arrangement of particles in a solid and in liquid.



- [2]
- (d) Before buying a washing machine, a person may research several types to find out which washing machine has the greatest energy efficiency.

Explain the meaning of the term efficiency.

.....[1]



www.papaCambridge.com (c) Starch is a carbohydrate found in many foods that come from plants. Starch mon are very large, and must be broken down into smaller sugar molecules before they be absorbed.

(i) Name the enzyme in the human digestive system that breaks down starch molecules.

......[1]

(ii) State one place in the human digestive system where this enzyme is secreted.

.....[1]

(d) Glucose molecules, formed from the digestion of starch, are absorbed from the digestive system into the blood. The blood carries the glucose to the liver.

Describe what happens to the glucose when it reaches the liver if the concentration of glucose in the blood is too high.

[2]

Www.PapaCambridge.com 18 Metallic copper is a very important material that has been extracted from 8 compounds for thousands of years. (a) (i) The wires used in many electrical devices are made from copper. State the two properties of metals such as copper, that make them suitable for making electrical wires. 1 [2] 2 (ii) Copper wires are connected to the mains electrical supply using brass plugs. Brass is an alloy. copper wire brass plug Explain the meaning of the term alloy and state one difference in the physical properties of brass compared to copper. meaning of alloy difference in physical property [2] (iii) One of the processes used in the extraction of copper involves heating copper(I) sulfide in air. One of the reactions that occurs is between copper(I) sulfide and oxygen. This reaction also produces sulfur dioxide. Construct the word chemical equation for this reaction. [1]

(b) Copper may also be formed by the electrolysis of an aqueous solution of chloride using electrodes made of graphite (carbon).

Www.PapaCambridge.com Fig. 8.1 shows a laboratory apparatus a student used to carry out this electrolysis reaction.



Fig. 8.1

(i) Name the electrolyte in this electrolysis reaction. [1] (ii) Name the product formed and describe what is observed at the surface of each electrode when an electric current is passing through the circuit. positive electrode product observation negative electrode product observation [4]



				WWW X	trapapers.o
		21		N.D.	
(d) Use words from t	he list to comple	te the sentences	s below.		For
electrons	energy	nuclear	nuclei	radioactive	orida
In a	r	eactor,		of elements	.9
like uranium are s	split. Small quan	tities of uranium	can release la	rge amounts of	
					[3]
e) Generators are u	sed to produce e	electricity in pow	er stations.		
Explain how ener station.	gy from a name	d fossil fuel is tr	ansferred to th	e generator in a po	ower
					[3]

10 Fig. 10.1 shows a plant growing in soil.



Fig. 10.1

- (a) (i) On Fig. 10.1, use a label line and the letter **A** to indicate the part of the plant that absorbs water. [1]
 - (ii) On Fig. 10.1, use a label line and the letter L to indicate the part of the plant from which most water vapour is lost to the air.
 - (iii) Name the vessels through which water travels up the plant.

.....[1]

For iner's

roduce 23 (b) Trees lose large amounts of water vapour to the air. This can help to produce too many trees are cut down, rainfall may decrease. Explain how trees can also help to reduce the following harmful effects on the environment. (i) soil erosion [2] (ii) global warming [2]

- Www.papaCambridge.com 11 Carbon occurs naturally as the free element and also combined in an extremely number of different compounds.
 - (a) An isotope of carbon has a nucleon (mass) number of 14.

State the numbers of protons, neutrons and electrons in one atom of this isotope.

protons	
neutrons	
electrons	

(ii)

(b) Petroleum (crude oil) is a raw material which contains many different carbon compounds. Some of these compounds are separated from petroleum to produce gasoline which is used as a fuel.



(i) State two ways in which the properties of petroleum differ from the properties of gasoline.

1
2 [2]
The extraction of gasoline from petroleum includes the process of fractional distillation.
Explain whether fractional distillation involves physical or chemical changes.
type of change
explanation

......[1]

[3]

(iii) Fig. 11.1 shows a typical molecule in gasoline.



Fig. 11.1

Explain whether this is an example of a saturated or an unsaturated molecule.

[41

- [1]
- (iv) A small amount of the compound made of the molecules in Fig. 11.1 was shaken with an orange-coloured solution of bromine.

State and explain briefly what effect, if any, this has on the colour of the bromine solution.

[2]

(c) Some car manufacturers are researching the use of alternative fuels to replace gasoline.

One possible alternative fuel is hydrogen gas, H₂.

Hydrogen burns in air according to the equation

 $2H_2 + O_2 \longrightarrow 2H_2O$

Explain why air pollution caused by car engines would be greatly reduced if hydrogen could be used as the fuel instead of gasoline.

[2]

Www.papaCambridge.com

mponet Componets.com 12 (a) Complete Table 12.1 to show the circuit symbol for each of the named component

component	symbol
ammeter	
fuse	
variable resistor	

Table '	12.1
---------	------

[3]

(b) Fig. 12.1 shows an electrical circuit for a torch (flashlight).





(i)	How many cells are fitted in the torch?	[1]
(ii)	A voltmeter is used to check the voltage across the light bulb.	

Draw the symbol for the voltmeter in the correct position on the circuit. [1]





(i) On Fig. 12.2 label the angle of incidence and angle of reflection. [1]

(ii) The angle of incidence = 45° .

Write down the value of the angle of reflection. [1]

(d) A ray of white light from the torch is now passed into a glass prism.

This is shown in Fig. 12.3.



Fig. 12.3

Complete the diagram to show what happens to the light as it passes through and out of the prism. [2]

27

2.2. For iner's

					2	28				they we	xtrapapers.	0
	0	4 Helium 2	20 Neon Neon	40 Argon 18	84 Krypton 36	131 Xe 54	Radon B6		175 Lu tetium 71	Lawrencium 103	Cannon	
	>		19 Fluorine	35.5 C1 17 ^{Chlorine}	80 Br Bromine 35	127 lodine 53	At Astatine 85		173 Yb Ytterbium 70	Nobelium 102	age.c	0
	N		a Oxygen Oxygen	32 32 Sultur 16	79 Se Selenium 34	128 Tel lurium 52	PO Polonium 84		169 Thulium 69	Md Mendelevium 101		
	>		14 Nitrogen	31 Bhosphorus	75 AS Arsenic 33	122 Sb Antimony 51	209 Bismuth 83		167 Er Erbium 68	100 Fermium		
	2		Carbon Carbon	28 28 Silicon	73 Ge Germanium 32	119 Sn 50	207 Pb Lead 82		165 Hol Holmium 67	Einsteinium 99	(r.t.p.).	
	≡		ء Baran D 1	27 27 Aluminium 13	70 Ga Gallium 31	115 7 Indium 49	204 T 1 81		162 Dysprosium 66	Californium 98	pressure	
ents					65 Zn ^{Zinc}	112 Cadmium 48	201 Hg ^{Mercury}		159 Tb 65	BK Berkelium 97	ature and	
le Eleme					64 Copper 29	108 Ag Siver	197 Au Gold 79		157 Gd Gadolinium 64	96 Currium	n tempera	
ible of th	2				59 Nickel 28	106 Pd Palladium	195 Pt Platinum 78		152 Eu Europium 63	Americium 95	m³ at roor	
riodic Ta	5		7		59 Co ²⁷	103 Rhodium 45	192 riđium 77		150 Samarium 62	Plutonium 94	as is 24 dı	
The Per		- T Hydrogen			56 Iron 26	101 Ruthenium 44	190 OS Osmium 76		Promethium 61	Neptunium 93	of any ga	
					55 Manganese 25	Tc Technetium 43	186 Re Rhenium 75		144 Neodymium 60	238 Uranium 92	one mole	
					52 Chromium 24	96 Mo Molybdenum 42	184 V Tungsten 74		141 Praseodymium 59	Protactinium 91	olume of	
					51 Vanadium 23	93 Niobium 41	181 Ta Tantalum 73		140 Cerium 58	232 Thorium 90	The v	
					48 Titanium 22	91 Zrzonium 40	178 Hafnium		ī	mic mass nbol mic) number		
					45 SC Scandium 21	89 Yttrium 39	139 La Lanthanum 57 *	227 Actinium 89 ↑	d series series	= relative ato. = atomic syrr = proton (ator		
	=		9 Beryllium 4	24 Magnesium 12	40 Calcium 20	88 Strontium 38	137 Baar ium 56	226 Rad 88	anthanoic Actinoid s	ية × م ۲		
	-		ء Lithium	23 Sodium	39 Potassium 19	85 Rb Rubidium 37	133 CS Caesium 55	Fr Francium 87	58-71 L 90-103	ه دور		

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of