

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| | CANDIDATE NAME | | | |
|------------|-------------------|----------------------------|---------------------|------------|
| | CENTRE NUMBER | | CANDIDATE NUMBER | |
| * 🚃 | | | | |
| ¢ 7 3 | CO-ORDINATE | D SCIENCES | | 0654/32 |
| 4 | Paper 3 (Extend | ded) | October/Nov | ember 2013 |
| | | · · ·) | | |
| 2 6 | | | | 2 hours |
| ∞ ■ | Candidates ans | wer on the Question Paper. | | |
| 7 | No Additional M | latariala ara required | | |
| 3 5 | NO AUUIIIONAI M | laterials are required. | | |
| ¥ | | | | |

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units. A copy of the Periodic Table is printed on page 28.


At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

This document consists of **28** printed pages.



1 (a) Fig. 1.1 shows apparatus that can be used to test the electrical conductivity of the materials contained in beakers P, Q and R.





For Examiner's Use


(iii) The material in beaker **R** is tested using the apparatus in Fig. 1.1.

Bubbles of gas form on the surfaces of both electrodes and the pH of the solution increases.

Name the gas that forms at each electrode and explain briefly why the pH increases.

| gas formed at the negative electrode | |
|--------------------------------------|-----|
| gas formed at the positive electrode | |
| reason for the increase in pH | |
| | [4] |

(b) Fig. 1.2 represents the structure of solid sodium chloride.






Explain, in terms of its structure and bonding, why sodium chloride has a very high melting point (801 °C).

For Examiner's Use

2 (a) Fig. 2.1 shows two means of communication between Singapore and Sydney.






Method 1 Microwave signals are sent by satellite.

Method 2 Infra-red waves carrying a signal are sent through an optical fibre cable.

Fig. 2.2 shows an infra-red ray entering an optical fibre.





The infra-red ray travels all the way through the optical fibre.

(i) Explain why the infra-red ray stays inside the optical fibre. You may draw on the diagram if it helps your answer.

For

Examiner's Use

| | | | | | 6 |
|---|-----|-------------------------|-----------------------------|------------------------|---------------------------|
| _ | ••• | $T_{1} = 1 = 1 = 1 = 1$ | | \mathbf{O}^{\dagger} | |
| | | I DO JODATO OT OD O | NTICAL TINTA CANIA NATWAAN | Sindanoro and S | $VanoV le h \neq V(11)$ m |
| | | | טווטמן ווטוב נמטוב טבנאבכוו | | |
| • | / | | ptical fibre cable between | | |

The speed of infra-red waves in an optical fibre is $2.1 \times 10^8 \text{ m/s}$.

Calculate the time taken for the signal to travel from Singapore to Sydney.

State any formula that you use, show your working and state the unit of your answer.

formula

working

unit _____ [2]

(iii) The speed at which microwaves travel through space is greater than the speed at which infra-red waves travel through an optical fibre.

Suggest why the time taken by infra-red signals is less than the time taken by the microwave signals to travel from Singapore to Sydney.

[1]

For Examiner's Use

(b) Fig. 2.3 shows a demonstration of sound transmission using a bell jar.




Fig. 2.3

As the air is removed from the bell jar, the ringing sound from inside the bell jar gets quieter. When all the air has been removed, the bell cannot be heard.

Explain these observations.

| | |
|------|---------|
| | |
| | |
| | |
| | [2] |

For Examiner's Use

- **3** Sodium hydrogencarbonate, NaHCO₃, is a white solid compound which is soluble in water.
 - (a) A student adds some sodium hydrogencarbonate to a beaker which contains an aqueous solution of full range indicator (Universal Indicator).

solution of full range indicator

When the sodium hydrogencarbonate dissolves, the solution changes colour from green to blue.

(i) State how the pH of the mixture changes when the sodium hydrogencarbonate dissolves.

(ii) The student then adds excess dilute hydrochloric acid to the solution.

Apart from an increase in volume, state **two** observations that are made when the acid is added.

| ••••• |
|-------|
| |
| [2] |
| |

0654/32/O/N/13

For

Examiner's Use

(b) Fig. 3.1 shows apparatus a teacher uses to demonstrate the heating of sodium hydrogencarbonate.




Fig. 3.1

The solid sodium hydrogencarbonate is heated strongly for a few minutes and the following observations are made.

- The cobalt chloride paper changes colour from blue to pink.
- A gas bubbles out through the limewater, turning it cloudy.

After the reaction a white solid remains in the large test-tube.

(i) Explain how the observations show that both water and carbon dioxide are produced.

[1]

- (ii) The teacher tells her students that
 - sodium hydrogencarbonate has been decomposed (broken down into simpler compounds),
 - the white solid which remains in the large test-tube is sodium carbonate, Na₂CO₃.

Construct a balanced symbol equation for the decomposition of sodium hydrogencarbonate.

[2]

For Examiner's Use

(iii) A student places a piece of paper into a solution of sodium hydrogencarbonate.

She removes the paper and allows it to dry. She notices that crystals of solid sodium hydrogencarbonate are left on the paper.

dry paper covered in solid solium hydrogencarbonate solution The student finds that it is now difficult to set fire to the paper. Use the results of the experiment in Fig. 3.1 to suggest why the student finds it difficult to get the paper to burn.

(iv) Suggest, with a reason, whether the decomposition of sodium hydrogencarbonate is an exothermic or an endothermic reaction. [2]

For

Examiner's Use

- **4** Most plants have root hairs near the tips of their roots. A mutation in a plant called land cress affects the growth of its root hairs.
 - (a) (i) Define the term *mutation*.

(ii) State one factor that increases the chance of mutation.

- [1]
- (b) The growth of root hairs in normal plants, and in plants with the mutation, is affected by the concentration of phosphate ions in the soil.

Researchers grew normal and mutant land cress plants in soil with different concentrations of phosphate ions. They measured the mean number of root hairs in a small area of the roots, and also the mean length of the root hairs.

Table 4.1 shows their results.

Table 4.1

| type of plant | phosphate concentration | mean number of root hairs per unit area | mean length of root hairs/micrometres |
|---------------|-------------------------|--|--|
| normal plants | low | 1.26 | 175 |
| normai piants | high | 1.70 | 149 |
| mutant plants | low | 1.41 | 225 |
| mutant plants | high | 1.85 | 52 |

(i) Describe how the addition of phosphate ions to the soil affects the root hairs in normal plants.

(ii) Compare the effect of adding phosphate ions to the soil for normal plants and for mutant plants.
 [2]

For Examiner's Use

| (iii) | Predict and explain how a reduction in the length of its root hairs would affect the growth of a plant. |
|-------|---|
| | |
| | |
| | |
| | |
| | [3] |
| | armers often add fertilisers containing phosphate ions, potassium ions and nitrate ns to the soil in which they grow crops. |
| (i) | Explain why adding nitrate ions to the soil helps the crop plants to grow faster and larger. |
| | |
| | |
| | [2] |
| (iij | Explain how careless use of fertilisers can cause harm to living organisms in rivers and lakes. |
| | |
| | |
| | |
| | |
| | |
| | [4] |

5 Fig. 5.1 shows a bicycle with a front light **A** and a rear light **B** powered by the same battery.





Fig. 5.1

Fig. 5.2 shows how the lights are connected.





(a) The resistance of light **A** is 10Ω and the resistance of light **B** is 5Ω .

Calculate the combined resistance of the two lights in this circuit.

State the formula that you use and show your working.

formula

working

Ω [3]

For Examiner's Use

For Examiner's

Use

(b) The voltage supplied by the battery is 9V.

Calculate the current passing through light $\ensuremath{\textbf{A}}.$

State any formula that you use, show your working and state the unit of your answer.

formula

working

unit [2]

For Examiner's Use

6 Fig. 6.1 shows a fetus in the uterus just before it is born.




Fig. 6.1

- (a) On Fig. 6.1, use the letters **A**, **B** and **C** to label these parts on the diagram:
 - A the placenta
 - $\boldsymbol{B}-\text{amniotic fluid}$
 - \mathbf{C} the cervix

[3]

(b) Describe how the placenta and umbilical cord help to supply the fetus with oxygen.

For Examiner's Use

7 (a) Fluorine is one of the halogens in Group 7 of the Periodic Table.

Suggest the physical state at room temperature (solid, liquid or gaseous) of fluorine.

Explain your answer in terms of the relative size of fluorine molecules in comparison with those of the other halogens.

physical state of fluorine explanation [2]

(b) Fluorine is the most reactive element in the Periodic Table. There are only three other elements that do **not** react with fluorine. These elements are all found in the same group of the Periodic Table.

Suggest and explain which group of the Periodic Table contains the elements that do **not** react with fluorine.

group

explanation ______[3]

(c) In some countries, drinking water contains low concentrations of compounds containing fluoride ions.

One of the compounds found in drinking water is sodium fluoride, NaF.

(i) Explain briefly why, although fluorine is very reactive, it is safe to drink water that contains fluoride ions.

[2]

(ii) A sample of drinking water contains sodium fluoride at a concentration of $0.000064 \text{ mol}/\text{dm}^3$.

Calculate the mass of sodium fluoride that must be dissolved in 10000 dm³ of water to obtain this concentration.

For Examiner's Use

Show your working.

For Examiner's Use

| answer. formula working unit (ii) This work is done in 100 s. Calculate the useful power output from the car's engine during th State any formula that you use, show your working and state | 8 | (a) | Dur | ing part of a journey, a car moves 1 km and the driving force is 10 000 N. |
|---|---|-----|------|--|
| answer. formula working unit (ii) This work is done in 100 s. Calculate the useful power output from the car's engine during th State any formula that you use, show your working and state | | | (i) | Calculate the work done by the driving force. |
| working unit (ii) This work is done in 100 s. Calculate the useful power output from the car's engine during th State any formula that you use, show your working and state | | | | State any formula that you use, show your working and state the unit of your answer. |
| (ii) This work is done in 100 s. Calculate the useful power output from the car's engine during th State any formula that you use, show your working and state | | | | formula |
| (ii) This work is done in 100 s.Calculate the useful power output from the car's engine during thState any formula that you use, show your working and state | | | | working |
| (ii) This work is done in 100 s.Calculate the useful power output from the car's engine during thState any formula that you use, show your working and state | | | | |
| (ii) This work is done in 100 s.Calculate the useful power output from the car's engine during thState any formula that you use, show your working and state | | | | unit [2] |
| Calculate the useful power output from the car's engine during the State any formula that you use, show your working and state | | | /::) | |
| State any formula that you use, show your working and state | | | (11) | |
| | | | | Calculate the useful power output from the car's engine during this time. |
| answer. | | | | State any formula that you use, show your working and state the unit of your answer. |
| formula | | | | formula |
| | | | | working |

unit [2]

For

Examiner's Use

(b) When the car is stationary, each of its four tyres has an area of 150 cm² in contact with the road.

The pressure exerted by the car on the road is 300000 N/m^2 .

Calculate the mass of the car.

State any formulae that you use, show your working and state the unit of your answer. (use g = 10 N/kg)

formula

working

unit [4]

- (c) The cooling system of the car uses water to remove heat energy from the hot engine. The heated water goes into the radiator. Heat energy is lost from the radiator.
 - (i) Fig. 8.1 shows a car radiator.




Fig. 8.1

Explain how the features of the radiator that are shown in Fig. 8.1 increase the rate of cooling of hot water.

[2]

For Examiner's Use

(ii) The mass of water in the radiator is 5 kg.

The specific heating capacity of water is 4200 J/kg °C.

Calculate the energy released when the water in the radiator cools by 12°C.

State any formula that you use, show your working and state the unit of your answer.

formula

working

unit [3]

9 Rabbits are often kept as pets. People try to breed rabbits with unusual colours, such as himalayan colouring. Fig. 9.1 shows a rabbit with himalayan fur colour. The rabbit's fur is white with some black areas.

For Examiner's Use




Fig. 9.1

(a) Completely white fur and himalayan-coloured fur are produced by two alleles of a gene.

When a white rabbit and a himalayan rabbit are bred together, all the offspring are white.

When two of these white offspring are bred together, one quarter of their offspring are himalayan and three quarters are white.

(i) Identify which allele is dominant, and suggest suitable symbols for the two alleles.

| dominant allele: | | |
|--|-------------|-----|
| colour produced | symbol | |
| recessive allele: | | |
| colour produced | symbol | [2] |
| Two robbits that are betarativenus for these alleles | are created | |

(ii) Two rabbits that are heterozygous for these alleles are crossed.

Construct a genetic diagram, using your symbols from (i), to explain the results of this cross.

| (b) | | obits, like humans, keep their internal body temperature constant. The body apperature of a rabbit is 38.5 °C. | For Examiner's Use |
|-----|-------|--|--------------------------|
| | (i) | Explain how a rabbit generates heat within its body. | |
| | | | |
| | | | |
| | | [2] | |
| | (ii) | Suggest how the fur of a rabbit helps to maintain its body temperature higher than that of its environment. | |
| | | | |
| | | | |
| | | [2] | |
| | (iii) | When himalayan rabbits are first born, they are white all over. The black colour develops gradually. The black pigment is produced by the action of an enzyme that is only active at temperatures below 25 °C. | |
| | | Use this information to suggest a reason for the distribution of black fur on the body of a himalayan rabbit. | |
| | | | |
| | | | |
| | | [2] | |

For

Use

10 Fig. 10.1 shows the structure of one molecule of a type of compound called a CFC

- (chlorofluorocarbon). Examiner's Cl۰F Cl Fig. 10.1 (a) (i) State the number of electrons in the outer shells of chlorine and fluorine atoms.[1]
 - (ii) State and explain briefly the number of electrons in the outer shells of the chlorine and fluorine atoms in the molecule shown in Fig. 10.1.

number of electrons _____ explanation [2]

(b) Fig. 10.2 shows a cross-section through an aerosol spray can used to produce a paint spray.




Fig. 10.2

For

Examiner's Use

(ii) Scientists have discovered that CFC molecules are causing damage to the atmosphere because they react with molecules of the gas ozone, O₃.

Describe how a molecule of ozone differs from a molecule of gaseous oxygen, O₂.

| |
|------|
| [1] |

- (c) CFCs have been replaced in most aerosol spray cans by gaseous hydrocarbons such as propane and butane.
 - (i) Complete the molecular structure diagram of one molecule of propane.



[2]


(ii) Suggest **one** disadvantage of using hydrocarbons in aerosol spray cans.

[1]

For Examiner's Use

11 (a) A mobile phone (cell phone) is powered by a rechargeable battery.

Fig. 11.1 shows a mobile phone being charged. The charger contains a circuit which acts as a transformer.





Link each description in Table 11.1 with one of the labelled parts shown in Fig. 11.1.

Write your answers next to the descriptions in Table 11.1

| description | part |
|---|------|
| This transforms electrical impulses into sound energy | |
| This transforms electrical energy to stored chemical energy | |
| This transforms electrical energy to light energy | |
| This reduces the mains voltage to a lower voltage. | |

[4]

For Examiner's Use

- (b) A simple transformer is shown in Fig. 11.2.
 - input voltage 120 V a.c. output voltage secondary coil of 40 turns
 - (i) Calculate the number of turns on the primary coil.

State the formula that you use and show your working.

formula

working

(ii) State the function of the iron core in a transformer.
[1]
(iii) State how step-up transformers reduce the electrical energy lost in transmission through a grid from a power station to the point of use.
[2]

For Examiner's Use

(c) (i) Draw lines to show the magnetic field around the bar magnet in Fig. 11.3 S Ν Fig. 11.3 [2] (ii) Draw lines to show the shape of the magnetic field produced by the solenoid coil in Fig. 11.4, when an electric current passes through it. Fig. 11.4 [1]

| 12 | 2 Cigarette smoke contains many harmful substances. | | | | | | | | | | | | |
|----|---|---|-------------------|--|--|--|--|--|--|--|--|--|--|
| | (a) | List four harmful components of cigarette smoke. | Examiner's Use | | | | | | | | | | |
| | | 1 | | | | | | | | | | | |
| | | 2 | | | | | | | | | | | |
| | | 3 | | | | | | | | | | | |
| | | 4 [2] | | | | | | | | | | | |
| | (b) | Some of the components of cigarette smoke prevent cilia from working properly. | | | | | | | | | | | |
| | | Explain how this can lead to an increase in infections of the lungs by bacteria. | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | [2] | | | | | | | | | | | |
| | (c) | Describe the roles of white blood cells in defending the body against infections by bacteria. | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | [3] | | | | | | | | | | | |

| DATA SHEET The Periodic Table of the Elements | | 0 | 4 | He | Helium | 20 | Ne | | 40 | Ar | Argon 18 | 84 | Kr | Krypton 36 | 131 | Xe | Xenon 54 | | Rn | Radon 86 | | | | 175 | Ľ | Lutetium 71 | | Ļ | Lawrencium 103 | | | | | | | | | | | | | | | | |
|--|-------|--------|---|----|---------------|----|----|----------------|------|----------|-----------------|----|--------------|------------------|-----|----------------|------------------|-----|-----------------|-------------------|-------------|----------------|------------------|--------------------------|-------------------------|------------------|--------------------------|-------------------|----------------------------|---------------|--------------------|--------------------|--------------|--------------|-----|----------------|---------------|-----|----|---------------|--|------------------|-------------------|---|-------------------|
| | | ٨II | | | 2 | 19 | ш | Fluorine 10 | 35.5 | C1 | 17 Chlorine 1. | 80 | Ŗ | 0 | 127 | н | 53 lodine 5 | | At | Astatine 85 | | | | 173 | ۲b | 70 To 70 | | No | Nobelium 102 1 | | | | | | | | | | | | | | | | |
| | | N | | | | | | 16 | 0 | 8 Oxygen | 32 | S | Sulfur 16 | 79 | Se | _ | 128 | Te | 52 Tellurium | | Ро | Polonium 84 | | | | 169 | Б | 69 Thulium | | Md | Mendelevium 101 | | | | | | | | | | | | | | |
| | | > | | | | | | | 14 | z | Nitrogen 7 | 31 | ٩ | Phosphorus 15 | 75 | As | | 122 | Sb | Antimony 51 | 209 | Bi | Bismuth 83 | | | | 167 | ш | Erbium 68 | | Е'n | Fermium 100 | | | | | | | | | | | | | |
| | | \geq | | | | | | | | | | | | | | | | | | 12 | C 12 | Carbon 6 | 28 | Si | Silicon 14 | 73 | e B | Germanium 32 | 119 | | 50 Tin | 207 | Pb | Lead 82 | | | | 165 | Но | Holmium 67 | | Es | Einsteinium 99 | | |
| | | ≡ | | | | | | | | | | | | | | | | | | | | 11 | ш | 5 5 | 27 | ٩ı | Auminium 13 | 70 | Ga | Gallium 31 | 115 | In | Indium 49 | 204 | 11 | Thallium 81 | | | | 162 | | Dysprosium 66 | | ç | Californium 98 |
| | | | | | | | | | | | | | Zn | Zinc 30 | 112 | ပိ | Cadmium 48 | 201 | Hg | Mercury 80 | | | | 159 | Tb | Terbium 65 | | BĶ | Berkelium 97 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 64 | Cu | Copper 29 | 108 | Ag | | 197 | Au | Gold 79 | | | | 157 | Gd | Gadolinium 64 | | Cm | | | | | | | | | | | | | | | | | |
| | Group | | | | | | | | | | | 59 | ïZ | Nickel 28 | 106 | Pd | Palladium 46 | 195 | £ | Platinum 78 | | | | 152 | Eu | Europium 63 | | Am | Americium 95 | | | | | | | | | | | | | | | | |
| DAT/ riodic Ta | Gr | | | | | 7 | | | | | | 59 | ပိ | Cobalt 27 | 103 | Rh | Rhodium 45 | 192 | Ļ | Iridium 77 | | | | 150 | Sm | Samarium 62 | | Pu | Plutonium 94 | | | | | | | | | | | | | | | | |
| The Per | | | - | т | Hydrogen 1 | | | | | | | 56 | Fe | Iron 26 | 101 | Ru | Ruthenium 44 | 190 | os | Osmium 76 | | | | | Pm | Promethium 61 | | ЧN | Neptunium 93 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 55 | Mn | Manganese 25 | | ц | Technetium 43 | 186 | Re | Rhenium 75 | | | | 144 | | Neodymium 60 | 238 | D | Uranium 92 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | 52 | ບັ | Chromium 24 | 96 | Mo | Molybdenum 42 | 184 | ≥ | Tungsten 74 | | | | 141 | Pr | Praseodymium 59 | | Ра | Protactinium 91 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | 51 | > | Vanadium 23 | 93 | | Niobium 41 | 181 | Ta | Tantalum 73 | | | | 140 | Ce | Cerium 58 | 232 | Th | Thorium 90 | | | | | | | | |
| | | | | | | | | | | | | | | 48 | Ħ | Titanium 22 | 91 | Zr | Zirconium 40 | 178 | Ħ | Hafnium 72 | | | | 1 | | | nic mass | Ibol | nic) number | | | | | | | | | | | | | | |
| | | | | | | | | | [| | | 45 | Sc | Scandium 21 | 89 | | Yttrium 39 | 139 | La | Lanthanum 57 * | 227 | Ac | Actinium 89 † | l corioc | u series teries | | a = relative atomic mass | X = atomic symbol | b = proton (atomic) number | | | | | | | | | | | | | | | | |
| | | = | | | | 6 | Be | Beryllium 4 | 24 | Mg | Magnesium 12 | 40 | | _ | | Sr | Strontium 38 | 137 | Ba | Barium 56 | 226 | Ra | Radium 88 | *58 71 Lanthanoid cariac | 190-103 Actinoid series | | a a | × | Ď | | | | | | | | | | | | | | | | |
| | | _ | | | | 7 | :- | Lithium 3 | 23 | Na | Sodium 11 | 39 | ¥ | Potassium 19 | 85 | | Rubidium 37 | 133 | cs | Caesium 55 | | F | Francium 87 | *58.711 | 190-103 | | | Key | q | | | | | | | | | | | | | | | | |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.