

## **Cambridge Assessment International Education**

Cambridge International General Certificate of Secondary Education (9–1)

## **CO-ORDINATED SCIENCES**

Paper 2 Multiple Choice (Extended)

0973/21 May/June 2019 45 minutes

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

## READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid. Write your name, centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used. **1** Which characteristic of living organisms is correctly matched to the description?

|   | characteristic | description                                                                                          |
|---|----------------|------------------------------------------------------------------------------------------------------|
| Α | excretion      | the removal from organisms of the waste products of metabolism                                       |
| В | nutrition      | the chemical reactions in cells that break down nutrient molecules and release energy for metabolism |
| С | respiration    | the taking in of materials for energy, growth and development                                        |
| D | sensitivity    | the action by an organism or part of an organism causing a change of position or place               |


2 Which row correctly describes the diffusion of molecules from P to Q?

|   | Р                    | Q                    | movement                      |
|---|----------------------|----------------------|-------------------------------|
| Α | higher concentration | lower concentration  | down a concentration gradient |
| в | higher concentration | lower concentration  | up a concentration gradient   |
| С | lower concentration  | higher concentration | down a concentration gradient |
| D | lower concentration  | higher concentration | up a concentration gradient   |

- 3 Which chemical element is found in proteins, but **not** in carbohydrates or fats?
  - A carbon
  - B hydrogen
  - **C** oxygen
  - D nitrogen

An investigation was carried out to see the effect of temperature on how quickly the enzyme 4 amylase breaks down starch to sugar.

3



Which labels should be used for the axes and what has happened at point Z?

|   | x-axis                          | y-axis                          | what has happened<br>at Z |
|---|---------------------------------|---------------------------------|---------------------------|
| A | rate of breakdown<br>of starch  | temperature                     | enzyme is denatured       |
| В | temperature                     | time taken to break down starch | enzyme is used up         |
| С | temperature                     | rate of break down<br>of starch | enzyme is denatured       |
| D | time taken to break down starch | temperature                     | enzyme is used up         |

A farmer noticed that the older leaves of his maize plant were becoming yellow between the 5 veins.

What is the plant lacking?


- Α carbon dioxide
- В magnesium ions
- С sunlight
- D water
- Which disease is caused by a diet that is low in protein? 6
  - Α coronary heart disease
  - В kwashiorkor
  - С rickets
  - D scurvy

- 7 Which component is needed for blood to clot?
  - A hormones
  - **B** platelets
  - c red blood cells
  - D white blood cells
- 8 During vigorous exercise there is an increase in the rate of breathing.

What causes the increase in the rate of breathing?

- A a decrease in the adrenaline concentration in the blood
- **B** a decrease in the lactic acid concentration in the blood
- **C** an increase in the alcohol concentration in the blood
- **D** an increase in the carbon dioxide concentration in the blood
- 9 What occurs when our eyes look from a near object in dim light to a distant object in bright light?
  - **A** Pupils constrict and lenses become thinner.
  - **B** Pupils constrict and lenses become fatter.
  - **C** Pupils dilate and lenses become thinner.
  - **D** Pupils dilate and lenses become fatter.
- **10** The diagram shows a section through an insect-pollinated flower.


When pollination occurs, where must the pollen grains reach?



11 Which row about human cells is correct?

|   | name of cell | type of nucleus | number of chromosomes |
|---|--------------|-----------------|-----------------------|
| Α | body cell    | diploid         | 23                    |
| В | body cell    | haploid         | 46                    |
| С | gamete       | diploid         | 46                    |
| D | gamete       | haploid         | 23                    |

- **12** In a food chain, what do all living organisms get from their food?
  - A a supply of water
  - **B** oxygen for respiration
  - **C** protection from disease
  - **D** the energy they need
- **13** What decreases as a result of eutrophication?
  - A aerobic respiration by decomposers
  - **B** decomposition of dead producers
  - C dissolved oxygen in the water
  - **D** growth of producers
- **14** Two substances, X and Y, are heated and then cooled. The observations are shown.



| aubatanaa V | grey  | heat | purple | cool | grey  |  |
|-------------|-------|------|--------|------|-------|--|
| substance Y | solid |      | vapour |      | solid |  |

Which type of change occurs when X and Y are heated?

|   | Х        | Y        |  |
|---|----------|----------|--|
| Α | chemical | chemical |  |
| в | chemical | physical |  |
| С | physical | chemical |  |
| D | physical | physical |  |

- 15 Why do isotopes of the same element have the same chemical properties?
  - A They have a different number of protons and a different number of outer shell electrons.
  - **B** They have a different number of protons and the same number of outer shell electrons.
  - **C** They have the same number of protons and a different number of outer shell electrons.
  - **D** They have the same number of protons and the same number of outer shell electrons.
- **16** Diamond and graphite are different forms of the element carbon.

Graphite conducts electricity.


Which statement explains why diamond does not conduct electricity?

- **A** All of the atoms in diamond are arranged tetrahedrally.
- **B** All of the bond lengths in diamond are the same.
- **C** All of the bonds in diamond are single bonds.
- **D** All of the outer shell electrons in diamond are held in covalent bonds.
- 17 What is the electrolyte that is used when a nickel spoon is electroplated with copper?
  - A copper
  - **B** copper sulfate solution
  - C nickel sulfate solution
  - D nickel

**18** An acid is added to an alkali until the final solution is **just** neutral.

The reaction is exothermic.

Which graph shows how the temperature changes as the acid is being added to the alkali?



**19** Some properties of four oxides, W, X, Y and Z, are shown.

| property              | W   | Х   | Y  | Z   |
|-----------------------|-----|-----|----|-----|
| reaction with acids   | yes | no  | no | yes |
| reaction with alkalis | no  | yes | no | yes |

Which row classifies these oxides?

|   | W      | Х      | Y          | Z          |
|---|--------|--------|------------|------------|
| Α | acidic | basic  | neutral    | amphoteric |
| в | acidic | basic  | amphoteric | neutral    |
| С | basic  | acidic | amphoteric | neutral    |
| D | basic  | acidic | neutral    | amphoteric |

www.xtrapapers.com

20 Hydrochloric acid and sodium hydroxide neutralise each other to form water and sodium chloride.

Which method is used to make the solution crystallise?

- **A** chromatography
- **B** evaporation
- **C** filtration
- D fractional distillation
- 21 Which statement about elements in the Periodic Table is correct?
  - A Elements are arranged in mass number order.
  - **B** The group number of an element is the same as the number of outer shell electrons.
  - **C** The reactivity of elements in both Group I and Group VII increases down the group.
  - **D** There is a change from non-metallic to metallic character from left to right across each period.
- 22 Samples of four different metals, L, M, N and O, are added to solutions of the metal chlorides.

The table shows which metals react with the metal chlorides.

|   | L chloride   | M chloride | N chloride | O chloride   |                        |
|---|--------------|------------|------------|--------------|------------------------|
| L |              | x          | x          | x            | key                    |
| М | 1            |            | X          | 1            | ✓ = reaction           |
| Ν | 1            | 1          |            | $\checkmark$ | <b>x</b> = no reaction |
| 0 | $\checkmark$ | x          | X          |              |                        |

What is the order of reactivity?

|   | most<br>reactiv |   |   | least<br>eactive |
|---|-----------------|---|---|------------------|
| Α | L               | М | 0 | Ν                |
| В | L               | 0 | М | Ν                |
| С | Ν               | М | 0 | L                |
| D | Ν               | 0 | М | L                |

- **23** Some properties of aluminium are listed.
  - 1 conducts electricity
  - 2 malleable
  - 3 resistant to corrosion

Which properties make aluminium suitable for use as food containers?

**A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

24 Which processes lead to the formation of a greenhouse gas?

- 1 reaction of sodium with water
- 2 respiration
- 3 combustion of fossil fuels
- **A** 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3
- **25** Sulfuric acid is manufactured by the Contact process.

Four reactions occur in this process.


Which reaction requires a catalyst?

- $\textbf{A} \quad \textbf{S} \ \textbf{+} \ \textbf{O}_2 \ \rightarrow \ \textbf{SO}_2$
- $\textbf{B} \quad 2SO_2 \ \textbf{+} \ O_2 \ \rightarrow \ 2SO_3$
- $\textbf{C} \quad H_2SO_4 \ \textbf{+} \ SO_3 \ \rightarrow \ H_2S_2O_7$
- $\textbf{D} \quad H_2S_2O_7 \ + \ H_2O \ \rightarrow \ 2H_2SO_4$
- **26** Three reactions are listed.
  - 1 the addition of hydrogen to ethene
  - 2 the addition of steam to ethene
  - 3 the cracking of long chain alkanes

Which reactions produce molecules of a different homologous series from the reactant molecules?

A 1 and 2 only B 1 and 3 only C 2 and 3 only D 1, 2 and 3

27 Which diagram represents part of the structure of nylon?



**28** A spring that obeys Hooke's law has an unstretched length of 5.0 cm. A load of weight 0.50 N is hung from the spring and the length of the spring becomes 10.0 cm.

The load is replaced with a new load and the length of the spring becomes 15.0 cm.

The spring has not passed its limit of proportionality.

What is the weight of the new load?

|  | Α | 0.50 N | В | 0.75 N | <b>C</b> 1.0 N | D | 1.5 N |
|--|---|--------|---|--------|----------------|---|-------|
|--|---|--------|---|--------|----------------|---|-------|

**29** An object X with mass 2.0 kg is moving with a speed of 4.0 m/s.

Which object has kinetic energy equal to that of object X?

|   | mass of object/kg | speed of object<br>m/s |
|---|-------------------|------------------------|
| Α | 0.50              | 16                     |
| в | 1.0               | 8.0                    |
| С | 8.0               | 2.0                    |
| D | 16                | 1.0                    |

**30** What are the units of work and power?

|   | work  | power |
|---|-------|-------|
| Α | joule | joule |
| В | joule | watt  |
| С | watt  | joule |
| D | watt  | watt  |

**31** When evaporation occurs, molecules escape from the surface of a liquid.

Which molecules escape, and what happens to the average speed of the molecules remaining in the liquid?


|   | escaping molecules | average speed of<br>remaining molecules |
|---|--------------------|-----------------------------------------|
| Α | less energetic     | decreases                               |
| В | less energetic     | increases                               |
| С | more energetic     | decreases                               |
| D | more energetic     | increases                               |

**32** Two identical metal containers are painted. One is painted dull black and the other is painted shiny silver. They contain equal volumes of water and are placed outside on a sunny day.

The temperature of the water in the black container increases more quickly than the temperature of the water in the silver container.


Why does this happen?

- **A** The black container is the better absorber of radiation from the Sun.
- **B** The black container is the better conductor of heat.
- **C** The black container is the better emitter of radiation.
- **D** The black container is the better reflector of radiation from the Sun.




Which diagram represents a wave with twice the frequency and half the amplitude of the wave in diagram 1?

The scales are the same in all the diagrams.




**34** In the diagrams, F is one principal focus of the converging lens.

Which diagram shows the lens being used as a magnifying glass?



**35** A sports field is next to a large school building. A student at the far side of the sports field sees a groundsman hit a pole with a hammer.






After the hammer hits the pole, the student hears two bangs.

Why does the student hear two bangs?


|   | first bang caused by                      | second bang caused by                     |
|---|-------------------------------------------|-------------------------------------------|
| Α | sound of hammer hitting pole              | sound of pole hitting hammer              |
| в | sound reaching the student's left ear     | sound reaching the student's right ear    |
| С | sound reaching student directly           | sound reflected back from school building |
| D | sound reflected back from school building | sound reaching student directly           |

**36** In the circuit, component X is used to control the brightness of the lamp.



What is component X?

- **A** an ammeter
- B a fixed resistor
- **C** a fuse
- D a variable resistor
- 37 There is a current of 3.0 A in a resistor. The potential difference across the resistor is 3.0 V.How much electrical energy is transferred to other forms in 3.0 minutes?
  - **A** 3.0 J **B** 9.0 J **C** 540 J **D** 1620 J
- 38 Which graph shows how the output voltage of an a.c. generator varies with time?



**39** A transformer increases the voltage from a power station in order to transfer electricity along the transmission cables.

How does increasing the voltage affect the current in the cables and how does it affect the efficiency of energy transfer?

|   | current   | efficiency |
|---|-----------|------------|
| Α | decreases | decreases  |
| в | decreases | increases  |
| С | increases | decreases  |
| D | increases | increases  |

**40** There are three different isotopes of hydrogen.

 $^{1}_{1}H$   $^{2}_{1}H$   $^{3}_{1}H$ 

Which statement about the nuclei of these three isotopes is correct?

- **A** They have different numbers of electrons.
- **B** They have the same number of nucleons.
- **C** They have the same number of neutrons.
- **D** They have the same number of protons.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

|       | <pre>NII</pre> | 2            | He  | helium<br>4   | 10           | Ne       | neon<br>20                   | 18  | Ar  | argon<br>40     | 36 | Кr | krypton<br>84   | 54 | Xe             | xenon<br>131     | 86    | Rn               | radon    | 1   |                     |             |                    |    |
|-------|----------------|--------------|-----|---------------|--------------|----------|------------------------------|-----|-----|-----------------|----|----|-----------------|----|----------------|------------------|-------|------------------|----------|-----|---------------------|-------------|--------------------|----|
|       |                |              |     |               |              |          | fluorine<br>19               |     |     |                 |    |    |                 |    |                |                  |       |                  |          | +   |                     |             |                    |    |
|       | N              |              |     |               |              |          | oxygen<br>16                 |     |     | -               |    |    |                 | +  |                |                  |       |                  |          | +   | 116                 | 2           | /emorium<br>_      |    |
|       | >              |              |     |               |              |          | nitrogen<br>14               |     |     | s               |    |    |                 | +  |                |                  |       |                  |          | +   |                     |             | <u>.</u>           |    |
|       | ≥              |              |     |               | 9            | U        | carbon<br>12                 | 14  | Si  | silicon<br>28   | 32 | Ge | germanium<br>73 | 50 | Sn             | tin<br>119       | 82    | Pb               | lead     | 207 | 114<br><b>7</b> 7   | 1 -         | flerovium<br>-     |    |
|       | ≡              |              |     |               | 5            | ш        | boron<br>11                  | 13  | Al  | aluminium<br>27 | 31 | Ga | gallium<br>70   | 49 | In             | indium<br>115    | 81    | 11               | thallium | 204 |                     |             |                    |    |
|       |                |              |     |               |              |          |                              |     |     |                 | 30 | Zn | zinc<br>65      | 48 | Cd             | cadmium<br>112   | 80    | Hg               | mercury  | 201 | 112<br>C            | C           | copernicium<br>-   |    |
|       |                |              |     |               |              |          |                              |     |     |                 | 29 | Cu | copper<br>64    | 47 | Ag             | silver<br>108    | 79    | Au               | gold     | 197 |                     | ק<br>ק      | roentgenium<br>-   |    |
| dno   |                |              |     |               |              |          |                              |     |     |                 | 28 | ïZ | nickel<br>59    | 46 | Pd             | palladium<br>106 | 78    | Ŧ                | platinum | 195 | 110<br>0            | ПS          | darmstadtium<br>–  |    |
| Group |                |              |     |               |              |          |                              |     |     |                 | 27 | ပိ | cobalt<br>59    | 45 | Rh             | rhodium<br>103   | 77    | Ir               | iridium  | 192 | 109                 | IMI         | meitnerium<br>-    |    |
|       |                | <del>.</del> | т   | hydrogen<br>1 |              |          |                              |     |     |                 | 26 | Fе | iron<br>56      | 44 | Ru             | ruthenium<br>101 | 76    | SO               | osmium   | 190 | 108                 | SL          | hassium<br>-       |    |
|       |                |              |     |               |              |          |                              | _   |     |                 | 25 | Mn | manganese<br>55 | 43 | Tc             | technetium<br>-  | 75    | Re               | rhenium  | 186 | 107                 | ВЛ          | bohrium<br>–       |    |
|       |                |              |     |               | -            | ١٢       | 9r                           | lod | ass |                 |    |    | 24              | ŗ  | chromium<br>52 | 42               | Mo    | molybdenum<br>96 | 74       | ×   | tungsten            | 184         | 106<br>2           | bo |
|       |                | Kovi         | Key | atomic number | atomic symbo | omic sym | name<br>relative atomic mass |     |     |                 | 23 | >  | vanadium<br>51  | 41 | qN             | niobium<br>93    | 73    | Та               | tantalum | 181 | 105<br><b>7</b>     | an          | dubnium<br>–       |    |
|       |                |              |     |               |              | atc      | rel                          |     |     |                 | 22 | F  | titanium<br>48  | 40 | Zr             | zirconium<br>91  | 72    | Ŧ                | hafnium  | 178 | 104<br>2            | Y           | rutherfordium<br>- |    |
|       |                |              |     |               |              |          |                              | 1   |     |                 | 21 | Sc | scandium<br>45  | 39 | ≻              | yttrium<br>89    | 57-71 | lanthanoids      |          |     | 89–103<br>actinoids | actilious   |                    |    |
|       | =              |              |     |               | 4            | Be       | beryllium<br>9               | 12  | Mg  | magnesium<br>24 | 20 | Ca | calcium<br>40   | 38 | Ŋ              | strontium<br>88  | 56    | Ba               | barium   | 137 |                     | r<br>r<br>r | radium<br>-        |    |
|       | _              |              |     |               | с            | :        | lithium<br>7                 | 11  | Na  | sodium<br>23    | 19 | ¥  | potassium<br>39 | 37 | Rb             | rubidium<br>85   | 55    | Cs               | caesium  | 133 | /8<br>- L           | <u> </u>    | francium<br>-      |    |

Lu Iutetium 175 103 Lr Iawrencium Yby Ytterbium 173 102 102 NO mendelevium thulium 101 Md Er 167 100 Fm femium holmium 165 99 99 Dy dysprosium 163 98 Cf Tb 159 97 97 berkelium  $\begin{array}{c|c} & 64 \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ &$ Eu 152 95 95 americium Sm 150 94 94 Du Putonium Pm promethium Np neptunium 144 92 U uranium 238 <sup>00</sup> Nd Praseodymium 141 91 Pa protactinium 231 Cerium 140 90 90 90 232 232 La lanthanum 139 89 89 actinium lanthanoids actinoids

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).