



Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education (9–1)

CHEMISTRY 0971/22

Paper 2 Multiple Choice (Extended)

October/November 2019

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.



1 The rate of diffusion of a gas depends on its molecular mass and the temperature.

Which combination of molecular mass and temperature gives the slowest rate of diffusion?


	molecular mass	temperature
Α	high	high
В	high	low
С	low	high
D	low	low

2 A student is asked to measure the time taken for 0.4g of magnesium carbonate to react completely with 25.0 cm³ of dilute hydrochloric acid.

Which pieces of apparatus does the student need?

- A balance, stop-clock, pipette
- **B** balance, stop-clock, thermometer
- C balance, pipette, thermometer
- D stop-clock, pipette, thermometer
- **3** Substance Q was investigated using chromatography.

The chromatogram is shown. The diagram is not drawn to scale.



What is the R_f value of Q?

A 0.60

B 0.64

C 0.69

D 0.72

4	Wh	ich statement at	oout	an ionic	compoun	d is	s not corr	rect?			
	Α	It conducts elec	ctrici	ty when o	dissolved	lin	water.				
	В	It has a high melting point due to strong attractive forces between ions.									
	С	It has a regular lattice of oppositely charged ions in a 'sea of electrons'.									
	D	The ionic bond	s are	formed	between	me	etallic and	l non-m	etal	lic elements.	
5	Wh	at is the total nu	mbe	r of elect	rons in o	ne	molecule	of amn	noni	a, NH₃?	
	Α	6	В	8	(С	10		D	11	
6	Rub	oidium has two i	soto	oes, ⁸⁵ Rb	and ⁸⁷ l	₹b					
	Wh	ich statement ex	kplaii	ns why bo	oth isoto _l	oes	have the	same	chei	mical propertie	s?
	Α	They have the	sam	e numbe	r of proto	ns.					
	В	They have the	sam	e numbe	r of outer	sh	ell electro	ons.			
	С	They have diffe	erent	numbers	of neutr	ons	3.				
	D	They have diffe	erent	mass nu	mbers.						
7	Wh	ich statement at	out	the struc	ture and	pro	perties o	f silicon	ı(IV)	oxide is not o	orrect?
	A	It has a giant s	truct	ure simila	ar to that	of o	diamond.				
	В	It has a high m	eltin	g point du	ue to the	stro	ong attrac	ctive for	ce b	etween molec	ules.
	С	There are stror	ng cc	valent bo	onds betv	vee	en silicon	and ox	yger	٦.	
	D	There are no free electrons, so $\operatorname{silicon}(\operatorname{IV})$ oxide does not conduct electricity.									
8	Wh	Which statement describes the structure of copper?									
	Α	It has a lattice of negative ions in a 'sea of electrons'.									
	В	It has a lattice of negative ions in a 'sea of protons'.									
	С	It has a lattice of positive ions in a 'sea of electrons'.									
	D	It has a lattice of positive ions in a 'sea of protons'.									
9	Pho	Phosphorus reacts with oxygen to form phosphorus(III) oxide as shown.									
	$4P(s) + 3O_2(g) \rightarrow 2P_2O_3(s)$										
	Wh	ich mass of pho	spho	orus(III) c	oxide is p	rod	luced fror	m 6.2 g	of p	hosphorus?	
	Α	1.1 g	В	5.5 g	(С	11.0 g		D	22.0 g	

10 Calcium carbonate is heated. Calcium oxide and carbon dioxide gas are formed.

The equation for the reaction is shown.

$$CaCO_3 \rightarrow CaO + CO_2$$


225 kg of calcium carbonate is heated until there is no further change in mass.

The yield of calcium oxide is 85 kg.

What is the percentage yield?

- **A** 37.8%
- **B** 47.2%
- **C** 67.5%
- **D** 85.0%

11 The diagram shows a simple cell.



Which pair of metals produces the largest voltage?

	metal P	metal Q	
Α	magnesium	iron	
В	magnesium	copper	
С	zinc	iron	
D	zinc	copper	

12 What are the ionic half-equations for the electrode reactions during the electrolysis of concentrated aqueous sodium chloride?

	anode	cathode		
Α	$Cl_2 + 2e^- \rightarrow 2Cl^-$	$H_2 \rightarrow 2H^+ + 2e^-$		
В	$2Cl^- \rightarrow Cl_2 + 2e^-$	$2H^{+} + 2e^{-} \rightarrow H_{2}$		
С	$H_2 \rightarrow 2H^+ + 2e^-$	$Cl_2 + 2e^- \rightarrow 2Cl^-$		
D	$2H^{+} + 2e^{-} \rightarrow H_{2}$	$2Cl^- \rightarrow Cl_2 + 2e^-$		

13 The temperature of the water in two beakers, X and Y, is measured as 21.5 °C.

5 g of sodium chloride is dissolved in the water in beaker X. The temperature changes to 18.0 °C.

5 g of calcium oxide is dissolved in the water in beaker Y. The temperature changes to 29.4 °C.

Which types of process are occurring in beakers X and Y?

	Х	Y	
Α	endothermic	endothermic	
В	endothermic	exothermic	
С	exothermic	endothermic	
D	exothermic	exothermic	

- 14 Which gases are used to generate electricity in a fuel cell?
 - A carbon dioxide and oxygen
 - **B** hydrogen and methane
 - C hydrogen and oxygen
 - **D** methane and carbon dioxide
- **15** Which row identifies a chemical and a physical change?

	chemical change	physical change	
Α	boiling ethanol	burning ethanol	
В	burning ethanol	evaporating ethanol	
С	dissolving ethanol in water	burning ethanol	
D	evaporating ethanol	dissolving ethanol in water	

16 A sample of dilute nitric acid is added to lumps of limestone in a conical flask. The conical flask is placed on a balance and the loss in mass is measured.

A second sample of nitric acid of a different concentration is separately tested. All other conditions are kept the same.

The loss in mass in 1 minute at each concentration of nitric acid is shown.

concentration in mol/dm ³	loss in mass in 1 minute/g
0.5	0.15
1.0	0.25

Which row describes and explains the results obtained using 1.0 mol/dm³ nitric acid compared with 0.5 mol/dm³ nitric acid?

	description	explanation
Α	decrease in reaction rate	decrease in particle collision energy
В	decrease in reaction rate	increase in particle collision rate
С	increase in reaction rate	increase in particle collision rate
D	increase in reaction rate	increase in particle collision rate and collision energy

17 When carbon monoxide reacts with hydrogen, methanol is formed.

$$CO(g) + 2H_2(g) \rightleftharpoons CH_3OH(g)$$

The forward reaction is exothermic.

Which statements are correct?

- 1 There are more moles of gas on the left-hand side of the reaction.
- 2 Increasing the temperature increases the amount of methanol at equilibrium.
- 3 Increasing the pressure increases the amount of methanol at equilibrium.
- Increasing the initial amount of hydrogen decreases the amount of methanol at equilibrium.

A 1 and 2 only B 1 and 3 only C 2 and 4 only D 3 and 4 only

18 In the blast furnace, iron is formed when iron(III) oxide reacts with carbon monoxide in a redox reaction.

$$Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$$

Which substance is the oxidising agent and which substance is the reducing agent?

	oxidising agent	reducing agent
Α	СО	Fe_2O_3
В	CO ₂	Fe
С	Fe	CO_2
D	Fe_2O_3	СО

- 19 Which oxide is classified as an amphoteric oxide?
 - A aluminium oxide
 - B calcium oxide
 - C copper(II) oxide
 - D nitrogen oxide
- **20** Which statement describes the properties of hydrochloric acid?
 - A Carbon dioxide is produced when limestone reacts with hydrochloric acid.
 - **B** Hydrogen is produced when sodium hydroxide reacts with hydrochloric acid.
 - C Methyl orange turns yellow in strong hydrochloric acid.
 - **D** Red litmus paper turns blue when dipped into hydrochloric acid.

- **21** A method used to make copper(II) sulfate crystals is shown.
 - 1 Place dilute sulfuric acid in a beaker.
 - 2 Warm the acid.
 - 3 Add copper(II) oxide until it is in excess.
 - 4 Filter the mixture.
 - 5 Evaporate the filtrate until crystals start to form.
 - 6 Leave the filtrate to cool.

What are the purposes of step 3 and step 4?

	step 3	step 4
Α	to ensure all of the acid has reacted	to obtain solid copper(II) sulfate
В	to ensure all of the acid has reacted	to remove the excess of copper(II) oxide
С	to speed up the reaction	to obtain solid copper(II) sulfate
D	to speed up the reaction	to remove the excess of copper(II) oxide

22 Lead(II) sulfate is an insoluble salt.

Which reaction produces a mixture from which lead(II) sulfate is obtained by filtration?

- A adding solid lead(II) carbonate to dilute sulfuric acid
- **B** adding solid lead(II) hydroxide to dilute sulfuric acid
- **C** adding metallic lead to dilute sulfuric acid
- **D** adding aqueous lead(II) nitrate to dilute sulfuric acid
- 23 Helium is a noble gas.

Which statement about helium is correct?

- **A** It has eight electrons in its outer shell.
- **B** It is a diatomic gas.
- C It is reactive.
- **D** It is used for filling balloons.

- 24 Which pair of elements reacts together most violently?
 - A chlorine and lithium
 - B chlorine and potassium
 - C iodine and lithium
 - **D** iodine and potassium
- **25** Iron(II) ions can be oxidised to iron(III) ions by hydrogen peroxide.

Which statement explains why iron is a transition element?

- A Iron is a transition element because it can be oxidised.
- **B** Iron is a transition element because it has variable oxidation states.
- **C** Iron is a transition element because it takes part in redox reactions.
- **D** Iron is a transition element because it reacts with chlorine.
- **26** Some properties of substance X are listed.
 - It conducts electricity when molten.
 - It has a high melting point.
 - It burns in oxygen and the oxide dissolves in water to give a solution with pH 11.

What is X?

- A a covalent compound
- B a macromolecule
- C a metal
- **D** an ionic compound
- 27 Which row describes the uses of aluminium, copper and mild steel?

	aluminium	copper	mild steel
Α	aircraft bodies	electrical wiring	car bodies
В	car bodies	cooking utensils	electrical wiring
С	electrical wiring	aircraft bodies	food containers
D	food containers	aircraft bodies	cooking utensils

- **28** The properties of four metals are listed.
 - Metal W does not react with dilute hydrochloric acid.
 - Metal X reacts with dilute hydrochloric acid.
 - Metal Y displaces metal X from an aqueous solution of its ions.
 - Metal Z reacts with water and dilute hydrochloric acid.

What is the order of reactivity of the metals?

	most reactive		-	least reactive
A	W	X	Υ	Z
В	W	Υ	Х	Z
С	Z	X	Y	W
D	Z	Υ	X	W


- 29 Which statement about the extraction of aluminium from aluminium oxide is correct?
 - **A** Aluminium is formed at the positive electrode during electrolysis.
 - **B** Pure aluminium oxide is dissolved in molten cryolite.
 - **C** Pure aluminium oxide is electrolysed using aluminium as the positive electrode.
 - **D** Pure aluminium oxide is heated with carbon to form carbon dioxide and aluminium.
- **30** River water contains soluble impurities, insoluble impurities and bacteria.

River water is made safe to drink by filtration and chlorination.


Which statement is correct?

- A Filtration removes bacteria and insoluble impurities, and chlorination removes soluble impurities.
- **B** Filtration removes insoluble impurities, and chlorination kills the bacteria.
- **C** Filtration removes soluble and insoluble impurities, and chlorination kills the bacteria.
- **D** Filtration removes soluble impurities and bacteria, and chlorination removes insoluble impurities.


- 31 Which process is used to separate nitrogen and oxygen from air?
 - **A** chromatography
 - **B** evaporation
 - **C** filtration
 - **D** fractional distillation
- **32** The apparatus shown is set up and left for a week.



Which diagram shows the level of the water at the end of the week?



33 The diagram represents an outline of the carbon cycle.



Which processes are X and Y?

	Х	Y
Α	combustion	respiration
В	decomposition	respiration
С	photosynthesis	combustion
D	respiration	combustion

34 Ammonium sulfate is used as a fertiliser.

It is made from ammonia and sulfuric acid.

Which words complete gaps 1, 2 and 3?

The1..... is made by the2..... process in which3..... is used as a catalyst.

	1	2	3
Α	ammonia	Contact	iron
В	ammonia	Haber	vanadium(V) oxide
С	sulfuric acid	Contact	vanadium(V) oxide
D	sulfuric acid	Haber	iron

- 35 Which statement about limestone and lime is correct?
 - **A** Limestone combines with water to produce slaked lime.
 - **B** Lime is obtained from limestone by oxidation.
 - **C** Lime is used in the desulfurisation of flue gases.
 - **D** Lime is used in the treatment of alkaline soil.
- **36** Some fractions obtained from petroleum are listed.

	fraction	use	position collected in the fractionating column
1	gasoline	waxes and polishes	below refinery gas
2	bitumen	making roads	above kerosene
3	kerosene	jet fuel	below gasoline
4	refinery gas	heating and cooking	above gasoline

Which rows are correct?

- **A** 1, 3 and 4
- **B** 2, 3 and 4
- C 3 and 4 only
- **D** 4 only
- **37** Which products are obtained by the cracking of an alkane?

	alkene	hydrogen	water
Α	✓	✓	✓
В	✓	✓	X
С	✓	X	✓
D	X	✓	✓

38 Ethanol is produced by fermentation or by the reaction of ethene with steam.

Which row is correct?


	by fermentation	from ethene
Α	uses a temperature of 100 °C	uses a temperature of 350 °C
В	needs yeast as a catalyst	does not need a catalyst
С	very slow reaction	very fast reaction
D	high yield of ethanol	low yield of ethanol

39 The diagram shows the structure of a monomer and of the polymer made from it.

What are the monomer and polymer?

	monomer	polymer
Α	ethane	poly(ethane)
В	ethane	poly(ethene)
С	ethene	poly(ethane)
D	ethene	poly(ethene)

40 The structure of a naturally occurring polymer, X, is shown.



What is X?

A an amino acid

B a carbohydrate

C a protein

D a sugar

15

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	=	2	He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	kryptor 84	54	Xe	xenon 131	86	R	radon			
	=				6	ட	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	Αţ	astatine _			
					8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ъ	polonium –	116	^	livermorium -
	>				7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth 209			
	≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
	=				2	Ш	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	g	cadmium 112	80	Η̈́	mercury 201	112	ပ်	copernicium
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium
Group											28	Z	nickel 59	46	Pd	palladium 106	78	₫	platinum 195	110	Ds	darmstadtium -
Gro											27	ပိ	cobalt 59	45	Rh	rhodium 103	77	٦	iridium 192	109	Mt	meitnerium -
		_	I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium -
											25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
						loc	SS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>n</u>	tantalum 181	105	В	dubnium
					to	ato	rela				22	j	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	峜	rutherfordium -
								_			21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				8	:=	lithium 7	11	Na	sodium 23	19	メ	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ŭ	francium

71	Γn	lutetium 175	103	Ļ	lawrencium	I
70	Υb	ytterbium 173	102	Š	nobelium	I
69	Ħ	thulium 169	101	Md	mendelevium	-
89	Щ	erbium 167	100	Fm	fermium	_
29	웃	holmium 165	66	Es	einsteinium	-
99	ò	dysprosium 163	86	ರ	californium	I
65	Д	terbium 159	97	益	berkelium	I
64	gq	gadolinium 157	96	Cm	curium	ı
63	En	europium 152	92	Am	americium	_
62	Sm	samarium 150	94	Pu	plutonium	-
61	Pm	promethium -	93	ď	neptunium	-
09	PN	neodymium 144	92	\supset	uranium	238
29	Ā	praseodymium 141	91	Ра	protactinium	231
58	Ce	cerium 140	06	드	thorium	232
22	La	lanthanum 139	68	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).