



GCE

Geology

Unit **F791**: Global Tectonics

Advanced Subsidiary GCE

Mark Scheme for June 2018

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.


All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.


Mark schemes should be read in conjunction with the published question papers and the report on the examination.


© OCR 2018


Annotations

Annotation	Meaning
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument


Question			Answer	Mark	Guidance
1	(a)	(i)	Bedding plane, joint and bed correctly labelled 	3	Joint label must end on a fracture at 90° to bedding Bed needs to be bracketed or have a clear label to the middle of a bed. Bedding plane must clearly divide separate beds
		(ii)	axial plane labelled	1	Axial plane should dip steeply to left ALLOW vertical axial plane DO NOT ALLOW axial plane dipping to right
			name: anticline	1	ALLOW antiform (spelled correctly)
		(iii)	description: <ul style="list-style-type: none"> • asymmetrical • axial plane dipping (steeply) to left / near vertical • interlimb angle dipping at 70-95° degrees / open / closed • left limb dipping at 30-45° / right limb dipping at 55-65° • beds similar thickness 	any 1	DO NOT ALLOW vertical axial plane ALLOW: open or closed antiform
		(iv)	compression / compressional / compressive	1	

Question	Answer	Mark	Guidance
(b)	<p>Ooliths were originally spherical / circular in shape AND after deformation they become ellipsoid / elongated / oval;</p> <p>Undeformed fossils / ooliths are used to establish original shape and then the amount of and direction of deformation can be analysed;</p>	<p>1 1</p>	<p>Max 1 if only ooliths or fossils discussed ALLOW diagrams marked as text ALLOW Fossils / ooliths elongated perpendicular to maximum compression Accepted fossil references include trilobites, belemnites, 'Delabole butterfly' (<i>Cyrtospirifer verneuili</i>) etc.</p>
(c)	 <p style="text-align: center;">one complete horst and two grabens</p>	<p>2</p>	<p>Diagram must be labelled</p> <p>All 4 correct labels = 2 1-3 correct labels = 1</p> <p>Downthrow must be labelled on correct side of fault plane</p> <p>Normal fault must have marker bed or two relative movement arrows (on fault plane or on blocks)</p>

Question		Answer	Mark	Guidance
	(d)	 <ul style="list-style-type: none"> • Domes have beds that dip outwards in all directions; • If the top of the dome is eroded away the result will be a series of concentric strata with the oldest rocks in the middle; • Dome is an anticline; • Basin has beds which dip inwards in all directions; • In a basin the youngest rocks are in the centre; • basin is a syncline; <p>explanation: compressional forces (are acting inwards towards the core from all sides)</p>	<p>Any 1</p> <p>Any 1</p> <p>1</p>	<p>Maximum 1 if diagrams only</p> <p>Minimum of 3 dip arrows needed</p> <p>Max 1 for dip arrows correct on dome AND basin</p> <p>Max 1 for dip ages correct on dome AND basin</p> <p>ALLOW labelled compressional arrows drawn on both diagrams (minimum 3).</p>
		TOTAL	14	

Question			Answer	Mark	Guidance
2	(a)	(i)	Spacecraft / satellite / probes / fly-by missions have discovered / observed / measured / photographed / thermally imaged volcanic activity on Io;	1	ALLOW Reference to lava flows / pyroclastic deposits / eruption columns / detection of <u>high</u> heat flow
	(b)	(i)	radiometric dating;	1	DO NOT ALLOW reference to metamorphism DO NOT ALLOW crust is renewed / replaced as alternative to re-cycled ALLOW crust being destroyed AND created / produced as alternative to re-cycled
		(ii)	Earth surface was initially molten; original surface / original crust / original rocks destroyed by crustal processes of erosion / re-cycling;	2	
	(c)		Mercury Mars Saturn Venus Uranus	2	4-5 correct = 2 marks 1-3 correct = 1 mark
(d)	(i)		2	Must have all three correct for 2 marks 1-2 correct = 1 mark ACCEPT Gutenberg discontinuity drawn at 2900km	
	(ii)	It is a phase boundary between materials of the same composition but in different states; It is a zone of about 100km where the material changes from all liquid (in the outer core) through a liquid-solid mix to all solid (in the inner core);	max 1		

Question		Answer	Mark	Guidance
	(e)	1-5% of rock is melted; incomplete melting of rock (in crust / upper mantle); some of the minerals melt to form magma; where a proportion of the minerals (will have a lower melting point, allowing them to) melt while the rest remain solid;	1	ALLOW up to 10% melted
	(f)	(i) lithosphere	1	DO NOT ALLOW semi-molten
		(ii) solid / rigid / brittle	1	
		(iii) (1-10%) partially molten / rheid / plastic / solid that flows / ductile	1	
	(g)	(i) 7.5°C/km	1	$\frac{750}{100} = 7.5$
		(ii) 2.2°C/km	1	$\frac{1400 - 750}{400 - 100} = \frac{650}{300} = 2.166666$
		(iii) The mantle is heated by radioactive decay in the core; The heated mantle rock moves up towards the crust away from the core (as it is less dense); The cooler mantle rock near the crust sinks towards the core (as it is more dense); convection currents / convection cells cause the movement of (mantle) material, to transfer heat;	max 2	ACCEPT 2.17 / 2.167 °C/km DO NOT ACCEPT 2.1 °C/km DO NOT ACCEPT 2.16 °C/km without recurring symbol! ALLOW reference to mantle plumes ALLOW slab-pull v ridge push (max 1) DO NOT ALLOW magma instead of mantle (material)
TOTAL			17	

Question			Answer	Mark	Guidance
3	(a)	(i)	5 points plotted correctly; 	2	IGNORE best fit line, if drawn 5 points plotted correctly = 2 marks 3 – 4 points plotted correctly = 1 mark
		(ii)	Mid Ocean Ridge marked on graph	1	Point / line indicated on the graph
		(iii)	50Ma	1	70Ma – 20Ma = 50Ma
	(b)		2cm/yr	1	$3,800,000,000\text{mm}/190,000,000\text{yr} = 20\text{mm/yr}$ $3800\text{km}/190\text{Ma} = 3800\text{mm}/190\text{yr} = 20\text{mm/yr} = 2\text{cm/yr}$
	(c)		labels to include: continental crust OR plate OR lithosphere; oceanic crust OR plate OR lithosphere; asthenosphere; (deep ocean / deep sea) trench subduction zone / Benioff zone rising magma volcanoes partial melting batholith fold mountains ophiolites / accretionary prism / accretionary wedge direction of plate movement	max 3	6 correct labels = 3 marks 4-5 correct labels = 2 marks 2-3 correct labels = 1 mark At least half of earthquake foci must be on top edge of subducting plate Two arrows needed

Question		Answer	Mark	Guidance
	(d)	hot springs / hydrothermal vents / high speed jets of very hot solutions; can reach 350°C; rich in sulphur / copper / iron / zinc / gold; bacteria can aid formation of ore minerals; metals / metal sulphides / ore minerals can precipitate; resultant structure is called a chimney; situated along MORs / hotspots;	max 1	any 2 for 1 mark ACCEPT any correct named ore mineral (e.g. Chalcopyrite)
	(e)	oceanic crust is destroyed / subducted; subduction along the Pacific rim / subduction at deep ocean trenches; ocean crust / lithosphere / plate is more dense than continental crust lithosphere / plate and so it subducts; complete cycle is called a "Wilson Cycle"	max 2	ALLOW convergent plate margin as AW for Pacific Rim ALLOW ridge push OR slab pull as AW ALLOW continental crust is less dense and so does not subduct
	(f)	no subduction OR plate(s) not subducting OR plate(s) not subducted ; continental plates are of similar density continental crust increases in thickness (>35km); viscous / silicic magma generated; granite batholiths formed;	1 Any 1	Must be spelled correctly ALLOW the base of the crust does melt but the main obstacles are the great depth and high viscosity of that silicic magma
TOTAL			13	

Question		Answer	Mark	Guidance
4	(a)	continental shelf major rift valley (and rift system) deep sea trench seamount	3	all 4 correct = 3 marks 2-3 correct = 2 marks 1 correct = 1 mark
	(b)	Continental shelf exposed when sea levels fall ORA sea level change due to isostatic re-adjustment OR climate change sea level rise due to melting ice / glaciers OR increased MOR activity OR increased sediment input sea level fall due to formation of glaciers / ice sheets OR decreased MOR activity	2	Max 1 for discussion of sea level rise and sea level fall Max 1 for general comment about deposition increasing the amount of dry land exposed on the continental shelf OR erosion decreasing the amount of dry land exposed on the continental shelf ALLOW reference to continental break up as alternative to increased MOR activity.
	(c)	heat flow anomalies; <u>chains</u> of volcanoes / island arcs; (deep ocean) trenches; rift valleys; gravity anomalies; fold mountains / fold mountain belts / fold mountain chains;	max 3	
TOTAL			8	

Question		Answer	Mark	Guidance
5	(a)	<p>none of the techniques are reliable / accurate OR a combination of techniques needed OR very little prior warning possible</p> <p>seismic gap theory description:</p> <ul style="list-style-type: none"> • map earthquakes along a fault / measure timing of historical earthquakes • a gap between active areas along a fault line <p>explanation:</p> <ul style="list-style-type: none"> • fault is locked and stress increases ORA • areas with no earthquakes will have stored stress • earthquake is more likely in a locked zone <p>changes in ground levels description:</p> <ul style="list-style-type: none"> • the area around the earthquake focus may tilt / distances between two points may change • deformation / strain recorded by tilt meters / lasers / stress meters / strain gauges <p>explanation:</p> <ul style="list-style-type: none"> • due to stress in the ground / strain in rocks / deformation • ground swelling due to microcracks <p>measuring radon gas emissions description:</p> <ul style="list-style-type: none"> • radon levels increase (prior to earthquake) <p>explanation:</p> <ul style="list-style-type: none"> • radon percolates up through microcracks • as a heavy gas radon accumulates in water wells • new pathways are opening up for the gas 	<p>1</p> <p>Max 3</p> <p>Max 3</p> <p>Max 3</p>	<p>Max 1</p> <p>Any correctly named method = 1 mark</p> <p>At least three methods to be discussed</p> <p>Answers must include description and explanation to achieve 3 marks</p> <p>ALLOW energy / stress is transferred along fault line (e.g. North Anatolian Fault)</p> <p>maximum 3 marks if only one method discussed</p> <p>maximum 6 marks if only two methods discussed</p>

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2018

 **Cambridge
Assessment**

