

Mark Scheme (Results)

Summer 2013

International GCSE Mathematics (4MA0) Paper 2FR





Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at <u>www.edexcel.com</u>.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2013 Publications Code UG036359 All the material in this publication is copyright © Pearson Education Ltd 2013

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.
- Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

• Types of mark

- M marks: method marks
- A marks: accuracy marks
- B marks: unconditional accuracy marks (independent of M marks)

Abbreviations

- $\circ~$ awrt answers which round to.....
- \circ cao correct answer only

- ft follow through
- isw ignore subsequent working
- o SC special case
- oe or equivalent (and appropriate)
- dep dependent
- indep independent
- eeoo each error or omission

No working

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

• With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra. Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

• Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Apart from Question 22 (where the mark scheme states otherwise) the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method.

Question Number	Working	Answer	Mark	Notes
1 (a)		9012	1	B1
(b)(i)	1209 1902	2091 2109 2901	5	B1
(ii)	two thousa	nd and ninety one		B1 Accept 2 for 'two' and 1 for 'one'. Condone omission of 'and'.
(iii)		1902		B1
(iv)		2091 2109		B1 in either order
(v)		693		B1 Accept –693
				Total 6 marks

2 (a)		12	1	B1	Сао
(b)		6	1	B1	сао
(C)		Egypt	1	B1	Condone spelling errors
(d)		\boxtimes	1	B1	for 2 complete symbol + 1 incomplete symbol < 1/2
(e)	20 ÷ 5 (4) or 3 × 20 (60)		2	M1	for 20 ÷ 5 (4) or 3 × 20 (60)
		12		A1	сао
					Total 6 marks

3	(a)(i)	chord	2	B1
		segment		B1
	(b)	clear attempt to draw a tangent	1	B1
				Total 3 marks

4	(a)		8.35	1	B1	сао
	(b)		8.32	1	B1	сао
	(c)(i)	clear indication between 8.36 & 8.37		3	B1	
			8.36			

(ii)	hundredths	B1 Also accept $\frac{1}{100}$, 0.01, 6 hundredths, $\frac{6}{100}$, 0.06
(iii)	8	B1
		Total 5 marks

5	(a)	486	1	B1	сао
	(b)	eg multiply by 3	1	B1	
					Total 2 marks

6	(a)		rhombus	1	B1	
()	b)(i)		48	2	B1	Accept 46-50 inc
	(ii)		acute		B1	
	(c)	5.3 × 4 oe		2	M1	Accept 5.1 – 5.5 instead of 5.3
			21.2		A1	Accept 20.4 – 22
						Total 5 marks

7	(a)		78	1	B1	сао
	(b)	$eg \frac{22}{100} \times 41$, $\frac{22}{100} \times 41000000$		2	M1	
			9		A1	Also accept 9.0, 9.02, 9 000 000, 9 020 000
	(c)		0.06	1	B1	Accept .06
						Total 4 marks

8	(a)		7	1	B1	сао
	(b)	3y = 1 - 7 or $3y = -6$		2	M1	
			-2		A1	сао
						Total 3 marks

9 (a)	$\frac{1}{10}$	1	B1	
-------	----------------	---	----	--

(b)	1	1	B1	Accept $\frac{10}{10}$ or $\frac{1}{1}$	Penalise only first
(c)	$\frac{7}{10}$	2	M1 A1	for fraction with a denominator of 10 for $\frac{7}{10}$	offy first occurrence of incorrect notation.
(d)	$\frac{6}{10} + \frac{3}{10}$ oe	2	M1		
	$\frac{9}{10}$		A1		
				Т	otal 6 marks

10 (a)(i)		(4, 5)	2	B1	сао
(ii)		(2, -1)		B1	сао
(b)(i)		x at (7, 4)	2	M1	Allow <u>+</u> 2 mm Condone omission of label
(ii)	re	ectangle drawn		A1	dep on M1
(C)		2	1	B1	
(d)		(3, 2)	2	B2	B1 for 3 B1 for 2
					Total 7 marks

11	12 × 7		2	M1	
		84		A1 cao	
					Total 2 marks

12 (a)		27	1	B1	сао
(b)(21.952	2	B1	
(ii)		21.95		B1	ft from (i) if 3 or more dp
(c)(83		3	M1	for 0.49 seen
	$\overline{0.49}$				
		169.3877551		A1	Accept 1 or more dp rounded or
					truncated

ſ	(ii)	170	B1	ft from (i) if 1 or more dp
				Total 6 marks

13	opposite angle is 109°		3	M1	May be stated or marked on diagram	Alternatively
	$\frac{360 - 2 \times 109}{2}$			M1		M2 for 180 – 109
		71		A1		
						Total 3 marks

14	(a)	6 × 2 + 5 × 3 or 12 + 15		2	M1	for correct substitution
			27		A1	сао
	(b)	6 × (-5 + 2) or 6 × -3 or -30 + 12		2	M1	for correct substitution with × sign or for correct evaluation of brackets
			-18		A1	сао
						Total 4 marks

15	(a)	$\frac{12}{20}$		2	M1 for $\frac{12}{20}$ or $\frac{6}{10}$
			$\frac{3}{5}$		A1 cao
	(b)	12:8 oe		2	M1
			1.5 oe		A1
					Total 4 marks

						Total 2 marks
	2 to the left and 1 up or	$\begin{pmatrix} -2\\1 \end{pmatrix}$		B1		the answer is not a single transformation
16	transl	ation	2	B1	translated,	These marks are independent but award no marks if

17 (a)	$\frac{50}{2}$ or 25 or $\frac{51}{2}$ or 25.5 or list of all scores		2	M1	
		6		A1	сао
(b)(i)	3 × 2 + 4 × 5 + 5 × 14 + 6 × 19 + 7 × 10 or 6 + 20 + 70 + 114 + 70 or 280		3	M1	for sum of products condone 1 error
	"280″ ÷ 50			M1	(dep) for division by 50
		5.6		A1	cao Also accept 6 if both method marks scored and 5 following 5.6
(ii)		5	1	B1	ft from their (b)(i)
					Total 6 marks

18 (a)(i)	$\frac{15}{100} \times 280$ or 42		6	M1		$\frac{M2 \text{ for}}{\frac{85}{100} \times 280}$
	280 – "42"			M1	dep	
		238		A1	сао	
(ii)	$\frac{24}{0.15}$ or $24 \times \frac{100}{15}$			M2	for $\frac{24}{0.15}$ or $24 \times \frac{24}{15}$ M1 for $\frac{24}{15}$ or 1.6	
		160		A1	сао	
(b)	2 + 3 or 5		3	M1	5 may be denom fraction or coeffic equation such as 5x = 320	cient in an
	$\frac{320}{5}$ or 320 ÷ "5" or 64 or $\frac{7}{5}$ oe			M1	dep	
		448		A1	Also award for 12	28:192:448
						Total 9 marks

19	(a)(i)	$\angle ABC = 68^{\circ} \text{ or } \angle BCD = 112^{\circ}$		4	M1	May be stated o diagram	r marked on
			68		A1	сао	
	(ii)	360 - (67 + 112 + "68" + 74)			M1		
			39		A1	ft from their (a) Award 2 marks (ii) is 107 – ans	if the answer to
	(b)	$(5 - 2) \times 180$ or 3×180 or $(2 \times 5 - 4) \times 90$ or 6×90 or 360 + 180 or $(180-67) + (180-112)+ (180-68'') + (180-74) + (180-74) + (180-39'')$		2	M1	Condone 1 incor	roct intorior
		or $113 + 68 + 112 + 106 + 141$				angle	
			540		A1	Cao SC B1 for 108	
							Total 6 marks
20	(i)		−1 <u><</u> <i>x</i> < 3	4	B2	B1 or either -1 x < 3 as a final	
	(ii)		-1 0 1 2		B2	B1 for 4 correct or for 3 correct	
							Total 4 marks
21		tan chosen		3	M1	for tan chosen	M1 for sin and
		$\frac{3.8}{5.2}$ or 0.7307			A1	for $\frac{3.8}{5.2}$	$\frac{3.8}{\sqrt{"41.48"}}$
						or 0.7307 oe	following correct Pythagoras and A1 for 0.5900
			36.2		A1	for answer roun	-
							Total 3 marks

5x = 87 - 32 or $3x + 2x = 55$ x terms on one side and numbers on the other AND correct collection of terms on at least one side or for correct collection to 2 terms444for correct rearrangement with y terms on one side and numbers on the other e.g. $3x + 2x = 87 - 32$ 000000111111	22	3x + 32 = 87 - 2x			M1 for $3x + 32 = 87 - 2x$
method mark scored and answer i 11		5x = 87 - 32 or		4	numbers on the other AND correct collection of terms on at least one side or for correct collection to 2 terms M1 for correct rearrangement with <i>y</i> terms on one side and numbers on the other e.g 3x+2x=87-32 or correct collection and simplification of either numbers or <i>x</i> terms eg. $5x+32=87$ or $5x$
Total 4 mar			11		method mark scored and answer is
					Total 4 marks

		TOTAL: 100 MARKS

www.xtrapapers.com

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467 Fax 01623 450481 Email <u>publication.orders@edexcel.com</u> Order Code UG036359 Summer 2013

For more information on Edexcel qualifications, please visit our website www.edexcel.com

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE





