



Mark Scheme (Results)

January 2014

International GCSE

Biology (4BI0) Paper 1B

Science Double Award (4SC0) Paper 1B

Edexcel Level 1/Level 2 Certificates

Biology (KBI0) Paper 1B

Science (Double Award) (KSC0) Paper 1B

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2014

Publications Code UG037582

All the material in this publication is copyright

© Pearson Education Ltd 2014

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question number	Answer	Notes	Marks																											
1	<table border="1"> <thead> <tr> <th data-bbox="296 472 544 607" rowspan="2">Feature of organism</th> <th colspan="3" data-bbox="544 472 995 533">Type of organism</th> </tr> <tr> <th data-bbox="544 533 711 607">Bacteria</th> <th data-bbox="711 533 863 607">Fungus</th> <th data-bbox="863 533 995 607">Virus</th> </tr> </thead> <tbody> <tr> <td data-bbox="296 607 544 719">have a protein coat</td> <td data-bbox="544 607 711 719">(x)</td> <td data-bbox="711 607 863 719">(x)</td> <td data-bbox="863 607 995 719">(✓)</td> </tr> <tr> <td data-bbox="296 719 544 831">all are pathogens</td> <td data-bbox="544 719 711 831">x</td> <td data-bbox="711 719 863 831">x</td> <td data-bbox="863 719 995 831">✓;</td> </tr> <tr> <td data-bbox="296 831 544 943">cell walls made of chitin</td> <td data-bbox="544 831 711 943">x</td> <td data-bbox="711 831 863 943">✓</td> <td data-bbox="863 831 995 943">x;</td> </tr> <tr> <td data-bbox="296 943 544 1055">contain DNA in a nucleus</td> <td data-bbox="544 943 711 1055">x</td> <td data-bbox="711 943 863 1055">✓</td> <td data-bbox="863 943 995 1055">x;</td> </tr> <tr> <td data-bbox="296 1055 544 1120">respire</td> <td data-bbox="544 1055 711 1120">✓</td> <td data-bbox="711 1055 863 1120">✓</td> <td data-bbox="863 1055 995 1120">x;</td> </tr> </tbody> </table>	Feature of organism	Type of organism			Bacteria	Fungus	Virus	have a protein coat	(x)	(x)	(✓)	all are pathogens	x	x	✓;	cell walls made of chitin	x	✓	x;	contain DNA in a nucleus	x	✓	x;	respire	✓	✓	x;	Tick cross hybrid = 0	4
Feature of organism	Type of organism																													
	Bacteria	Fungus	Virus																											
have a protein coat	(x)	(x)	(✓)																											
all are pathogens	x	x	✓;																											
cell walls made of chitin	x	✓	x;																											
contain DNA in a nucleus	x	✓	x;																											
respire	✓	✓	x;																											
			Total 4 Marks																											

Question number	Answer	Notes	Marks
2 (a)	1. repeated / 3 readings / 3 times / average / more than once / eq; 2. similar (pattern for red / for green); 3. anomaly ignored in calculation of average for blue light;		Max 2
(b)	measuring cylinder / syringe / scale on the side / eq;	Ignore measure volume	1
(c)	colour / wavelength of light;	Light alone = 0	1
(d)	1. mass of plant / size of plant / length of plant / amount of plant; 2. species of plant / type of plant / same plant; 3. age of plant; 4. temperature (of water) / room temperature; 5. mass/amount of sodium hydrogen carbonate / conc. of carbon dioxide / eq; 6. volume/amount of water / volume of indicator / eq; 7. light intensity / light duration / eq;	Ignore heat Same size test tube/beaker = 0 Ignore time Ignore same funnel exit	max 3
			Total 7 marks

Question number	Answer	Notes	Marks
3 (a) (i)	lung / lungs;		1
	(ii) 1. gains oxygen / oxygenated /eq; 2. loss of carbon dioxide / eq;	Ignore refs to pressure / velocity Ignore colour change	2
	(b) prevent backflow / eq;		1
(c) (i)	0.3;		1
(ii)	3;		1
(iii)	75;; allow one mark for 0.8 / 24 / 2.4 in working		2
			Total 8 marks

Question number	Answer	Notes	Marks												
4 (a)	<table border="1"> <thead> <tr> <th data-bbox="384 439 660 629">Genotype</th> <th data-bbox="660 439 839 629">Alleles</th> <th data-bbox="839 439 1048 629">Expected number of digits per hand</th> </tr> </thead> <tbody> <tr> <td data-bbox="384 629 660 736">(homozygous dominant)</td> <td data-bbox="660 629 839 736">DD;</td> <td data-bbox="839 629 1048 736">(six)</td> </tr> <tr> <td data-bbox="384 736 660 844">homozygous <u>recessive</u>;</td> <td data-bbox="660 736 839 844">(dd)</td> <td data-bbox="839 736 1048 844">5 / five;</td> </tr> <tr> <td data-bbox="384 844 660 918">(heterozygous)</td> <td data-bbox="660 844 839 918">(Dd)</td> <td data-bbox="839 844 1048 918">6 / six;</td> </tr> </tbody> </table>	Genotype	Alleles	Expected number of digits per hand	(homozygous dominant)	DD;	(six)	homozygous <u>recessive</u> ;	(dd)	5 / five;	(heterozygous)	(Dd)	6 / six;		4
Genotype	Alleles	Expected number of digits per hand													
(homozygous dominant)	DD;	(six)													
homozygous <u>recessive</u> ;	(dd)	5 / five;													
(heterozygous)	(Dd)	6 / six;													
(b)	<table border="1"> <thead> <tr> <th data-bbox="288 925 667 1032">Parent genotypes</th> <th data-bbox="667 925 1048 1032">Probability of child with polydactyly</th> </tr> </thead> <tbody> <tr> <td data-bbox="288 1032 667 1106">(Dd x DD)</td> <td data-bbox="667 1032 1048 1106">1.0;</td> </tr> <tr> <td data-bbox="288 1106 667 1180">(Dd x dd)</td> <td data-bbox="667 1106 1048 1180">(0.5)</td> </tr> <tr> <td data-bbox="288 1180 667 1245">(Dd x Dd)</td> <td data-bbox="667 1180 1048 1245">0.75;</td> </tr> </tbody> </table>	Parent genotypes	Probability of child with polydactyly	(Dd x DD)	1.0;	(Dd x dd)	(0.5)	(Dd x Dd)	0.75;		2				
Parent genotypes	Probability of child with polydactyly														
(Dd x DD)	1.0;														
(Dd x dd)	(0.5)														
(Dd x Dd)	0.75;														
			Total 6 marks												

Question number	Answer	Notes	Marks
5	1. egg (cell) nucleus removed / enucleated / eq; 2. body cell nucleus inserted / adult cell nucleus inserted / eq; 3. electricity / electric shock; 4. cell division / mitosis; 5. <u>embryo</u> ; 6. uterus / womb ; 7. <u>surrogate</u> (mother);	Ignore fetus	5
			Total 5 marks

Question number	Answer	Notes	Marks												
6 (a)	<table border="1"> <thead> <tr> <th data-bbox="279 439 676 490"></th> <th data-bbox="676 439 1050 490">Number</th> </tr> </thead> <tbody> <tr> <td data-bbox="279 490 676 577">the number of different tertiary consumers</td> <td data-bbox="676 490 1050 577">(1)</td> </tr> <tr> <td data-bbox="279 577 676 665">the number of trophic levels</td> <td data-bbox="676 577 1050 665">4;</td> </tr> <tr> <td data-bbox="279 665 676 752">the number of food chains</td> <td data-bbox="676 665 1050 752">4;</td> </tr> <tr> <td data-bbox="279 752 676 840">the number of different predators</td> <td data-bbox="676 752 1050 840">3;</td> </tr> <tr> <td data-bbox="279 840 676 927">the number of different consumers</td> <td data-bbox="676 840 1050 927">7;</td> </tr> </tbody> </table>		Number	the number of different tertiary consumers	(1)	the number of trophic levels	4;	the number of food chains	4;	the number of different predators	3;	the number of different consumers	7;		4
	Number														
the number of different tertiary consumers	(1)														
the number of trophic levels	4;														
the number of food chains	4;														
the number of different predators	3;														
the number of different consumers	7;														

Question number	Answer	Notes	Marks
6 (b) (i)	1. temperature / heat; 2. gravity; 3. moisture / dryness / water / eq;	Ignore food / predators / oxygen / smell	max 2
(ii)	difference for one mark: more in centre / less at edge; reasons for two marks: 1. less light (in centre); 2. reference to predators / humans / eq; 3. more leaf litter/food (in centre); 4. reference to named abiotic factor such as water / temperature;	Allow converse Ignore safer / shelter unqualified More leaf litter to hide from predators = 2	max 3
(iii)	square drawn;	Allow small squares inside a large square	1
			Total 10 marks

Question number	Answer	Notes	Marks
7 (a) (i)	correct reference to <u>oxygen</u> + <u>carbon dioxide</u> ;		1
(ii)	1. large (surface) area; 2. thin / eq; 3. blood supply / capillaries; 4. permeable;	Ignore thin cell <u>walls</u>	max 3

Question number	Answer	Notes	Marks
7 (b) (i)	S – scale linear; L – straight and through points; A – correct way; A – labelled (breathing rate) <u>per minute</u> / (breaths) <u>per minute</u> + °C; P – points plotted accurately;	Ignore extrapolation	5
(ii)	breathing rate higher (in warmer water) / mouth opens more often (at higher temperature) / eq;		1
(iii)	different size may need different amount of oxygen / bigger fish may need more oxygen / different size may have different breathing rates / eq;	Ignore idea of fair test	1
(iv)	1. species / type / eq; 2. age; 3. gender; 4. oxygen level / volume of water / size of tank / number of fish / source of water / light;	Ignore time / size of fish / type of tank / food	max 2
			Total 13 Marks

Question number	Answer	Notes	Marks
8 (a)	protect <u>eyes</u> / prevent blindness / eq;		1
(b)	1. diffusion; 2. high concentration to low concentration / eq;		2
(c)	1;		1
(d) (i)	surface area <u>24</u> unit <u>cm²</u> ;; or surface area <u>2400</u> unit <u>mm²</u> ;;	If number wrong but units cm ² or mm ² = 1	Max 2
(ii)	volume <u>8</u> unit <u>cm³</u> ;; or volume <u>8000</u> unit <u>mm³</u> ;;	If number wrong but units cm ³ or mm ³ = 1	Max 2

Question number	Answer				Notes	Marks
8 (e)		Cube A	Cube B	Cube C		3
	largest surface area	✓;				
	largest surface area to volume ratio			✓;		
	greatest proportion of cube coloured red			✓;		
(f)	1. humans/larger organisms have smaller SA:VOL ratio; 2. diffusion; 3. too slow / less efficient / therefore less (relative) penetration / eq; 4. need to move oxygen / nutrients / named substance; 5. mass flow / circulatory system / eq;					3 max
						Total 14 marks

Question number	Answer	Notes	Marks
9	<p>C leaves from top and bottom;</p> <p>O same species / same tree / same age of tree / eq;</p> <p>R repeat / many trees / many leaves / eq;</p> <p>M1 METHOD OF MEASUREMENT: chlorophyll / colour / chromatography / eq;</p> <p>M2 METHOD OF EXTRACTION: (heat with) ethanol / crush / eq;</p> <p>S1+S2 same location / soil / time of year / day / mass / surface area / eq;;</p>		6
			Total 6 marks

Question number	Answer	Notes	Marks
10 (a)	1. warmer / eq; 2. avoid sweating / avoid water loss / avoid dehydration; 3. avoid overheating / respiration produces heat / eq; 4. less food available / less water in plants / eq;		3
(b)	1. avoid the sun / avoid high temperature / avoid heat / to shade / avoid overheating / stay cool / cooler at night; 2. avoid sweating / avoid water loss / avoid dehydration;		2
(c)	1. (eating) plants / plants contain water / grass; 2. respiration;	Ignore food / other animals	1 max
(d)	1. (osmo)receptors; 2. hypothalamus; 3. pituitary gland; 4. ADH; 5. (ADH) <u>increases</u> / <u>more</u> (ADH); 6. kidney / nephron; 7. collecting duct; 8. <u>more</u> permeable; 9. reabsorption (of water) / water into blood;	Ignore less urine / less water in urine	6 max
			Total 12 marks

Question number	Answer	Notes	Marks
11 (a)	1. source of food / source of nutrients / eq; 2. smell / eq;		1 max
(b)	1. Cheviot and East Friesian (chosen); 2. (parent sheep with) bare legs <u>and</u> (parent sheep with) bare backsides; 3. cross / breed / mate / eq; 4. <u>select/choose/use</u> offspring with bare legs <u>and</u> bare back side; 5. repeat / many generations / eq;		4 max
(c)	1. farmer / humans / you (choose parents) / eq; 2. faster process / eq; 3. does not affect survival / no survival of fittest / no competition / adaptations may not improve survival / eq;	Allow converse	2
(d)	1. kills/harms other organisms / not specific / eq; 2. affect <u>food chain</u> / bioaccumulation / eq; 3. resistance;	Ignore pollution / harm to sheep or crops or meat or wool or humans Ignore immune Ignore cost / reapplication	2 max
			Total 9 marks

Question number	Answer	Notes	Marks																		
12 (a)	1. large (petals); 2. coloured / bright / white (petals) / eq; 3. scent / smell; 4. <u>nectar</u> / <u>nectary</u> ;		3 max																		
(b)	<table border="1" data-bbox="288 674 995 1294"> <thead> <tr> <th></th> <th>In flowering plants</th> <th>In mammals</th> </tr> </thead> <tbody> <tr> <td>female gametes are made in the</td> <td>ovule;</td> <td>ovary;</td> </tr> <tr> <td>male gametes are made in the</td> <td>anther</td> <td>testes;</td> </tr> <tr> <td>gametes are brought together by</td> <td>pollination</td> <td>copulation;</td> </tr> <tr> <td>fertilisation takes place in the</td> <td>ovule</td> <td>fallopian tube;</td> </tr> <tr> <td>embryo develops in the</td> <td>seed</td> <td>uterus;</td> </tr> </tbody> </table>		In flowering plants	In mammals	female gametes are made in the	ovule;	ovary;	male gametes are made in the	anther	testes;	gametes are brought together by	pollination	copulation;	fertilisation takes place in the	ovule	fallopian tube;	embryo develops in the	seed	uterus;		5
	In flowering plants	In mammals																			
female gametes are made in the	ovule;	ovary;																			
male gametes are made in the	anther	testes;																			
gametes are brought together by	pollination	copulation;																			
fertilisation takes place in the	ovule	fallopian tube;																			
embryo develops in the	seed	uterus;																			

Question number	Answer	Notes	Marks
12 (c)	1. used in growth / used in repair / used in asexual reproduction / eq; 2. no genetic variation / clones / genetically identical cells produced / exact genetic copies of cells / eq; 3. chromosome number stays the same / eq; 4. one round of division / 2 cells produced; 5. diploid cells produced / not used to make gametes;	Allow converse answers for meiosis	3 max
(d)	1. same <u>colour</u> / no <u>colour</u> variation / same phenotype / look the same / all identical / same characteristics / eq; 2. no genetic variation / clones / alleles the same; 3. quicker production; 4. production all year round;	Ignore more produced / profit	2 max
			Total 13 Marks

Question number	Answer	Notes	Marks																		
13 (a) (i)	removal/loss/cutting down of trees/ forest / eq;		1																		
	(ii) idea of more CO ₂ / eq; (less) photosynthesis; idea of less O ₂ / eq;		3																		
(b)	<table border="1"> <thead> <tr> <th data-bbox="298 568 547 667">Gas</th> <th data-bbox="547 568 815 667">Source</th> <th data-bbox="815 568 1070 667">Effect on the environment</th> </tr> </thead> <tbody> <tr> <td data-bbox="298 667 547 801">methane</td> <td data-bbox="547 667 815 801">(cattle farming)</td> <td data-bbox="815 667 1070 801">greenhouse effect / global warming / eq;</td> </tr> <tr> <td data-bbox="298 801 547 936">(water vapour)</td> <td data-bbox="547 801 815 936">(combustion)</td> <td data-bbox="815 801 1070 936">greenhouse effect / global warming / eq;</td> </tr> <tr> <td data-bbox="298 936 547 1106">sulphur dioxide / nitrogen oxides;</td> <td data-bbox="547 936 815 1106">(burning fossil fuels)</td> <td data-bbox="815 936 1070 1106">(causes acid rain)</td> </tr> <tr> <td data-bbox="298 1106 547 1276">carbon monoxide;</td> <td data-bbox="547 1106 815 1276">(incomplete combustion)</td> <td data-bbox="815 1106 1070 1276">(affects transport of oxygen in blood)</td> </tr> <tr> <td data-bbox="298 1276 547 1478">(CFC)</td> <td data-bbox="547 1276 815 1478">(refrigerators and air conditioning units)</td> <td data-bbox="815 1276 1070 1478">affect ozone layer / greenhouse effect / global warming / eq;</td> </tr> </tbody> </table>	Gas	Source	Effect on the environment	methane	(cattle farming)	greenhouse effect / global warming / eq;	(water vapour)	(combustion)	greenhouse effect / global warming / eq;	sulphur dioxide / nitrogen oxides;	(burning fossil fuels)	(causes acid rain)	carbon monoxide;	(incomplete combustion)	(affects transport of oxygen in blood)	(CFC)	(refrigerators and air conditioning units)	affect ozone layer / greenhouse effect / global warming / eq;	<p>Allow increase in temperature</p> <p>Ignore rain</p> <p>Ignore carbon dioxide</p>	5 max
Gas	Source	Effect on the environment																			
methane	(cattle farming)	greenhouse effect / global warming / eq;																			
(water vapour)	(combustion)	greenhouse effect / global warming / eq;																			
sulphur dioxide / nitrogen oxides;	(burning fossil fuels)	(causes acid rain)																			
carbon monoxide;	(incomplete combustion)	(affects transport of oxygen in blood)																			
(CFC)	(refrigerators and air conditioning units)	affect ozone layer / greenhouse effect / global warming / eq;																			
			Total 9 marks																		

Question number	Answer	Notes	Marks
14 (a)	(yeast) glucose ONLY; alcohol/ethanol + carbon dioxide (+ energy) ONLY;	Allow if $C_6H_{12}O_6$ Allow C_2H_5OH and CO_2	2
(b)	limewater; (clear to) cloudy / (clear to) milky / eq; or hydrogen carbonate indicator; (orange to) yellow / eq;		2 max
			Total 4 marks

Total for Paper: 120 Marks

