

Mark Scheme (Results)

Summer 2018

Pearson Edexcel International GCSE In Biology (4BI0) Paper 1B

Pearson Edexcel International GCSE in Science Double Award (4SC0) Paper 1B

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <u>www.edexcel.com</u> or <u>www.btec.co.uk</u>. Alternatively, you can get in touch with us using the details on our contact us page at <u>www.edexcel.com/contactus</u>.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2018 Publications Code 4BI0_1B_1806_MS All the material in this publication is copyright © Pearson Education Ltd 2018

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question number	Answer	Notes	Marks
1 (a)	DescriptionPartused to chew foodteethhas most villi for absorptionsmall intestine;produces hydrochloric acidstomach;stores faecesrectum;		3
(b)	 bile; <u>emulsification;</u> increase surface area (to volume ratio) / (large drops to) small drops; <u>lipase;</u> neutralise acid / <u>optimum</u> pH; 	3. Reject molecules	max 3

(c)	1. cell membrane (ONCE);	1. Allow if label line touches inside of cell wall	max 3
	2. vacuole;	Ignore ribosomes /	
	3. cytoplasm;	mitochondria / chlorophyll	
	4. nucleus;	1 or 2 = 1	
	5. chloroplast;	3 or 4 = 2	
		5 = 3	
(d)(i)	1. plasmid;	List rule applies (mark first two)	max 2
	 cell wall made of murein / peptidoglycan / not made of cellulose; 	Allow converse for each	
	3. no nucleus / nucleoid / <u>circular</u> chromosome;	Мр	
	4. flagellum / pili;	Ignore reference to unnamed organelles	
	5. no <u>chloroplasts</u> / no <u>mitochondria;</u>	Ignore vacuole	
	6. slime capsule / slime layer;		
(ii)	1. Benedict's;		
	2. heat / water bath;		3
	3. green / yellow / orange / red / brick red;		

Question number	Answer	Notes	Marks
2 (a)	 iron; for haemoglobin; 		2
(b)	 <u>more</u> red blood cells; (more) oxygen; <u>aerobic</u> respiration; (less) lactic acid / (less) <u>anaerobic</u> respiration; 		max 2
(с)	 (increase) risk of <u>disease</u> / <u>infection</u>; pathogen / named pathogen; (fewer) lymphocytes; (fewer) <u>antibodies</u>; (fewer) phagocytes; (less) ingestion / engulfing / surrounding; 	Fewer lymphocytes so less ingestion = 1 Fewer phagocytes so fewer antibodies = 1 Less phagocytosis = 2	max 4

Total 8 marks

Question number	Answer	Notes	Marks
3 (a)(i)	 <u>variation</u> (in beak length / width); mutation; those with long(er) / narrower / thinner beak <u>survive;</u> reproduce / breed / mate / offspring; pass on allele / gene / DNA (to offspring); 	 Ignore size Ignore smaller / bigger Allow converse 	max 4
(ii)	 lacks <u>cacti / cactus</u> flowers; (has plants that produce) <u>big / hard / large</u> seeds; 		2
(b)(i)	(75% of 200 = 150 and 28% of 200 = 56) 150 - 56 = 94;;	Allow one mark for 75 <u>and</u> 28	2
(ii)	 live mice move / run / escape / leave woodland / not static / eq; live mice are eaten / removed (by predators) ; live mice hide / shelter / burrow; 	Allow converse eg models do not move	max 2

Question number	Answer	Notes	Marks
4(a) (i)	1. increase in farmed fish / more from farms;		2
	2. wild fish increase and then decrease / levels / plateaus;		
(ii)	(220 (221) – 160 = 60 (61) ÷ 33)	Allow one mark for ÷ 33	2
	1.818 to 1.85 (million);;		
	Allow 1.81 with 2 dots above 8 and 1 indicates recurring		

(b)	1. M keep adults from young / keep sizes apart / eq;	Methods only = 3 max	max 6
	E control intraspecific competition / large fish eat small fish / prevent young being eaten / eq;	Explanations only = 3 max	
	OR		
	2. M keep different species apart / use nets / use cages / eq;	if M and E do not match award 1 only	
	E prevent fish being eaten / control predation / control interspecific competition / eq;	awaru romy	
	OR		
	3. M antibiotics / vaccination / prevent overcrowding;		
	E control <u>disease</u> / <u>infection</u> ;	for E3 ignore prevent disease if linked to	
	OR	feeding and water quality	
	4. M selective breeding / use growth hormones / use GM fish;		
	E for named desired quality such as mass / yield;		
	OR		
	5. M use wrasse / insecticide / pesticide / biological control / eq;		
	E to prevent / remove / kill <u>parasites;</u>		
			Te

Total 10 marks

Question number	Answer	Notes	Marks
5(a)	area / (type of) soil / with and without trees / number of trees / deforestation;		1
(b)	 leaves / trees; food / to eat / nutrients / energy / more food chains; shelter / camouflage / somewhere to hide / protection from predators / eq; 	Allow converse	max 2
(C)	 several quadrats / repeated the experiment / calculated mean; random / method of randomisation; <u>same</u> quadrat / area of quadrat / same size of quadrat; sampled at same time (of day / of year); sampled same depth of soil; 	Ignore same forest / same oak trees / same area of forest / same area of land	max 3

(d)	Advantages:		max 6
	1. employment / jobs / income / eq;		
	2. (wood) for building / furniture / paper / eq;		
	3. fuel;		
	4. land / space for farming / land / space for building homes;		
	5. access by roads;		
	Disadvantages:		
	6. loss of medicinal plants / loss of habitat;		
	 affects <u>food chains</u> / <u>food webs</u> / <u>extinction</u> / <u>migration</u> / <u>biodiversity;</u> 		
	8. soil erosion / leaching / minerals washed out of soil;		
	9. affects water cycle / transpiration / rain / flooding;		
	10. affects carbon dioxide levels / global warming / greenhouse effect;	10. Ignore less photosynthesis / climate change / weather	

Total 12 marks

Question number	Answer	Notes	Marks
6(a)	5.6 to 5.8;;	Allow one mark for dividing by 0.01 / multiply x 100	2
(b)	 less cooling / less heat loss / overheat /heat up ; small <u>surface area to volume</u> ratio; temperature difference is reduced; 	1. Ignore references to sweating / panting	max 2
(c)	 <u>disease</u> / <u>infection</u> / virus / bacteria; habitat loss / loss of food source / lack of food / food supply / deforestation; natural disaster / flood / tsunami / meteor / earthquake / eq; hunting / predation / killed by humans; 	Ignore weather / lack of shelter / lack of prey / lack of water 4. Allow poaching	max 2

Total 6 marks

Question number		Answer		Notes	Marks
7(a)	1. catalyse / speed u	p / increase rate / lower ad	ctivation energy / eq;	allows reactions at lower temperature = 2	2
	2. (chemical) reactio	ns / (metabolic) reactions;		2. Ignore examples e.g, respiration / breakdown of large molecules into small molecules	
(b)	Enzyme	Where produced	Function		5
	amylase	salivary gland	digest / breakdown starch;	Turns starch into maltose = 0	
	protease	stomach / pancreas; allow small intestine	digest / breakdown <u>proteins</u> / <u>peptides</u> ;		
	restriction;	bacteria	cutting DNA at certain points		

(C)	1. less (kinetic) energy at low temperatures;	Allow converse	max 4
	2. fewer collisions / less movement at low temperatures / eq;	for Mps 1 and 2	
	3. enzyme <u>denatures;</u>	3. Reject	
	4. changes <u>active site</u> / <u>eq;</u>	denature if enzyme dies or	
	5. substrate can no longer bind / eq;	killed	
		3.Ignore if linked to low	
		temperature	

Total 11 marks

Question number	Answer	Notes	Marks
8 (a)	7 / seven;		1
(b) (i)	(9 ÷ 119 = 0.0756 × 100) = 7.56 / 7.563;;	Allow one mark for dividing by 119 or for 7.6	2
(ii)	 mis<u>count</u> cells / difficult to <u>count</u> cells / mistake made in <u>count</u>ing / there are so many cells to <u>count</u>; 		max 2
	2. difficult to see chromosomes / chromosomes are small;		
	3. may not be squashed flat / may be layers of cells;		
	4. microscope has poor resolution;		

(c)(i)	 mitosis occurs with no plant hormone / eq; most mitosis is at 0.005ppm / mitosis increases from 0.0 to 0.005 / up to 0.005; mitosis decreases above 0.005 / mitosis decreases from 0.005 to 0.5; 	Ignore mitosis decreases as plant hormone increases alone must refer to more mitosis or mitotic index not just higher/lower	max 2
(ii)	 4. least mitosis is at 0.5; 1. time; 2. temperature; 3. mineral ions / ions / minerals / salts / named mineral / eq; 4. light; 5. <u>volume</u> of solution; 6. oxygen; 	Ignore pH / / glucose conc. in solution / carbon dioxide / humidity / type of plant / type of hormone / water level / wind	max 3

Total 10 marks

Question number	Answer	Notes	Marks
9 (a)	 carbohydrate / glucose / starch / sugar; respiration; (energy) for growth; 	 Ignore food more oxygen for respiration = 1 	max 2
(b)(i)	 S biomass scale is linear and at least half grid; L bars drawn with straight lines; A one axis labelled with <u>lamp/light</u> and other axis labelled with <u>biomass;</u> P bar heights correct; U g / m² / gm⁻²; 	Ignore rate of psyn. bars if both plotted If rate of psyn. only plotted on psyn. axes only allow S and L If rate of psyn. plotted on biomass axes only lose P If scatter graph or line graph no L and no A	5
(b)(ii)	 not all carbohydrate / glucose / starch / sugar + used for <u>growth</u> or <u>biomass;</u> (some carbohydrate) used for respiration; (provide energy) for active transport; 	Ignore food / energy for mp 1 allow energy /food used in respiration Ignore critique of experimental design	max 2

(C)	1. LED 690;	wrong lamp and most biomass =1	2
	2. most <u>biomass</u> ;		
(d)	1. temperature;	Ignore wind / humidity / rain / nutrients / biotic	max 3
	2. carbon dioxide;	factors	
	3. water;		
	4. mineral ions / ions / minerals / salts / named mineral / eq;		
(e)	1. source of food / source of nutrients / diet (in space);	Ignore sustain life / stay in space longer	max 1
	2. produce oxygen;		
	3. absorb carbon dioxide;		

Question number	Answer	Notes	Marks
10(a)	A collecting duct;		4
	B loop of Henle;		
	C glomerulus;		
	D Bowman's capsule / renal capsule;		
(b)	1. high <u>blood</u> concentration / low water potential of <u>blood</u> ;		max 6
	2. osmoreceptors / hypothalamus;	Allow Mps 2, 3 and 5 if	
	3. pituitary gland;	describing too much water in blood	
	4. (more) ADH;		
	5. collecting duct;		
	6. (more) permeable;		
	7. (more) water (re)absorbed (into blood);		
	8. less water in urine / urine more concentrated / less urine;		

Question number	Answer	Notes	Marks
11(a)	1. <u>alveoli</u> + increase surface area;		max 4
	2. (alveoli) thin / one cell thick + short <u>diffusion</u> distance;	 Ignore cell wall Allow not far to diffuse 	
	3. capillary (wall) is thin / one cell thick + short <u>diffusion</u> distance;	3. Allow not far to diffuse	
	 capillary / blood + maintains concentration gradient / <u>diffusion</u> gradient; 	no credit for blood and alveolus close together	
	5. moist + allows gases to dissolve;		
(b)	1. (leaf has) large surface area;		max 4
	2. thin + short <u>diffusion</u> distance;		
	3. <u>stomata</u> + allows gases in/out / diffusion;		
	 <u>spongy mesophyll</u> + increase surface area / gas diffusion / gas movement / air movement; 		
	5. moist + allows gases to dissolve;		

Question number	Answer	Notes	Marks
12	 C use yeast A and yeast B / use (both) varieties of yeast; O same concentration of yeast / same number of yeast (cells) / same mass of yeast / same volume of yeast / eq; R repeat (for each species); 	O Ignore amount	max
	 M1 measure / determine/ test concentration / percentage / content (of alcohol in beer); M2 stated time; 	M1 ignore see which has highest conc	
	 S1 add same mass / volume / concentration of starch / grains / barley/ sugar / carbohydrate / glucose / maltose / malt / wort / substrate; 	S1 Ignore amount / water	
	S2 control temperature / pH / oxygen / allow not far to diffuse ref to anaerobic respiration;		

Total 6 marks

Pearson Education Limited. Registered company number 872828 with its registered office at 80 Strand, London, WC2R ORL, United Kingdom